

PHASE I ENVIRONMENTAL SITE ASSESSMENT

UNDEVELOPED UCF PROPERTY

SITE 3 – CENTRAL SITE

ORLANDO, FLORIDA

PORITION OF TAX PARCEL

03-22-31-0000-00-005

EARLIEST DATE OF INQUIRY: July 13, 2026

ISSUED: August 26, 2026

EXPIRES: January 9, 2027

Prepared for:	UNIVERSITY OF CENTRAL FLORIDA 3544 PERSEUS LOOP ORLANDO, FL 32816
Prepared by:	ONTERRIS 9400 SOUTHPARK CENTER LOOP, SUITE 100 ORLANDO, FL 32819

Table of Contents

Environmental Professional Statement/Certification	1
Executive Summary	2
Major Findings	3
Data Gaps	3
Additional Assessment.....	3
1 Introduction	4
1.1 Scope of Work.....	4
1.2 Site Visit and Interviews.....	5
1.3 Non-ASTM Scope of Work	5
1.4 Exceptions and Deletions	6
1.5 Limiting Conditions and Significant Assumptions.....	6
1.6 Data Gaps and Failures.....	6
1.7 Reliance	6
1.8 Report Expiration.....	7
2 Physical Setting.....	8
2.1 Subject Property Location.....	8
2.2 Topography and Hydrology	8
2.3 Geology and Hydrogeology.....	8
3 Surrounding Properties	10
3.1 Current Use of Surrounding Properties.....	10
3.2 Regulatory Database Listings	10
3.2.1 Adjoining and Surrounding Property Listings	11
3.2.2 Other Nearby Property or Unmappable Listings.....	14
Vapor Encroachment Conditions	14
4 Site Description and Operations.....	15
4.1 Subject Property Ownership and Real Estate Information.....	15
4.2 Subject Property Layout.....	15
4.3 Current Operations	15
5 Site and Surrounding Property History	16
5.1 Summary of Site and Surrounding Property History.....	16
5.2 Historical Resources Review	16
5.3 Previous Site Environmental Studies	20
5.4 FOIA Request	21
5.5 Interviews.....	21
6 Site Environmental Operations	22
6.1 Regulatory Database Listings	22

6.2	Chemical Use and Storage.....	22
6.2.1	Chemical Containers and Use	22
6.2.2	Above Ground Storage Tanks (ASTs).....	22
6.2.3	Underground Storage Tanks (USTs)	22
6.2.4	PFOA and PFOS	23
6.3	Waste Management.....	23
6.3.1	Hazardous Waste	23
6.3.2	Regulated Non-Hazardous Waste	23
6.3.3	Universal Waste	23
6.3.4	Non-Hazardous Waste.....	24
6.3.5	Wastewater	24
6.3.6	Septic Systems	24
6.3.7	Pits, Lagoons, Sumps, and Floor Drains	24
6.4	Water Supply and Storm Water	24
6.4.1	Water Use.....	24
6.4.2	Storm Water	24
6.5	Equipment and Building Materials	24
6.5.1	Polychlorinated Biphenyls (PCBs).....	24
6.5.2	Oil-Containing Equipment.....	25
6.5.3	Air Emissions	25
6.5.4	Heating, Ventilation, and Cooling (HVAC) Systems	25
6.5.5	Asbestos.....	25
6.5.6	Lead-Based Paint.....	25
6.6	Other Observations.....	25
6.6.1	Stained Soil or Pavement.....	25
6.6.2	Odors.....	25
6.6.3	Stressed Vegetation	26
6.6.4	Disturbed Land	26
7	User-Provided Information.....	27
8	Findings and Conclusions	27
9	Additional Considerations	29
9.1	ASTM Definitions.....	29
9.2	Procedures and Methodology	30
9.2.1	User and Site Requests for Information	30
9.2.2	Site Visit	31
9.2.3	Interviews	31
9.2.4	Review of the Site History	32
9.2.5	Evaluation of Adjacent Properties	32
9.2.6	Agency Record Review	32

9.3	ASTM Limitations	33
9.4	Other Limitations	34

Tables

Table 1	Summary of Environmental Records Reviewed
---------	---

Figures

Figure 1	Site Location Map
Figure 2	Aerial Map
Figure 3	USGS Topographic Quadrangle Map
Figure 4	Site Layout Map

Appendices


Appendix A	References
Appendix B	Professional Profiles
Appendix C	Photographic Log
Appendix D	Historical Resources
Appendix E	EDR® Radius Map Report

Environmental Professional Statement/Certification

Onterris has performed this Phase I Environmental Site Assessment in conformance with the scope and limitations of 40 C.F.R. Part 312, ASTM E1527-21. Any exceptions to or deletions from this practice are described in Section 1.4 of this report. Sara Gozdor is the designated Environmental Professional (EP) for this assessment and has made and signed the following declaration:

I declare that, to the best of my professional knowledge and belief, I meet the definition of Environmental Professional as defined in §312.10 of 40 CFR 312. I have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the subject property. I have developed and performed all appropriate inquiries in conformance with the standards and practices set forth in 40 CFR Part 312.

08/26/2026

A handwritten signature in blue ink that reads "Sara Gozdor". The signature is written in a cursive style and is positioned above a horizontal line.

Sara J. Gozdor
Senior Scientist III
Onterris USA, Inc.

Executive Summary

On behalf of The University of Central Florida (UCF), Onterris has performed a Phase I Environmental Site Assessment (ESA) for an approximately 8.6-acre, UCF-owned property located east of North Alafaya Trail and west of Gemini Boulevard West, encompassing two adjacent tracts straddling Centaurus Boulevard in Orlando, Florida (hereafter referred to as “Site 3 – Central Site”, the “site”, or the “subject property”).

Onterris has performed a Phase I ESA on the subject property in conformance with the scope and limitations of ASTM International (ASTM) Standard E1527-21 Standard Practice for Environmental Site Assessment Process. Any exceptions to, or deletions from, this practice are described in Section 1.4 of this report.

The subject property currently comprises two tracts of land north and south of Centaurus Boulevard. The “north tract” consists of a paved parking lot which serves as permitted parking for UCF students and staff. The majority of the “south tract” consists of unimproved land with large trees, but an approximately one-acre paved parking lot for the adjacent Celeste Hotel occupies the south end of the tract. The site is bound by additional paved parking lots to the north and south, Gemini Boulevard West to the east, and North Alafaya Trail to the west. Commercial and residential properties surround the subject property to the north and south.

Historically, the subject property was undeveloped, wooded land prior to the 1950s, during which, the site appears to have been partially divided into plots separated by unpaved roads. Construction of UCF began in the 1960s, and by the late 1970s or early 1980s, one of the unpaved roads traversing the site was expanded and paved as Centaurus Boulevard. The north tract was used for student parking on and off since approximately 2012, and the lot was paved in 2025. Based on aerial photography, the grassy area immediately west of the lot appeared to be in use as a construction support lot from 2023 to 2025. A steel shipping container, earthmoving equipment, soil stockpile, and multiple, unidentified, box-like items were staged in this area at that time. It is possible that bulk fuel containers were present in the construction support lot during that time. However, based on the short duration of the lot’s use for this purpose and the absence of publicly-available spill incident records for the site, this is not anticipated to represent a concern for the site.

Development of the parking lot on the south tract began in 2018 in conjunction with construction of the Celeste Hotel. During these construction activities, two small structures were present on the south tract, presumably in support of hotel construction activities. By 2021, these structures were removed, and the south lot was completed.

Major Findings

This assessment did not reveal evidence of recognized environmental conditions (RECs)¹, historical RECs (HRECs)¹, controlled RECs (CRECs)¹, business environmental risks (BERs)¹, or de minimis conditions¹ in association with the subject property.

Data Gaps²

Onterris identified the following data gaps and/or failures for this Phase I:

- Onterris was unable to interview neighboring property owners or past subject property owners. While this is, by ASTM definition, a data gap, it is considered a low-significance data gap for the subject property because we believe these sources would not have provided information that would have altered the findings of this report. Information obtained through interviews, the User, and publicly available databases are believed to address this data gap, and therefore, it is assumed to be of low significance.

Additional Assessment

It is our professional opinion that no further assessment is warranted for the subject property.

¹ RECs, HRECs, CRECs, BERs, and de minimis conditions are defined in Section 9.1.

² As per the ASTM standard, “significant data gaps” are those that affect the ability of the Environmental Professional to identify RECs and identify sources of information to address those data gaps. If significant data gaps are identified, it is our opinion that additional diligence or assessment (such as additional data review or physical sampling of environmental media) is required to address the data gap.

1 Introduction

On behalf of The University of Central Florida (UCF), Onterris has performed a Phase I Environmental Site Assessment (ESA) for an approximately 8.6-acre, UCF-owned property located east of North Alafaya Trail and west of Gemini Boulevard West, encompassing two adjacent tracts straddling Centaurus Boulevard in Orlando, Orange County, Florida (hereafter referred to as “Site 3 – Central Site”, the “site”, or the “subject property”).

The Phase I was conducted in accordance with Onterris’s proposal referenced in Section 1.7 and the requirements of ASTM International (ASTM) Standards E1527-21, Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process (“the ASTM standard”). UCF is identified as the User of this report, as defined by the ASTM standard. The Phase I ESA was performed in anticipation of development activities involving the subject property.

1.1 Scope of Work

The Phase I was conducted in accordance with the ASTM standard E1527-21, which meets the requirements of the All Appropriate Inquiries (AAI) Final Rule, 40 Code of Federal Regulations (CFR) Part 312, with the exclusion of those exceptions or deletions described in Section 1.4. The purpose of the Phase I was to identify, to the extent feasible pursuant to the ASTM standard, Recognized Environmental Conditions (RECs), Historical RECs (HRECs), or Controlled RECs (CRECs) in connection with the subject property. RECs and other key terms for this ESA are defined in Section 9.1.

Phase I activities were performed in pursuit of site-specific information related to current and historical:

- Uses of the subject property;
- Practices for the storage, use, and disposal of chemicals and waste;
- Releases or incidents on or near the subject property that could have resulted in adverse impacts to the subsurface or associated corrective and/or regulatory action; and
- Other conditions on or near the subject property that have resulted in, or threaten to result in, adverse impacts to the subsurface.
- Handling, manufacturing, and/or transportation of Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) hazardous substances (including perfluorooctanoic acid (PFOA) and perfluorooctanesulfonic acid (PFOS)) onsite or a facility adjoining/surrounding the subject property.³

³ PFOA and PFOS are per- and polyfluoroalkyl substances (PFAS) compounds. Currently, they are the only PFAS compounds that are classified as hazardous substances under CERCLA; therefore, the potential presence of PFOA and PFOS was evaluated as part of this assessment. A review of other PFAS compounds is currently considered a

Unless otherwise specified in this section, the scope of work of the Phase I included:

- A site reconnaissance of the subject property to visually observe current conditions and identify potential concerns;
- Interviews and a review of various historical resources to assess the history of the subject property and surrounding area;
- Observation of nearby and adjoining properties to evaluate the potential for offsite impacts to affect or have affected the subject property;
- Research and review of local city/county, tribal, state, and federal records, including interviews (where warranted) and contracting Environmental Data Resources, Inc. (EDR) to identify regulatory listings for the subject property and vicinity and regulatory-listed facilities in the vicinity of the subject property, as per the search distances specified in E1527-21; and
- Interviews with and/or review of information provided by the User, owner(s), and/or site operator, as deemed appropriate by the Environmental Professional.

Pertinent information obtained from these sources and activities is presented in relevant sections throughout this report. A list of references and resources used in this assessment is provided in **Appendix A**. Professional profiles for the designated Environmental Professional and other key personnel for this assessment are provided in **Appendix B**. Additional details pertaining to the Phase I scope of work, procedures, and associated considerations are provided in Section 9.

1.2 Site Visit and Interviews

Onterris conducted a site visit on July 17, 2026, to assess the subject property and adjoining properties. FOIA requests were completed on July 20, 2026, and an interview with UCF representatives Jonathon Bates and Bill Martin was completed on August 10, 2026, as discussed in Section 5.5.

1.3 Non-ASTM Scope of Work

Activities performed as part of this assessment which are outside the scope of the ASTM standard are described as follows:

- Onterris performed a limited evaluation of the potential for per- and polyfluoroalkyl substances (PFAS, other than PFOS and PFOA) to represent a concern for the subject property based on obvious known current and historical uses of the subject property. This did not include a thorough review of materials used/stored at the subject property or detailed activities involved in subject property operations/history, but merely a broad review of general historical and

non-scope item under the ASTM Standard. However, the databases and NAICS codes reviewed for PFOA and PFOS per this assessment may include other PFAS compounds.

current site operations to identify those operations with obvious potential connections to the use of PFAS.

1.4 Exceptions and Deletions

Useful information from regulatory agencies pertaining to the subject property and adjoining properties was obtained from online sources, via public information requests, and from EDR, so Onterris did not conduct interviews with regulatory agency representatives.

Onterris has not identified other exceptions to, or deletions from, the ASTM standard in this Phase I.

1.5 Limiting Conditions and Significant Assumptions

Onterris did not encounter limiting conditions during this assessment and has not made significant assumptions during this Phase I other than those considerations discussed in Section 9.

1.6 Data Gaps and Failures

Onterris identified the following low significance⁴ data gaps and/or failures for this Phase I:

- Onterris was unable to interview neighboring property owners or past subject property owners.

It is our opinion that these sources would not have provided information that would have substantively altered the findings of this report. Information obtained through interviews, the User, and publicly available databases are believed to address the data gaps/failures identified above, and therefore, these data gaps/failures are assumed to be of low significance.

Significant data gaps and failures were not identified for this Phase I.

1.7 Reliance

This report has been prepared for UCF. The reliance of this party is subject to the terms and conditions agreed to by and between Onterris USA, Inc. d/b/a Montrose Environmental Solutions, Inc. and UCF dated June 26, 2026, and executed July 6, 2026. This report may not be relied upon by any other recipient, person, or entity (“other party” or “other parties”) without the written authorization of Onterris, and Onterris makes no warranties or representations to any other party. In receiving this report, other parties agree to make no claim against Onterris that relates in any way to this report, and to the fullest extent permitted by applicable law, other parties hereby release Onterris from, and will defend and hold harmless Onterris from and against, any claim, action, suit, damage, loss, award,

⁴ As per the ASTM standard, “significant data gaps” are those that affect the ability of the Environmental Professional to identify RECs and identify sources of information to address those data gaps. If significant data gaps are identified, it is our opinion that additional diligence or assessment (such as additional data review or physical sampling of environmental media) is required to address the data gap.

liability, expense, cost, or fees including attorneys' fees arising from or relating to any use or disclosure of the report or any portion thereof.

1.8 Report Expiration

In accordance with the ASTM standard, this report expires 180 days following the *earliest* of the site visit date provided in Section 1.2 and the interview date(s) and regulatory agency search dates listed in **Appendix A**. Specifically, this Phase I ESA report will expire on January 9, 2027.

2 Physical Setting

2.1 Subject Property Location

The subject property is located east of North Alafaya Trail and west of Gemini Boulevard West, encompassing two adjacent tracts straddling Centaurus Boulevard in Orlando, Florida. The site consists of approximately 8.6 acres of land comprising two paved parking lots, undeveloped land with sporadic, large trees, and lightly landscaped grassy areas.

The surrounding areas to the north, east, and south are commercially developed, while the west is undeveloped wooded land. North Alafaya Trail bounds the site to the west. Gemini Boulevard West bounds the site to the east. Strategy Boulevard bounds the site to the south. A parking lot associated with campus Greek housing bounds the site to the north.

The subject property location is depicted in **Figure 1** and **Figure 2**. A photographic log showing visual observations and neighboring properties is included as **Appendix C**.

2.2 Topography and Hydrology

Based on topographic maps and site observations, the land surface at the site is generally flat with a slight slope towards the south. The United States Geological Survey (USGS) topographic quadrangle maps indicate that the subject property gently slopes to the south, with an average elevation of approximately 60-65 feet above sea level (**Figure 3**).

Topographic maps depicting the subject property and vicinity are included in **Appendix D**. Storm water features and drainage at the subject property are described in Section 6.4.2.

Information provided in EDR's Radius Map Report ("the EDR report", provided in **Appendix E**) indicates there are no floodplains within or immediately surrounding the site.

The EDR report does not identify federal or state wetlands within the subject property.

2.3 Geology and Hydrogeology

Information in the EDR report (**Appendix E**) indicates the bedrock stratigraphic unit beneath the subject property is the Ocala Limestone and the Hawthorn Group.

According to the EDR report and confirmed on the United States Department of Agriculture (USDA) Web Soil Survey (WSS) website (<https://websoilsurvey.nrcs.usda.gov/app/>), soils beneath the subject property consists of the following poorly-drained soils:

- Archbold fine sand with 0 to 5 percent slopes; and
- St. Lucie-Urban land complex with 0 to 5 percent slopes.

Groundwater flow direction can be influenced by the presence of local wetland and surface water features, topography, geology, recharge and discharge areas, supply and injection wells, and other factors. Information provided in the EDR report suggests that shallow groundwater on site generally flows towards the south.

According to the EDR report, there are no registered United States Geologic Survey (USGS) water wells, 126 state database wells, and no oil/gas wells within one mile of the site. There are public water supply wells within the ASTM-required standard search radius for the site but based on the known history of the site (as discussed in Section 5), the presence of nearby public water supply wells is not considered a concern for the subject property.

3 Surrounding Properties

This section presents a discussion of surrounding properties, their current use, and relevant regulatory database listings for properties located within the prescribed search radii specified in the ASTM standard. A discussion of the historical use of surrounding properties is presented in Section 5.

3.1 Current Use of Surrounding Properties

The subject property is east of North Alafaya Trail and west of Gemini Boulevard West, encompassing two adjacent tracts straddling Centaurus Boulevard. Strategy Boulevard bounds the site to the south.

At the time of the site visit, Onterris observed the following occupants and uses of adjoining and nearby properties:

- **North:** UCF campus Greek housing and associated paved parking.
- **East:** UCF's Performing Arts buildings and parking garage.
- **South:** A paved parking lot and the associated Celeste Hotel.
- **West:** Undeveloped, wooded landed.

The locations and uses of adjoining and surrounding properties are presented in **Figure 4**. During site reconnaissance, Onterris did not observe indications of monitoring wells, gasoline stations, or other obvious evidence of potential concerns on the adjoining properties. A review of regulatory database records (discussed further in Section 3.2.1) and historical resources (Section 5.2) did not suggest that nearby facilities, their associated properties, or related regulatory database listings to be a potential concern in connection with the subject property.

The following sections detail the findings of the agency records search and regulatory determinations for the adjoining and surrounding properties in connection with the subject property.

3.2 Regulatory Database Listings

Regulatory information was reviewed to obtain information that might indicate the presence of hazardous and/or toxic materials at nearby properties. Environmental database records reviewed were provided in the EDR report (**Appendix E**) or accessed via online databases, as listed in **Appendix A**. Regulatory databases were searched by EDR according to the search radii prescribed in the ASTM standard. The EDR report defines acronyms for these databases and describes the nature of their purpose/use.

3.2.1 Adjoining and Surrounding Property Listings

The environmental records search identified facilities/ sites within the ASTM E1527-21 specified search distances from the subject property. Pertinent information gathered for the subject property and surrounding properties from various documents reviewed is provided in **Table 1**, along with conclusions regarding whether a reference represents a REC, HREC, CREC, business environmental risk (BER), de minimis condition, or other potential concern.

Table 1: Summary of Environmental Records Review

Map/EDR ID Number	Facility ID	Site Name	Address	Database Source	Direction and Distance (mi) from Subject Property	Comments
1	103004	Greek Row Lot Debris Staging Area	S of 4100 S Greek Park Dr.	SWF/ LF	Subject Property	This listing refers to a portion of the subject property that is authorized to accept debris from natural disasters. Based on a review of documentation available in the Florida Department of Environmental Protection's (FDEP) Oculus database, this listing has been approved to accept debris since 2017. Due to the innocuous nature of this listing, it is not anticipated to represent a concern for the subject property.
2	110046320085	UCF Greek Housing	415 Greek Park Drive	FINDS/ ECHO	Subject Property	This facility is listed on the Enforcement and Compliance History Online (ECHO) database related to a prior storm water permit. According to the database, the permit associated with the facility has been terminated as of May 2017. No records or documentation for leaks, spills, or releases have been recorded for this facility. Therefore, it is not anticipated to represent a concern for the subject property.
4	227187	Strategic Dental Care Corp.	12250 Strategy Boulevard # 437	HAZ WASTE	SW/ 0.095	This facility is listed as a dental laboratory, and according to the EDR report, this facility is not a hazardous waste generator. The EDR report does not identify records or documentation of leaks, spills, or releases for this facility. Therefore, this facility is not anticipated to represent a concern for the subject property.
5 & 6	8513002	The Grocery Box	4066 N Alafaya Trail	UST FINDER/ LUST/ UST/ AST. DWM CONTAM	SSW/ 0.095	This listing refers to the former Handy Way and Grocery Box, which formerly maintained five 4,000-gallon underground storage tanks (UST) that were installed in 1972 and removed in 2003. According to documentation found in the Oculus database, the facility is registered in the state-funded Early Detection Incentive (EDI) program; however, the cause and volume of the associated release is not disclosed. When the site was redeveloped into its present use as a multi-tenant shopping center and student housing, monitoring wells associated with the release were reportedly abandoned or destroyed. However, documentation indicates groundwater monitoring has been conducted since 1993, and Post Active Remediation Monitoring (PARM) is currently being conducted. Based on a review of the most recent documentation and ongoing remediation efforts, groundwater flow direction is to the west (away from the site), and the extent of contamination is approximately 600 feet to the northwest. Therefore, this facility and associated listings are not anticipated to represent a concern for the subject property.
7	9817658	The Celeste	4105 N Alafaya Trail	AST	S/ 0.125	This listing refers to the 1,270-gallon emergency generator above-ground storage tank (AST) located at the facility. A review of documents in Oculus identified no records of reported leaks, spills, or releases for this facility. Therefore, this facility is not anticipated to represent a concern for the site.
10	9814092	Plaza on University	12101 University Boulevard	AST	SSW/ 0.195	This listing refers to a 944-gallon emergency generator AST. Aside from minor administrative violations identified in Oculus, no records or documentation for leaks, spills, or releases have been recorded for this facility. Therefore, this facility is not anticipated to represent a concern for the site.
12-16	9502687	Siemens Energy Inc.	4400 Alafaya Trail	LUST/ AST/ UST/ DWM CONTAM	WNW/ 0.214	This listing refers to a Siemens Energy facility with a 2,500-gallon emergency generator UST that was installed in the early 1980's and closed in 1995. According to documentation from Oculus, a discharge reporting form (DRF) was filed for the facility at the time of the tank closure. A Limited Site Assessment (LSA) was submitted in October 2006 with the recommendation for a No Further Action (NFA) determination. The Site Rehabilitation Completion Order (SRCO) was issued in January 2007, and the facility remains in compliance; therefore, this facility is not anticipated to be a concern for the subject property.
17-19	8622642	Chevron	12190 University Boulevard	LUST/ UST/ DWM CONTAM	SSW/ 0.226	According to the EDR report and Oculus database, this facility historically maintained three 10,000-gallon USTs that contained unleaded gasoline. A DRF was filed in December 1988, but details of the nature of the leak are not provided. The facility is registered with the EDI program and is currently undergoing monitoring under the Petroleum Restoration Program (PRP). As of July 2015, the USTs have been excavated and removed with no indication of leaking or holes and no staining apparent in the soil. In June 2016, the monitoring wells were abandoned. The report was approved by the Orange County Department of Environmental Protection (OCEPD), and an NFA determination was granted for the facility. It has since been redeveloped as a bank. Due to the closed status of the release, this facility is not anticipated to represent a concern for the site.
20	8732273	University of Central FL Wastewater Building #4	Off Central FL Boulevard	UST	ESE/ 0.228	This listing refers to a 1,000-gallon fuel oil UST used by UCF for onsite heat. According to Oculus, it was installed in 1968 and removed in June 1993. Due to the removal of the UST, the lack of reported releases and/or violations, and the distance of this property from the subject property, this facility is not anticipated to represent a concern for the subject property.

Map/EDR ID Number	Facility ID	Site Name	Address	Database Source	Direction and Distance (mi) from Subject Property	Comments
24 & 25	9804008	Circle K #2708955/ BP #70366	4600 North Alafaya Trail	LUST/ UST/ DWM CONTAM	NNW/ 0.255	This listing refers to a gasoline station that was constructed in 2000 and maintains four 10,000-gallon USTs of unleaded gasoline. Based on a review of Oculus, a DRF was filed in 2010 for soil contamination identified during the replacement of five spill buckets in November 2008. Soil assessments and monitoring wells were installed, and by May 2023, the OCEPD issued an SRCO for the release. Based on the closed nature of this release, this facility is not anticipated to represent a concern for the subject property.
23	8622599	University of Central Florida	4000 Central Florida Boulevard	LUST/ UST	ESE/ 0.265	According to the EDR report, this listing refers to a release that was reported on September 22, 1994, and closed on July 7, 2021. A DRF was filed for the discovery of hydrocarbon vapors in excess of 1,000 parts per million (ppm) that was caused by the overfilling of a UST. A review of documentation from the Oculus database confirmed that the facility received an SRCO following submittal of a Supplemental Site Assessment Report dated November 29, 2020. Due to the closed nature of the release, this listing is not anticipated to represent a concern for the subject property.

3.2.2 Other Nearby Property or Unmappable Listings

Other database records for nearby properties not listed in **Table 1** were also presented in the EDR report and other online data sources. However, based on the innocuous nature of these listings, the closed regulatory status of the listings, the nature of contaminants involved, the environmental media affected, the distance of these properties to the site, and/or the downgradient location of the listed properties, these listings are not expected to represent a concern for the subject property and do not need further discussion.

Additionally, the computerized geocoding technology used in EDR's database search is based on available census data and is only accurate to ± 300 feet. The EDR report provides database listings for which insufficient information is available to correctly identify the locations of the listings. These listings are reported as "unmappable" or "orphan" because their exact location cannot be determined. If unmappable listings identified in the EDR report were found to be within the ASTM-prescribed search radii, they are discussed in Sections 3.2.1 or 3.2.2 (above), Section 5.2, or it is our opinion that these listings do not need further discussion for one or more reasons listed in Section 3.2.1.

There are no orphan listings in the EDR report.

3.3 Vapor Encroachment Conditions

A vapor encroachment condition (VEC), or potential vapor encroachment condition (PVEC), can result from a release of hazardous substances or petroleum products to the environment that may have occurred at the property and/or surrounding properties. A Tier I VEC assessment was completed by Onterris using the method provided by EDR in conjunction with technical guidance documents from the United States Environmental Protection Agency (USEPA) and ASTM E2600-22 "Standard Guide for Vapor Encroachment Screening on Property Involved in Real Estate Transactions". The result of this assessment is included in **Appendix E**.

The "EDR VEC Application" provides a snapshot of the potential risk of vapor migration/encroachment associated with the surrounding properties that were identified within the EDR database. The limited screening method should not be considered a human health risk assessment nor was it intended to comply with regulatory requirements that might exist for the evaluation of vapor migration. No vapor encroachment screen can wholly eliminate uncertainty regarding the identification of VECs in connection to a site. Screening is intended to reduce, but not eliminate, uncertainty regarding whether a VEC exists in connection with a property.

Tier 1 of VEC screening applies state and federal database records to identify those sites with the potential to affect subsurface vapor conditions. Tier 1 employs a 1/3-mile (0.33 mile, or 1,760 feet) radius for releases of non-petroleum products, and a 1/10-mile (0.10 mile, or 528 feet) radius for releases of petroleum products.

The EDR VEC assessment tool did not identify database listings within these prescribed radii of the subject property.

4 Site Description and Operations

4.1 Subject Property Ownership and Real Estate Information

The subject property consists of a portion of a larger (parent) parcel that is currently owned by UCF. The parent parcel has a mailing address of 3900 Commonwealth Boulevard, Tallahassee, Florida.

Tax records for the parent parcel, accessed via the Orange County Property Appraiser (OCPA) [<https://ocpaweb.ocpafl.org/dashboard>], provide information as follows.

Parcel	Acreage (Deeded/Calculated)	Features
03-22-31-0000-00-005	1,194.20	Multiple public college zoned buildings, multi-family residences for student housing, multiple parking garages, sporting facilities and fields, and various paved asphalt.

It is important to note that the subject property comprises only the 8.6-acre portion of the parent parcel depicted in **Figures 1** through **4**.

4.2 Subject Property Layout

The subject property is located within UCF campus property and generally consists of two parking lots and undeveloped land. The site comprises two tracts of land north and south of Centaurus Boulevard. The “north tract” consists of a paved parking lot which serves as permitted parking for UCF students and staff. The majority of the “south tract” consists of unimproved land with large trees, but an approximately one-acre paved parking lot for the adjacent Celeste Hotel occupies the south end of the tract.

The layout of the subject property and pertinent features are depicted in **Figure 4**, and photographs taken during the site visit are provided in **Appendix C**.

4.3 Current Operations

The subject property currently provides parking for UCF students and staff, as well as patrons of the Celeste Hotel. No structures are present on the site.

5 Site and Surrounding Property History

5.1 Summary of Site and Surrounding Property History

Historically, the subject property was undeveloped, wooded land prior to the 1950s, during which, the site appears to have been partially divided into plots separated by unpaved roads. Construction of UCF began in the 1960s, and by the late 1970s or early 1980s, one of the unpaved roads traversing the site was expanded and paved as Centaurus Boulevard. The north tract was used for student parking on and off since approximately 2012, and the lot was paved in 2025. Based on aerial photography, the grassy area immediately west of the lot appeared to be in use as a construction support lot from 2023 to 2025. A steel shipping container, earthmoving equipment, soil stockpile, and multiple, unidentified, box-like items were staged in this area at that time. Development of the parking lot on the south tract began in 2018 in conjunction with construction of the Celeste Hotel. During these construction activities, two small structures were present on the south tract, presumably in support of hotel construction activities. By 2021, these structures were removed, and the south lot was completed.

Other than North Alafaya Trail and what appears to be a citrus grove southwest of the site, the adjoining properties appeared as undeveloped land until at least the early 1950s. By the late 1950s, the site and immediately surrounding area were separated into eight rectangular plots of land separated and surrounded by unpaved roads, but no use of these plots is apparent based on aerial photography. The UCF campus was initially constructed in the 1960s and gradually expanded through the 1990s, with several subsequent additional improvements (e.g.: parking lots and buildings) in the 2000s and 2020s. The Siemens Energy complex to the west of the site and another large building complex southwest of the site were constructed by the early 1980s. The building complex to the southwest was razed in 2013 and rebuilt as a multi-tenant residential complex in 2014. Construction of the Celeste Hotel to the south of the site commenced in 2018 and was completed by 2021. By that time, the area surrounding the site appeared generally in its current condition.

5.2 Historical Resources Review

Onterris reviewed historical information provided in aerial photographs, topographic maps, Sanborn® fire insurance maps, and city directories (**Appendix D**), as well as other resources listed in **Appendix A**, to evaluate past uses of the site and surrounding area. Pertinent information obtained from these documents (and other resources, where warranted) is summarized in the following table:

Time Period	Subject Property	Surrounding Property
1940 (A)	The subject property appears to be undeveloped, vegetated land. No structures are apparent.	The adjoining properties appear as undeveloped, vegetated land with a small naturally-occurring pond to the east. North Alafaya Trail is to the west, and what appears

Time Period	Subject Property	Surrounding Property
		to be a citrus grove is present to the southwest. No structures are apparent.
1947 (A)	Notable changes are not apparent.	Notable changes are not apparent from the 1940 aerial photograph.
1953 (T)	The topographic map depicts the subject property as undeveloped land. No structures are depicted.	The topographic map depicts a roadway to the west. One depressional marsh or swamp area is to the east. No structures are noted.
1954 (A)	The subject remains undeveloped vegetated land, but an unpaved road bisects the southern portion of the site from east to west. No structures are apparent.	Unpaved roads to the north and east are apparent on the adjoining properties. The citrus grove appears no longer in use. A few small structures, likely residences or agricultural use buildings, are present along the south shore of a lake to the west of the site.
1957 (A)	A portion of the subject property appears to have been separated into two plots of land, with a second unpaved road bisecting it from east to west. No structures are apparent.	The adjoining land has also been separated into distinct plots separated by unpaved roads. In total, there are eight rectangular plots (including those that overlay the site) forming a square area with unpaved roads around its perimeter.
1963 (A)	Notable changes are not apparent.	Notable changes are not apparent.
1969 (A)	Notable changes are not apparent.	Construction of the UCF campus and Central Florida Boulevard to the southeast is apparent.
1970 (T)	Consistent with the aerial photographs, a portion of the site appears separated into two plots by unpaved roads.	Consistent with the aerial photographs, the site and immediately surrounding area is separated into eight plots by unpaved roads. UCF campus structures are depicted to the southeast.
1970 (A)	Notable changes are not apparent.	Additional development of the UCF campus to the southeast is apparent.
1978 (A)	The unpaved road between the two plots appears to have been expanded as Centaurus Boulevard and provides access to UCF paved parking to the immediate east. The other unpaved road on site appears to be no longer maintained.	Gemini Boulevard West (connected to Greek Park Drive to the north) is apparent to the east, followed by paved parking lots and additional new development of the UCF campus. To the far southwest, multi-tenant commercial development is apparent.
1980 (T)	Notable changes are not depicted.	Additional structures associated with the UCF campus are present to the east. Several small structures west and northwest of the site are depicted.
1984 (A)	The portion of Centaurus Boulevard that bisects the site appears paved. The remaining portions of the subject property remain unimproved.	The Siemens Energy facility to the west has been constructed, as well as a road expansion of Centaurus Boulevard that provides access to it. Some road development activity is apparent to the north of the site.

Time Period	Subject Property	Surrounding Property
1989 (A)	Notable changes are not apparent.	Strategy Boulevard and a large commercial or residential building complex have been constructed to the southwest of the site. Greek housing structures are visible to the north-northeast.
1990 (A)	Notable changes are not apparent.	Notable changes are not apparent aside from additional Greek Housing structures to the north-northeast.
1990 (CD)	The subject property is not listed in the city directories.	City directory records do not identify noteworthy listings.
1992 (CD)	The subject property is not listed in the city directories.	City directory records do not identify noteworthy listings.
1993 (A)	Notable changes are not apparent.	Additional development of the UCF campus is apparent to the north, east, and southeast.
1995 (A)	Notable changes are not apparent.	Additional Greek Housing development is apparent to the northeast.
1995 (CD)	Notable changes are not apparent.	City directory records do not identify noteworthy listings.
1997 (A)	Notable changes are not apparent.	Notable changes are not apparent, other than additional development of the UCF campus to the east-northeast.
1999 (A)	Notable changes are not apparent.	Notable changes are not apparent aside from an additional parking garage apparent to the southeast.
2000 (CD)	The subject property is not identified in the city directory listings.	City directory records do not identify noteworthy listings.
2002 (A)	Notable changes are not apparent.	Notable changes are not apparent.
2004-2005 (A)	Notable changes are not apparent.	Notable changes are not apparent.
2005 (CD)	The subject property is not identified in the city directory listings.	City directory records do not identify noteworthy listings.
2006 (A)	Notable changes are not apparent.	A large building is under construction in the former location of a paved parking lot immediately southeast of the site.
2007-2009 (A)	Notable changes are not apparent.	Notable changes are not apparent, except the construction of the large building southeast of the site is complete.
2010 (A)	A portion of the north tract appears to be in use as unpaved parking.	Notable changes are not apparent.
2010 (CD)	The subject property is not identified in the city directory listings.	City directory records do not identify noteworthy listings.

Time Period	Subject Property	Surrounding Property
2012 (T)	The topographic map depicts Centaurus Boulevard traversing from east to west through the site.	The topographic map does not depict structures, but roads surrounding the site are shown, and UCF is labeled to the east of the site.
2012 (A)	Notable changes are not apparent, except that a portion of the north tract has been fenced as an unpaved parking area.	Three additional Greek Housing structures have been constructed on the property immediately north of the site. In 2013, the large complex southwest of the site has been razed, and the property is under construction. In 2014, the current complex of multi-tenant residential buildings has been constructed.
2013 (A)	Notable changes to the topographic map are not depicted.	The large complex southwest of the site has been razed, and the property is under construction.
2014 (A)	Notable changes to the topographic map are not depicted.	The current complex of multi-tenant residential buildings has been constructed.
2014 (CD)	The subject property is not identified in the city directory listings.	City directory records do not identify noteworthy listings.
2015 (T)	Notable changes to the topographic map are not depicted.	Notable changes to the topographic map are not depicted.
2015-2016 (A)	Notable changes to the site are not apparent, with exception that the fence has been removed from the north tract.	Notable changes are not apparent.
2017 (CD)	The subject property is not identified on the city directory listings.	The city directory records identify Siemens Energy Inc. (4410 North Alafaya Trail) to the west.
2017 (A)	A fence is present around the portion of the south tract currently used as a hotel parking lot.	Notable changes are not apparent.
2018 (A)	The fenced portion of the south tract has been cleared and is in use for parking. A small structure (perhaps a trailer) is present in the northwest corner of the fenced area, presumably in support of hotel construction activities.	Construction of the Celeste Hotel is underway to the south of the site.
2018 (T)	Notable changes to the topographic map are not depicted.	Notable changes to the topographic map are not depicted.
2019 (A)	A second structure is present northeast of the structure in the northwest corner of the fenced area on the south tract. Multiple tractor trailers are staged in the fenced area. A portion of the fenced lot has been paved for vehicle parking.	Construction of the Celeste Hotel and associated parking areas continues to the south.
2021 (T)	Notable changes to the topographic map are not depicted.	Notable changes to the topographic map are not depicted.
2021-2022	The hotel parking lot on the south tract has been fully constructed. The fencing and previously-	Construction of the Celeste Hotel appears complete.

Time Period	Subject Property	Surrounding Property
(A)	present structures and trailers are no longer present. The areas surrounding the lot are lightly landscaped with grass, bushes, and palm trees.	
2022 (CD)	The subject property is not identified in the city directory listings.	The city directory records do not identify new noteworthy listings.
2023 (A)	An area immediately west of the unpaved student parking area on the north tract has been fenced, with a construction entrance along North Alafaya Trail. The fenced area appears to be in use as a construction materials support lot, with a metal storage/shipping container, a stockpile of soil, and numerous box-shaped and other items, the nature of which is not known.	Notable changes are not apparent.
2024 (A)	The numerous box-shaped items and soil stockpile are no longer visible, but the fenced area on the north tract appears to be still in use as a construction support area. Several large trucks, storage containers, and other unidentifiable items are visible.	Notable changes are not apparent.
2024 (T)	Notable changes to the topographic map are not depicted.	Notable changes to the topographic map are not depicted.
2024 (CD)	The subject property is not identified on the city directory listings.	The city directory records identify Strategic Dental Care Corp (12250 Strategy Boulevard) to the southwest.
2025 (A)	In early 2025, most items and the fence have been removed from the construction support area, but some equipment is still present. By late 2025, the north tract has been finished as a paved parking lot with light landscaping (grass, shrubs, and some trees) on its east, west and south sides (including the former construction support lot). By that time, the site appeared generally in its current configuration.	Notable changes are not apparent.

Abbreviations:

- (A) Aerial photograph
- (CD) City directory
- (T) Topographic map

5.3 Previous Site Environmental Studies

Documentation of previous environmental assessments associated with the site were not provided by the User or identified in publicly-available resources.

5.4 FOIA Request

Freedom of Information Act (FOIA) requests were requested from OCEPD completed for the site on July 20, 2026. As a note, a public records request through OCEPD also includes a records search with the Orange County Fire Records (OCFR) department simultaneously. Therefore, a separate request for fire department records was not submitted.

The FOIA requests did not provide pertinent information for the subject property or surrounding properties. FOIA documents can be provided upon request.

5.5 Interviews

An interview was conducted on August 10, 2026, with Jonathon Bates, UCF's Associate Vice President of Strategic Campus Planning, and Bill Martin, University Architect at UCF. To their knowledge, there have been no prior uses or buildings associated with the subject property. Additionally, no additional documentation associated with the subject property was provided by the site contacts.

6 Site Environmental Operations

On July 17, 2026, Onterris personnel conducted a site visit to observe the subject property for evidence of RECs or other environmental concerns, such as the presence of dumping or disposal areas, evidence of landfilling, stressed or discolored vegetation, stained soils, the presence of storage tanks or drums (or other chemical containers), monitoring wells, electrical transformers, sumps or drains, or other evidence that may suggest the presence of a release or threatened release of hazardous substances or petroleum products.

A photographic log compiled during the site reconnaissance is included in **Appendix C**. Pertinent site features are shown in **Figure 4**.

6.1 Regulatory Database Listings

The subject property was not identified in database records presented in the EDR report.

6.2 Chemical Use and Storage

With the exception of a natural gas pipeline that traverses the site (as evident by above-grade infrastructure in the northwest corner of the site [**Photo 5**]), no chemical usage or storage was observed on the subject property at the time of the reconnaissance, and no obvious indications of past chemical usage or storage at the site were apparent in documentation reviewed.

6.2.1 Chemical Containers and Use

No chemical containers were observed on the subject property at the time of the reconnaissance. It is possible that bulk fuel containers were historically present in the temporary construction support lot formerly on the north tract (in 2023-2025, as discussed in Section 5). However, based on the short duration of the lot's use for this purpose and the absence of publicly-available spill incident records for the site, this is not anticipated to represent a concern for the site.

6.2.2 Above Ground Storage Tanks (ASTs)

No ASTs were present on the subject property at the time of the reconnaissance, and no evidence of historical ASTs at the site was apparent in documentation reviewed.

6.2.3 Underground Storage Tanks (USTs)

No evidence of current or former USTs (such as fill ports or piping) was identified during the site visit, during interviews, or in documentation reviewed for the site.

6.2.4 PFOA and PFOS

PFOA and PFOS are PFAS compounds. Currently they are the only PFAS compounds that are classified as hazardous substances under CERCLA; therefore, the potential presence of PFOA and PFOS was evaluated as part of this assessment. A review of other PFAS compounds is currently considered a non-scope item under the ASTM Standard. However, the databases and NAICS codes reviewed for PFOA and PFOS per this assessment may include other PFAS compounds.

A review of regulatory databases and North American Industry Classification System (NAICS) codes associated with PFOA and PFOS does not suggest obvious indications that these compounds are a concern for the site. No evidence of PFOA or PFOS use was observed during the site visit, during interviews, or in documentation reviewed.

6.3 Waste Management

6.3.1 Hazardous Waste

Hazardous waste is waste that poses a severe threat to human health or the environment if improperly disposed. According to the USEPA, a substance is a hazardous waste if it appears on specific lists of hazardous waste or exhibits the established characteristics of hazardous waste. Hazardous waste is regulated under the Resource Conservation and Recovery Act (RCRA).

According to databases searched by EDR, the site has not been on the RCRA database. Hazardous waste generation or storage at the site was not observed during the site visit nor suggested in interviews or documentation reviewed.

6.3.2 Regulated Non-Hazardous Waste

Regulated non-hazardous waste (i.e., used oil, asbestos, antifreeze, grinding dust, and wastewater) generation at the site was not observed during the site visit nor suggested in interviews or documentation reviewed.

6.3.3 Universal Waste

Universal waste is a classification of waste that includes “hazardous,” yet common, materials. These wastes mostly come from consumer products that contain substances hazardous to health. Universal waste cannot be disposed of in landfills. Federal regulations apply to five types of universal waste: batteries, pesticides, mercury-containing equipment, lamps, and aerosol cans.

Regulated universal waste generation at the site was not observed during the site visit nor suggested in interviews or documentation reviewed.

6.3.4 Non-Hazardous Waste

Unregulated non-hazardous waste (i.e., medical waste, industrial waste, electronic waste) generation at the site was not observed during the site visit nor suggested in interviews or documentation reviewed.

6.3.5 Wastewater

Wastewater generation at the site was not observed during the site visit nor suggested in interviews or documentation reviewed.

6.3.6 Septic Systems

Onterris did not observe evidence of current or former septic systems at the subject property during the site visit. The UCF campus is serviced by UCF Utilities and Engineering Services (UES), which manages the sewage system.

6.3.7 Pits, Lagoons, Sumps, and Floor Drains

As the subject property is developed with a parking lot to the north and undeveloped to the south, Onterris did not observe pits, lagoons, sumps or floor drains. Standing water was not observed.

6.4 Water Supply and Storm Water

6.4.1 Water Use

The subject property does not use water for domestic, process, or irrigation purposes. OCPA parcel records indicate that water supply for the parent parcel is sourced from UCF.

6.4.2 Storm Water

No storm water drains were identified during the site visit. The site is serviced by UCF UES, which also manages campus stormwater infrastructure.

6.5 Equipment and Building Materials

6.5.1 Polychlorinated Biphenyls (PCBs)

Onterris observed a pole-mounted transformer along the western boundary of the north tract bounding the subject property to the west (**Photo 3**). The ground surface underlying the transformer pole is paved and appeared in adequate condition based on surficial observations. No evidence of a release of dielectric fluid was observed.

6.5.2 Oil-Containing Equipment

Onterris did not observe oil-containing equipment on the subject property.

6.5.3 Air Emissions

Onterris did not observe evidence of air emissions generated at the subject property.

6.5.4 Heating, Ventilation, and Cooling (HVAC) Systems

Onterris did not observe HVAC equipment on the subject property.

6.5.5 Asbestos

Occupational Safety and Health (OSHA) standards in Code of Federal Regulations (CFR) 1910.1001 and 1910.1101 consider spray-applied surfacing materials, thermal insulation systems, and vinyl flooring materials installed in 1980 or earlier as “presumed asbestos-containing materials” (presumed ACM), and installation of such materials containing asbestos is banned in the United States. The installation of roofing or fireproofing materials containing asbestos is not currently banned in the United States.

The subject property is currently undeveloped; therefore, no asbestos-containing material was observed during the site reconnaissance.

6.5.6 Lead-Based Paint

In 1978, the federal government banned consumer use of lead-based paint (LBP) in homes and public buildings; however, the use of LBP in industrial buildings has not been banned.

The subject property is currently undeveloped; therefore, no LBP was observed during the site reconnaissance.

6.6 Other Observations

6.6.1 Stained Soil or Pavement

Onterris did not observe stained soil or pavement at the time of site reconnaissance.

6.6.2 Odors

No odors indicative of a release of hazardous or petroleum substances were apparent within the subject property at the time of reconnaissance.

6.6.3 Stressed Vegetation

Onterris did not observe indications of stressed vegetation at the time of site reconnaissance.

6.6.4 Disturbed Land

Onterris did not observe evidence of disturbed land. As discussed in Section 5, historical aerial photography indicates stockpiled soil was staged briefly in the temporary construction support area on the north tract in 2023. No evidence of formerly stockpiled soil was observed during the site visit. Based on the brief duration in which it was visible in aerial photographs and the absence of obvious historical major regrading activities at the site, the stockpile is not anticipated to represent a concern for the site.

7 User-Provided Information

Onterris contacted the User for information related to the site. Jonathan Bates, UCF's Associate Vice President of Strategic Campus Planning, completed the questionnaire. Relevant information provided by the User is discussed in the applicable sections of this report or in the following table, which lists the "additional inquiries" the User must make to comply with the ASTM standard:

Request	Information Provided	User Information Provided
Environmental Cleanup Liens ⁵	Title search or other information pertaining to environmental cleanup liens against the subject property	The User indicated a check for environmental liens currently recorded against the site indicated no liens.
Activity and Use Limitations (AULs) ⁵	May include engineering controls (e.g., slurry walls, caps) and land use restrictions or institutional controls (e.g., deed restrictions, covenants)	The User indicated a search of recorded land title records indicated no AULs for the site.
Common Knowledge	Common knowledge about specific chemicals, possible contamination, or past use of the site and nearby area	The User had no common knowledge other than that already discussed in other sections of this report.
Specialized Knowledge	Personal knowledge or experience related to the site or nearby properties based on professional experience or knowledge of the subject property	The User had no specialized knowledge other than that already discussed in other sections of this report.
Obvious Indicators	Knowledge of obvious indicators of past or present spills, stains, releases, cleanups on or near the site	The User had no knowledge of obvious indicators of past releases other than that already discussed in other sections of this report.
Fair Market Value	Devaluation of the fair market value of the site in association with environmental conditions at or under the property.	The User was not aware of a devaluation of the fair market value of the subject property.

⁵ Onterris did not perform an independent title search or evaluation of environmental cleanup liens or AULs for the site.

8 Findings and Conclusions

Onterris has performed a Phase I ESA of the subject property in conformance with the scope and limitations of ASTM Standard E1527-21. Any exceptions to, or deletions from, the ASTM standard are described in Section 1.4 of this report. Additional limitations and considerations are described in the next section.

Evidence of RECs and other findings revealed during this assessment in connection with the subject property are provided in the Executive Summary at the beginning of this report. Professional profiles for the designated Environmental Professional and other key personnel to this assessment are provided in **Appendix B**.

9 Additional Considerations

9.1 ASTM Definitions

The ASTM Standard Practice E1527-21, which meets the requirements of the All Appropriate Inquiries (AAI) Final Rule (40 CFR Part 312), defines key terms used in this Phase I as follows:

Recognized Environmental Conditions (REC): “...(1) the presence of hazardous substances or petroleum products in, on, or at the subject property due to a release to the environment; (2) the likely presence of hazardous substances or petroleum products in, on, or at the subject property due to a release or likely release to the environment; or (3) the presence of hazardous substances or petroleum products in, on, or at the subject property under conditions that pose a material threat of a future release to the environment.”

Historical REC (HREC): “...a previous release of hazardous substances or petroleum products affecting the subject property that has been addressed to the satisfaction of the applicable regulatory authority or authorities without subjecting the subject property to any controls (for example, activity and use limitations or other property use limitations). A historical recognized environmental condition is not a recognized environmental condition... the environmental professional shall review reasonably ascertainable documentation and relevant data that demonstrate that unrestricted use criteria established by the applicable regulatory authority or authorities was met. A past release that qualified as a historical recognized environmental condition may no longer qualify as a historical recognized environmental condition if new conditions or information have been identified such as, among other things, a change in regulatory criteria or a subsequently identified migration pathway that was not previously known or evaluated.”

Controlled REC (CREC): “...recognized environmental condition affecting the subject property that has been addressed to the satisfaction of the applicable regulatory authority or authorities with hazardous substances or petroleum products allowed to remain in place subject to implementation of required controls (for example, activity and use limitations or other property use limitations)... A past release that previously qualified as a controlled recognized environmental condition may no longer constitute a controlled recognized environmental condition at the time of the Phase I Environmental Site Assessment if new conditions or information have been identified such as, among other things, a change in regulatory criteria, a change of use at the subject property, or a subsequently identified migration pathway that was not previously known or evaluated.”

Business Environmental Risk (BER): a risk which can have a material environmental or environmentally driven impact on the business associated with the current or planned use of commercial real estate, not necessarily related to those environmental issues required to be investigated in this practice.

De Minimis Condition: “...a condition related to a release that generally does not present a threat to human health or the environment and that generally would not be the subject of an enforcement

action if brought to the attention of appropriate governmental agencies. A condition determined to be a de minimis condition is not a recognized environmental condition nor a controlled recognized environmental condition.”

Data Gap: “...a lack of or inability to obtain information required by this practice despite good faith efforts by the environmental professional to gather such information. Data gaps may result from incompleteness in any of the activities required by this practice, including, but not limited to site reconnaissance (for example, an inability to conduct the site visit), and interviews (for example, an inability to interview the key site manager, regulatory officials, etc.)”

Data Failure: “...a failure to achieve the historical research objective...even after reviewing the standard historical sources ... that are reasonably ascertainable and likely to be useful...”

User: “...the party seeking to use Practice E1527 to complete an Environmental Site Assessment of the property... A user may include, without limitation, a potential purchaser of subject property, a potential tenant of subject property, an owner of the subject property, a lender, or a property manager. A user seeking to qualify for an LLP to CERCLA liability, or a user that is an EPA Brownfield Assessment and Characterization grantee, has specific obligations for completing a successful application of this practice...”

Additionally, the ASTM standard describes a key term used in this report as follows:

Limiting Conditions: Limiting conditions include those “limitations imposed by physical obstructions such as adjacent buildings, bodies of water, asphalt, or other paved areas, and other physical constraints (for example, snow, rain, flooding, etc.)...” Limiting conditions may also include “user-imposed constraints...”

9.2 Procedures and Methodology

Unless otherwise specified elsewhere in this report, the following is an overview of the activities performed by Onterris during the completion of this assessment. The information and documents provided by the various sources consulted for this Phase I are assumed to be reliable unless otherwise noted, and Onterris did not conduct an independent verification of information and/or documents reviewed. Onterris cannot and does not warrant or guarantee that the information provided by these other sources is accurate or complete. The methodologies of this Phase I are not intended to produce all-inclusive or comprehensive results, but rather to provide the client with information relating to the subject property.

9.2.1 User and Site Requests for Information

Onterris requested pertinent site documents from both the User and site contact or owner, including but not limited to prior environmental reports and assessments, permits, licenses, inspections, registrations, agency correspondence, site maps, and other records and data related to environmental operations at the subject property. Onterris also requested from the User the specific

information discussed in Section 7. Onterris did not perform an independent search for environmental liens or AULs.

9.2.2 Site Visit

The subject property was evaluated through visual observations of surface conditions at the time of the site visit. The purpose of the visit was to note the general condition of the property and identify signs of potential environmental impacts, including but not limited to such factors as improperly managed waste or chemicals, the presence of underground storage tanks, observation of stained soils or distressed vegetation, etc.

Onterris observed the site exterior by walking (where accessible) and visually scanning the perimeter of site buildings, the approximate perimeter of the site, paved and/or unpaved onsite pathways/roadways to identify areas of interest (e.g.: areas of chemical/material storage, equipment staging, production activities, machinery operation, chemical use, surface staining, past releases, etc.). Onterris observed the interior portions of the site by entering key rooms and areas (as led and permitted by the site contact and/or personnel) to identify areas of interest. Unless prohibited by the site, deemed unsafe, or otherwise described in Section 1.5, Onterris approached and/or entered identified areas of interest on the exterior and interior portions of the property for closer observation. If escorted by a representative of the site during the visit, Onterris depended, in part, on the escort to make Onterris aware of the existence of areas of interest at the site.

If the subject property includes large areas of undeveloped land, Onterris visually observed the exterior portions of the property for areas of interest from established pathways or roadways. If access to or visibility of exterior portions of the property were limited by the presence of dense vegetation or other factors, or if identified areas of interest were inaccessible, this is discussed in the limitations or data gaps sections of this report (respectively, Sections 1.5 or 1.6).

As permitted by the site and deemed appropriate by the Environmental Professional, Onterris also used the site visit as an opportunity to interview the site contact, to observe adjacent properties (as described in Section 9.2.5) and available personnel and to review and/or retrieve relevant site documents not previously provided by the site, User, or agency databases.

Unless otherwise specified in Section 1.3, no sampling or analytical testing of environmental media was performed for this Phase I.

9.2.3 Interviews

Onterris interviewed the User and site contact regarding site history, environmental operations, neighboring properties, and other relevant information. As deemed appropriate by the Environmental Professional and permitted by the site and Client, Onterris also may have interviewed the site owner, other site personnel or occupants, neighboring properties, and/or other persons currently or previously associated with the site (if available). If deemed appropriate by the Environmental Professional to supplement publicly available records, Onterris also may have interviewed

representatives of regulatory agencies. Findings of this Phase I which relied on information based on interviews may be limited to the information gained from interviewing persons who claimed to have knowledge of the subject property, and an independent verification of this information was not performed. Persons interviewed for this assessment and their contact information is provided in **Appendix A**.

9.2.4 Review of the Site History

Historical sources were consulted to develop a history of previous property use that may indicate environmental concerns. Onterris attempted to identify obvious uses of the property from the present back to its first developed use or 1940, whichever is earlier. The ASTM standard requires an identification of historical documents and records from the time the subject property contained structures or from the time the property was first used for residential, agricultural, commercial, industrial, or institutional purposes. The sources consulted during this Phase I included interviews with knowledgeable persons, a review of previous documents listed in **Appendix A**, and those sources provided in **Appendix D**. Only those standard historical sources considered necessary by the Environmental Professional and reasonably ascertainable were reviewed.

9.2.5 Evaluation of Adjacent Properties

To evaluate their potential to represent a concern for the subject property, Onterris observed adjoining properties as possible from the site and public roadways and rights-of-way. Unless otherwise specified, Onterris did not visit offsite properties. If the site is located within a larger multi-tenant property, portions of the larger property not part of the site that is the subject of this Phase I were considered "offsite". If available, Onterris interviewed representatives of adjoining properties only if deemed warranted by the Environmental Professional. The past use of adjacent properties was assessed only to the extent that this information was revealed during the course of the historical review conducted on the subject property.

9.2.6 Agency Record Review

To identify current and/or past environmental conditions with the potential to represent a concern for the subject property, Onterris conducted a review of relevant regulatory agency records related to the site and nearby properties. These records were retrieved via publicly available databases and provided by the third-party database search company identified in Section 1.1. As deemed appropriate by the Environmental Professional, telephone calls were made to regulatory agencies to supplement information retrieved from publicly available online databases. No in-person visits to regulatory agencies were made unless otherwise indicated in **Appendix A**.

Onterris reviewed the third-party database report and conducted a search of regulatory databases for information pertaining to the site. The third-party database report (**Appendix E**) summarizes the ASTM-required databases searched and notes if the subject property or nearby properties identified within the ASTM-prescribed search radii are listed in those databases. Only listings deemed noteworthy due to the nature of the listing and/or other conditions are discussed in the applicable

sections of this report. A search of regulatory databases for information pertaining to neighboring properties was conducted only if warranted based on potential concerns identified in the third-party database report review, interviews, or other sources reviewed related to the subject property.

9.3 ASTM Limitations

The innocent landowner, contiguous owner, and prospective purchaser defenses to liability under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) require that a person or entity acquiring property conduct an All Appropriate Inquiry (AAI, as described in 40 CFR. 312) with respect to the subject property.

To satisfy the AAI requirement, the ASTM E1527-21 standard requires the application of professional judgment and science to information obtained, as well as subjective interpretation using the discretion of the designated Environmental Professional. Such conclusions presented in this report are based on the information currently available to Onterris within the limitations of existing data, identified data gaps, and the scope of work, budget, and schedule authorized by the Client. The ASTM standard identifies several principles governing the limitations of the ASTM-compliant Phase I. These include, but are not limited to the following principles:

- The Phase I is intended to reduce, but not eliminate, uncertainty regarding the potential for RECs in connection with a property, and the ASTM standard recognizes reasonable limits of time and cost.
- The Phase I is not an exhaustive assessment of the subject property. The cost and time associated with the Phase I is not intended to outweigh the reduction of uncertainty about unknown conditions resulting from additional information.
- Not every property warrants the same level of assessment. The level of effort expended should be guided by the type of property, the expertise and risk tolerance of the User, and the information developed during the course of the assessment.
- The performance of an AAI should be based on the reasonableness of judgments made at the time and under the circumstances in which they were made.
- The viability of a Phase I continues up to 180 days following the earliest date of completion of any required component of the Phase I ESA. If not more than one year has passed since completion of a required component of the Phase I, the Phase I may be updated as described in the ASTM standard.
- If the User changes during the period within which the Phase I is viable, the new User must also satisfy the User responsibilities identified in the ASTM standard. The new User must also seek written authorization of the right to rely on the report.

Additionally, the liability defenses prescribed under CERCLA require that the User, following completion of the transaction, maintain a continuing obligation to not impede the integrity and effectiveness of AULs, to take reasonable steps to prevent releases, and to comply with legally required release reporting obligations. Onterris makes no warranties, expressed or implied, that this

Phase I assessment will qualify the User for the innocent landowner, contiguous property owner, or prospective purchaser defense to liability (collectively referred to as “landowner liability protections” or “LLPs”) under CERCLA.


9.4 Other Limitations

The conclusions presented in this report represent our professional judgment based on the information made available to us during the course of this assessment and are true and correct to the best of our knowledge as of the date of this report. Onterris assumes no responsibility or liability for errors in the information provided to Onterris for this Phase I or developments resulting from situations outside the scope of this project. This assessment was performed in accordance with generally accepted practices of the profession undertaking similar studies at the same time and in the same geographical area. The findings and conclusions presented in this report are based on the conditions encountered at the time this Phase I was conducted and should not be considered representative of future conditions.

Conclusions provided in this report do not constitute legal advice and should not be relied upon in any way for legal interpretations. State-specific regulations related to property transfer (or ownership changes) may apply to the proposed transaction. Costs related to compliance with these State requirements were not included in this Phase I. Consultation with an attorney and/or certified accountant should be made with respect to any legal or accounting matters, or items that require such interpretation, under any law, regulation or contract.

Figures

Document Path: T:\GIS_Client Files\PROJ-070393 UCF 3 Properties\Site 3 Figures.aprx



UCF Undeveloped Property
Site 3 - Central Site
Site Location Map
Orlando, Orange County, FL



Figure 1

DRN: SNB	APR: SG
DATE: 7.16.2026	PN: PROJ-070393

Document Path: T:\GIS_Client Files\PROJ-070393 UCF 3 Properties\Site 3 Figures.aprx





DRN: SNB	APR: SG
DATE: 7.16.2026	PN: PROJ-070393

UCF Undeveloped Property
Site 3 - Central Site
Aerial Map
Orlando, Orange County, FL



Figure 2


Document Path: T:\GIS\Client Files\PROJ-070393 UCF 3 Properties\Site 3 Figures.aprx



UCF Undeveloped Property
Site 3 - Central Site
USGS Topographic Quadrangle Map
Orlando, Orange County, FL

Onterris

Figure 3



UCF Undeveloped Property
Site 3 - Central Site
Site Layout Map
Orlando, Orange County, FL

Onterris

Figure 4

Appendix A – References

References

Sources of information used in conducting the Phase I ESA are detailed in this appendix. Where information obtained from these sources was determined to be useful by the Environmental Professional, it is summarized in the body of this report. Historical resources provided by Environmental Data Resources, Inc. (EDR) are provided in **Appendix D** and database information provided by EDR is provided in **Appendix E**.

Interviews

Role	Name, Title, Company	Contact Information	Method and Date(s) of Interview
Site Contact	Jonathon Bates Associate Vice President, Strategic Campus Planning University of Central Florida	Jonathon.bates@ucf.edu 407.823.1099	Teams Call August 10, 2026
Site Contact	Bill Martin University Architect University of Central Florida	Bill.martin@ucf.edu	Teams Call August 10, 2026
User(s)	Matthew Christopher Project Manager University of Central Florida	matthew.christopher@ucf.edu	NA
Neighboring Property Owners/Occupants	Not available	Not available	Not available

Historical Resources

Document Provided	Source of Information	Years Reviewed
Aerial Photographs	Google Maps	2025
Aerial Photographs	Google Earth	1985, 1990, 1995, 1999, 2002, 2004-2010, 2012-2019, 2021-2025
Aerial Photographs	EDR - USDA/NAIP, USGS/DOQQ, USGS, USDA	1940, 1947, 1954, 1957, 1963, 1969, 1970, 1978, 1984, 1989, 1990, 1993, 1995, 1997, 1999, 2007, 2010, 2015, 2019, and 2023
USGS Topographic Maps	EDR	1953, 1970, 1980, 2012, 2015, 2018, 2021, and 2024
City Directories (North Alafaya Trail)	EDR Digital Archive, Cole Information, Orange City Directory	2017 and 2022
City Directories (Centaurus Boulevard)	EDR Digital Archive, Cole Information, Polk City Directory	2022
Sanborn® Fire Insurance Maps	EDR	Not applicable.

User Provided Information

Document Provided	Author	Date
No documents provided.		

Regulatory Agency Information

Agency/ Company/ Database	Contact Information	Information Requested	Date of Search or Request Completion
Environmental Data Resources, Inc. (EDR)	800-241-6476	Aerial photographs, topographic maps, city directories, Sanborn® fire insurance maps, Radius Map Report®	7/13/2026
USEPA Enforcement and Compliance History Online (ECHO)	http://www.epa.gov/echo/	Environmental permits, compliance inspections/ violations, and general site information	7/27/2026
Florida Department of Environmental Protection Oculus Database	https://prodenv.dep.state.fl.us/DepNexus/public/searchPortal	Environmental regulatory documentation, compliance inspections, and facility reports.	7/27/2026
Orange County Department of Environmental Protection (OCDEP)	publicrecordsrequest@ocfl.net	Environmental records and data related to the site	Request: 7/20/2026 Received: 7/21/2026
Orange City Fire Department	publicrecordsrequest@ocfl.net	Fires, releases, tank information, complaints, code violations	Request: 7/20/2026 Received: 7/21/2026
United States Department of Agriculture (USDA) Web Soil Survey	https://websoilsurvey.nrcs.usda.gov/app	Soil Mapping	7/27/2026
Orange County Property Appraiser	https://ocpaweb.ocpafl.org/dashboard	Tax parcel and property boundaries	7/13/2026
National Wetlands Inventory Mapper	https://www.fws.gov/program/national-wetlands-inventory/wetlands-mapper	Current information on the status, extent, characteristics and functions of wetlands, riparian, and deepwater habitats.	7/27/2026
Presumptive Contamination: A New Approach to PFAS Contamination Based on Likely Sources Table S-1	https://www.ncbi.nlm.nih.gov/pmc/articles/PMC9648201/	Used to reliably identify industry facilities that are presumptive sources of PFAS contamination across the resulting 191 distinct NAICS codes. Table S-1 lists the 38 NAICS codes included in presumptive contamination model.	7/27/2026

NR - no response (other than confirmation of receipt of request) as of the date of this report.

Appendix B – Professional Profiles



Sara Gozdor

Senior Scientist

sagozdor@montrose-env.com

Orlando Office

Cell: 516-322-5323

Professional Experience

Sara Gozdor has over 20 years of experience in managing contaminated sites and providing environmental services for the oil and gas, power, and manufacturing sectors. As an environmental consultant, she is skilled in site characterization, due diligence, environmental compliance, site decommissioning, project management, and various other environmental support services.

Sara's expertise is in the conditional closure of contaminated sites regulated under the Florida Department of Environmental Protection's (FDEP) Waste Cleanup program. She has supported several large and high-profile projects, offering environmental services to multiple Fortune 500 companies across the oil and gas, power, and manufacturing industries. She has also managed and supported multiple environmental projects under various state and federal programs for the United States Navy, Air Force, and Army Corps of Engineers.

Expertise

Sara specializes in project management, people management and staff development, due diligence and transaction advisory services, contaminated site management, preparation of restrictive covenant documents for conditional site closure, development of conceptual site models for sites with contaminated soil/groundwater, EHS compliance reviews and audits.

Education & Training

BA, Environmental Studies, Adelphi University

AA, Liberal Arts, Nassau Community College

Relevant Project Experience

Contaminated Site Management and Due Diligence Projects

40-Site Due Diligence Assessment Portfolio – Ready-Mix Concrete Manufacturing Company – U.S. Sara managed a 40-site due diligence project entailing forty ASTM E1527-21-compliant Phase I Environmental Site Assessments for a global cement and ready-mix concrete manufacturing company. The 40 sites were located in 11 states in the Eastern United States and the Gulf Coast, and the project scope included site visits and individual reports for each site. The project was completed on an expedited schedule and was supported by 15 Montrose professionals.

Multi-Site Due Diligence and Contaminated Site Assessment to Closure - Fortune 500 Manufacturing Company - Clearwater, FL. Sara managed a multi-site acquisition project to support a large expansion of a transformer manufacturing facility. Sara initially provided due diligence support to assess the extent of metals impacts in soil at these properties and to evaluate potential options for closure of an acquired site with known chlorinated solvent impacts in groundwater. She managed Site Assessments for the acquired sites and prepared and executed a Remedial Action Plan at one of the sites. Remedial Action included the redistribution and reuse of impacted soil at the site and the subsequent installation of an asphalt pavement cap as an engineering control. Sara assisted with the preparation and execution of restrictive covenant documents, and the sites were subsequently issued a Conditional Site Rehabilitation Completion Order.



Contaminated Site Assessment to Closure - Metal Fabrication Company - Jacksonville, FL. Sara managed an environmental site assessment of an approximately 10-acre, 11-parcel metal fabrication facility with discrete metal impacts in soil, petroleum-related contaminants associated with a former buried tank, and PCB impacts in soil associated with leaking transformers. The site is also included within a larger CERCLA site associated with impacts to soil from incinerator ash. A ROD mandates the City to remediate incinerator ash-related impacts. Sara managed a Site Assessment of soil and groundwater impacts, natural attenuation groundwater monitoring, and excavation and disposal of impacted soil areas. Sara subsequently negotiated with the City and State to allow the remaining impacted soil and groundwater to be controlled via institutional and engineering controls. Institutional controls include a restrictive covenant and existing institutional controls under the City's incinerator ash program. The restrictive covenant has been approved and recorded with the County, and the Site has been granted a Conditional Site Rehabilitation Completion Order.

Groundwater Investigation of Leaking Spent Fuel Pools - Nuclear Power Plant - Buchanan, NY. Sara played several key roles in an extensive and politically sensitive groundwater investigation at a nuclear power plant in New York. The purpose of the investigation was to address tritium and strontium-90 releases from spent fuel pools into groundwater. This project involved installation, sampling, and hydraulic conductivity testing of an extensive monitoring well network, execution of a dye tracer test, deployment of multilevel well sampling systems, development of a conceptual site model, frequent meetings and negotiations with the State and Nuclear Regulatory Commission (NRC), and several public meetings and demonstrations. Following the investigation phase of the project, Sara participated in the development, planning, and execution of a long-term groundwater monitoring program, serving as the program's project manager.

Natural Attenuation Monitoring to Closure – Vacant Property - Tampa, FL. Sara assisted with the completion of a Site Assessment and managed a natural attenuation monitoring project at a 64-acre undeveloped property contaminated by dredge spoils from the historic construction of the Tampa Bypass Canal. Constituents of concern included lead, arsenic, manganese, and several polyaromatic hydrocarbons. A land developer purchased the property from the County for a reduced price and agreed to perform a voluntary assessment and cleanup of the property prior to development. The Site Assessment delineated impacts in soil on site, and groundwater impacts were found to extend offsite. During the course of natural attenuation monitoring, the lateral extent of the plume retreated to within the property boundaries. Sara prepared and executed a restrictive covenant document prohibiting groundwater use and restricting the property to commercial/industrial use. FDEP subsequently issued a Conditional Voluntary Cleanup Completion Order for the site.

Assessment of Chlorinated VOCs in Groundwater from an Offsite Source - Fortune 500 Cosmetics Company - Jacksonville, FL. Sara was retained to define the source of chlorinated solvents identified in groundwater on the Client's property, which had a long industrial history, but no known releases. The property was located immediately downgradient of a property known to be contaminated with chlorinated solvents. However, the client was compelled by the state to assess groundwater because parent compounds had been detected, which were believed to have been removed from the neighboring property. The client was also concerned that it would be compelled to delineate/remediate groundwater impacts potentially migrating onto an abutting residential neighborhood. Sara and her team utilized EQulS to manage and query decades of historical hydrogeologic and analytical data, and employed a customized web-based GIS system to refine the conceptual site model. Sara and her team identified temporal variability in chemical fingerprints, which clearly demonstrated that the contamination on the client's property was nearly identical to that found on the abutting upgradient property. The project team's evaluation of geological stratigraphy demonstrated how well screen placement affected the



groundwater chemistry data and how incorrect categorization of some well screens (i.e., shallow versus deep) made a significant difference in the resultant interpretation. Ultimately, the state agreed with the redeveloped conceptual site model and released the Client from responsibility for assessment and cleanup.

Groundwater Protection Program Evaluation - Nuclear Power Plant - Western MI. Sara performed several 5-year evaluations of the Groundwater Protection Program employed by a nuclear power plant to assist with the facility's compliance with NEI-07-07. The initial assessment involved the development of a conceptual site model of groundwater flow at the facility and an evaluation of the suitability of the Site's monitoring well network. Sara also performed a well integrity assessment and has managed well refurbishment and installation activities for the facility.

Due Diligence and Contaminated Site Assessment to Closure - Marina and Resort, Islamorada, FL. Sara managed a due diligence, Site Assessment, and Natural Attenuation Monitoring project at an active resort and marina in the Florida Keys. The property features a gasoline filling station and multiple fueling dispensers along the marina, which may have contributed to localized petroleum impacts in the groundwater. Assessment and Natural Attenuation Monitoring activities have been completed, and Sara is pursuing conditional closure of the Site using institutional controls (i.e., a deed restriction).

Electrical Substation Retirement Assessment and Remediation - Fortune 500 Energy Company - Live Oak and Jasper, FL. Sara managed the assessment and remediation of two former electrical substations in north-central Florida, in accordance with the Mineral Oil Dielectric Fluid (MODEF) program requirements. Assessment activities identified the presence of petroleum and PCBs impacts in soil and concrete. Impacted material was subsequently characterized and removed.

Contaminated Site Remediation to Closure - Former Chemical Manufacturing Facility - Lake City, FL. Sara managed a remedial Operation & Maintenance (O&M) project that utilized an air sparge/soil vapor extraction (AS/SVE) system to remediate a historic petroleum release at a former chemical processing plant. After several years of operation, the lateral extent of the BTEX plume had substantially retreated, and the system was shut down. After several years of post-active remediation monitoring, xylenes were the only constituents of concern detectable above Groundwater Cleanup Target Levels in a single well. Sara's team subsequently performed a limited soil assessment to confirm that historic soil removal efforts and AS/SVE operation had successfully abated all soil impacts. Sara prepared and executed a deed restriction that limited the property to industrial/commercial use and restricted shallow groundwater use. The Site was subsequently issued a Site Rehabilitation Completion Order.

Wastewater Effluent Risk Analysis - Oilfield Chemical Production Company, Odessa, TX. Sara performed overland runoff calculations for several aerobic septic systems at an oilfield chemical processing plant in order to determine if effluent from the systems was affecting (or could potentially affect) nearby wetlands.

Contaminated Site Assessment to Closure - Plastics Manufacturing Facility - Hollywood, FL. Sara managed a site assessment and remediation project involving a leaking oil-water separator that had resulted in petroleum impacts to soil at a plastic container manufacturing plant. Over an unknown period, the release seeped through the building wall onto an unpaved, narrow area where overhead equipment and conduits rested on multiple vertical supports/footers wedged between the building and the property fence. The assessment delineated soil impacts in the area and was followed by an interim source removal, during which several areas of impacted material had to be excavated by hand due to the proximity of equipment supports and building



foundations. Removal efforts were successful in completely abating impacts, and FDEP subsequently issued an unconditional Site Rehabilitation Completion Order.

Groundwater and Soil Assessment - Former Pesticides Manufacturing Plant - Tampa, FL. Sara orchestrated and managed a groundwater assessment and partial soil assessment of a former pesticide plant for which site rehabilitation responsibility currently lies with a Fortune 500 energy company that does not own or operate the property. Constituents of concern in groundwater include organochlorine pesticides and a number of naturally occurring metals that have leached out of the soil due to the low pH of the groundwater. The groundwater plume extends under properties to the immediate east, west, and south and has migrated at least one-third mile from the presumed source of impacts. Several other consulting companies had previously worked on the project but had not yet completed the groundwater assessment due to numerous data gaps and unexplained data/observations. Sara and her team developed a conceptual site model that accounted for these gaps, eliminated the need to install several additional onsite and offsite wells, and identified background conditions that precluded the need for additional delineation in some areas.

Oil & Gas Industry Projects

Soil Assessment and Interim Soil Removal - Crude Oil Pipeline Abandonment – Southeast, FL. During the abandonment of an inactive crude oil pipeline within the FDOT right-of-way (ROW) in southeast Florida, a legacy pipeline release to soil within the ROW and a neighbouring property was discovered. Following some limited assessment work, Sara served as the regulatory expert on the project for an interim soil removal effort in order to meet the requirements of FDEP's Waste Cleanup program. Interim soil removal activities included the excavation of source material below the water table, necessitating dewatering. Nearly 120,000 gallons of dewatering effluent were treated and discharged under permit onto the Site. Approximately 13,000 tons of impacted soil were removed and transported off-site for disposal as non-hazardous petroleum waste. Due to the nature in which confirmatory sampling was performed, the data collected during the removal effort effectively satisfied FDEP's requirements for completion of a Site Assessment for impacted soil. Efforts to complete a groundwater assessment are currently in the planning stages.

Keystone XI Pipeline Supplemental Environmental Impact Study Support - U.S. Department of State. Sara assisted with the preparation of a supplemental environmental impact study (SEIS) for a crude oil pipeline, which included an assessment of risk and effects of potential spills. The assessment included evaluating historical PHMSA data by pipeline elements and conducting screening-level modeling of crude oil or diluted bitumen overland flow and groundwater flow spills. The assessment also identified potential receptors within potential spill zones.

Deepwater Horizon Spill Response Site Decommissioning - U.S. Gulf Coast. Sara prepared reports documenting the decommissioning and decontamination of hundreds of Gulf Coast spill response and support sites related to a large offshore oil spill.

Crude Oil Transportation Alternatives Analysis - Upstream Oil & Gas Company. Sara assisted with an assessment of oil spill and injury/fatality incident data to compare alternative modes of transportation for crude oil. The assessment included a frequency analysis of rail, barge, tanker, truck, and pipeline modes, and evaluated spill volume distribution to assess mode safety records and potential severity of a release.

Barge Transport Diesel Spill Risk Analysis - Upstream Oil & Gas Company – Alaska. Sara assisted with an assessment of oil spill incident data for barge traffic on the Kuskokwim River, Alaska. The assessment was part of



a risk assessment to evaluate the frequency and consequences of barge oil spills along the Kuskokwim River, Alaska. The frequency analysis of barge spills included spill volume distribution, locations, and cause in comparison to nationwide incident data.

Air Emissions Permitting - Upstream Oil & Gas Facilities - Southeastern U.S. Sara performed emissions calculations and assisted in the preparation of air emissions permits for multiple oil and gas sites for a global upstream oil and gas company.

Equipment/Asset Inventory Data Management - Global Upstream Oil and Gas Company - Southeastern U.S. Sara provided data management services to manage and inventory thousands of oil and gas sites for a global oil and gas exploration and production company.

EHS Compliance and Support Projects

Facility Closure and Decommissioning -Former Transformer Remanufacturing Facility - Bradenton, FL. Sara provided environmental compliance and support services for the decommissioning of a transformer remanufacturing facility operated by a Fortune 500 company and the return of the facility to the property owner. Activities included the performance of a PCB assessment, which involved collecting PCB wipe and oil samples from hundreds of pieces of equipment and facility surfaces. Sara coordinated and supervised the industrial cleaning of the facility, ensuring the proper management and characterization of associated solid waste and wastewater generated. She also facilitated the transfer of ownership/registration of onsite petroleum tanks, closure of several operations permits, and notification of closure to government authorities.

On-site EHS Support - Phosphate Fertilizer Plant - West Central, FL. Sara provided one year of on-site EHS support at a phosphates concentrates manufacturing facility for a fertilizer producer in west-central Florida. Sara served as a full-time extension of the facility's EHS team, providing services including, but not limited to, environmental permit review/management, annual environmental reporting, development of EHS training programs and reporting procedures, development of H&S Plans, and contaminated Site management.

Chinese Drywall Litigation Support - Multiple Residential Property Developers - Locations Throughout FL. Sara provided investigative and environmental support services for legal counsel representing multiple residential property developers involved in Chinese drywall litigation. This involved assessing thousands of residential homes throughout Florida, collecting, tagging, cataloguing, documenting, and warehousing thousands of items of evidence.

EHS Auditing Program - Fortune 500 Aerospace and Defense Company - Locations Worldwide. Sara performed and organized EHS audits as part of an ongoing auditing program for a global Fortune 500 company involved in the research, development, and production of combat and defence systems.

Due Diligence and Indoor Air Assessment - Property Management Company - New York, NY. Following the completion of Phase I and II activities, which identified several large, abandoned underground heating oil tanks, Sara conducted an indoor air quality assessment for two New York City multi-tenant apartment buildings. This assessment included the collection of ambient and indoor air samples, as well as a comprehensive chemical inventory of the buildings.

Asbestos Exposure Assessment - Fortune 500 Food Products Company - East-Central FL. Sara managed an asbestos exposure assessment for a feed mill facility operated by a global producer of food products. This project included asbestos analysis of settled dust samples and personal air monitoring samples for facility workers.

Appendix C – Photographic Log

Client Name:	University of Central Florida	Date	July 17, 2026
Project Name:	Site 3 – Central Site	Project Number:	PROJ-070393
Project Location:	Orlando, Orange County, FL		

Photo 1	Direction: N	Description: View of the north-adjoining property from the northwest corner of the subject property.
---------	--------------	--



Photo 2	Direction: E	Description: View of the subject property from the northwest corner.
---------	--------------	--



Client Name:	University of Central Florida	Date	July 17, 2026
Project Name:	Site 3 – Central Site	Project Number:	PROJ-070393
Project Location:	Orlando, Orange County, FL		

Photo 3	Direction: S	Description: View of the subject property from the northwest corner.
---------	--------------	--



Photo 4	Direction: W	Description: View of North Alafaya Trail and the west-adjointing undeveloped property from the northwest corner of the subject property.
---------	--------------	--



Photograph Log

Client Name:	University of Central Florida	Date	July 17, 2026
Project Name:	Site 3 – Central Site	Project Number:	PROJ-070393
Project Location:	Orlando, Orange County, FL		

Photo 5	Direction: S	Description: Natural gas pipeline infrastructure in the northwest corner of the site.
---------	--------------	---



Photo 6	Direction: N	Description: View of north-adjointing Greek Housing property from the northeast corner of the subject property.
---------	--------------	---



Client Name:	University of Central Florida	Date	July 17, 2026
Project Name:	Site 3 – Central Site	Project Number:	PROJ-070393
Project Location:	Orlando, Orange County, FL		

Photo 7	Direction: E	Description: View of the east-adjointing UCF property.
---------	--------------	--



Photo 8	Direction: N	Description: View of the wooded area of the south tract of the subject property, south of Centaurus Boulevard.
---------	--------------	--



Client Name:	University of Central Florida	Date	July 17, 2026
Project Name:	Site 3 – Central Site	Project Number:	PROJ-070393
Project Location:	Orlando, Orange County, FL		

Photo 9	Direction: N	Description: View of the subject property from the southwest corner.
---------	--------------	--



Photo 10	Direction: E	Description: View of the subject property from the southwest corner.
----------	--------------	--



Client Name:	University of Central Florida	Date	July 17, 2026
Project Name:	Site 3 – Central Site	Project Number:	PROJ-070393
Project Location:	Orlando, Orange County, FL		

Photo 11	Direction: S	Description: View of Strategy Boulevard and the south-adjoining property (Celeste Hotel) from the southwest corner.
----------	--------------	---



Photo 12	Direction: W	Description: View of North Alafaya Trail and the west-adjoining undeveloped and multi-tenant residential properties from the southwest corner of the site.
----------	--------------	--



Photograph Log

Client Name:	University of Central Florida	Date	July 17, 2026
Project Name:	Site 3 – Central Site	Project Number:	PROJ-070393
Project Location:	Orlando, Orange County, FL		

Photo 13	Direction: N	Description: View of the subject property from the southeast corner.
----------	--------------	--



Photo 14	Direction: E	Description: View of the east-adjointing property (UCF parking garages) from the southeast corner of the subject property.
----------	--------------	--



Client Name:	University of Central Florida	Date	July 17, 2026
Project Name:	Site 3 – Central Site	Project Number:	PROJ-070393
Project Location:	Orlando, Orange County, FL		

Photo 15	Direction: S	Description: View of the south-adjointing property (Celeste Hotel) from the southeast corner of the subject property.
----------	--------------	---



Photo 16	Direction: W	Description: View of the subject property from the southeast corner.
----------	--------------	--



Appendix D – Historical Resources



Site 3 - Central Site

N Alafaya Trail

Orlando, FL 32816

Inquiry Number: 8402844.8

July 13, 2026

The EDR Aerial Photo Decade Package



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Aerial Photo Decade Package

07/13/26

Site Name:

Site 3 - Central Site
N Alafaya Trail
Orlando, FL 32816
EDR Inquiry # 8402844.8

Client Name:

Onterris
9400 Southpark Center Loop, Bldg T, Str
ORLANDO, FL 32819
Contact: Shannon Boyle



Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

Search Results:

<u>Year</u>	<u>Scale</u>	<u>Details</u>	<u>Source</u>
2023	1"=500'	Flight Year: 2023	USDA/NAIP
2019	1"=500'	Flight Year: 2019	USDA/NAIP
2015	1"=500'	Flight Year: 2015	USDA/NAIP
2010	1"=500'	Flight Year: 2010	USDA/NAIP
2007	1"=500'	Flight Year: 2007	USDA/NAIP
1999	1"=500'	Flight Year: 1999	USGS/DOQQ
1997	1"=500'	Flight Date: March 31, 1997	FDOT
1995	1"=500'	Acquisition Date: February 07, 1995	USGS/DOQQ
1993	1"=500'	Flight Date: February 13, 1993	USGS
1990	1"=500'	Flight Year: 1990	USGS/DOQQ
1989	1"=500'	Flight Date: February 26, 1989	USGS
1984	1"=500'	Flight Date: November 06, 1984	FDOT
1978	1"=500'	Flight Date: January 29, 1978	FDOT
1970	1"=500'	Flight Date: October 05, 1970	FDOT
1969	1"=500'	Flight Date: December 12, 1969	U of FL
1963	1"=500'	Flight Date: January 04, 1963	U of FL
1957	1"=500'	Flight Date: December 13, 1957	USGS
1954	1"=500'	Flight Date: March 04, 1954	U of FL
1947	1"=500'	Flight Date: March 17, 1947	U of FL
1940	1"=500'	Flight Date: April 10, 1940	USDA

When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT.

ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA), ARISING OUT OF OR IN ANY WAY CONNECTED WITH THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT. Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2026 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.




INQUIRY #: 8402844.8

YEAR: 2023

1" = 500'





INQUIRY #: 8402844.8

YEAR: 2019

— = 500'





INQUIRY #: 8402844.8

YEAR: 2015

— = 500'





INQUIRY #: 8402844.8

YEAR: 2010

1" = 500'





INQUIRY #: 8402844.8

YEAR: 2007

— = 500'





INQUIRY #: 8402844.8

YEAR: 1999

1" = 500'





INQUIRY #: 8402844.8

YEAR: 1997

— = 500'





INQUIRY #: 8402844.8

YEAR: 1995

— = 500'





INQUIRY #: 8402844.8

YEAR: 1993

— = 500'






INQUIRY #: 8402844.8

YEAR: 1990

— = 500'





INQUIRY #: 8402844.8

YEAR: 1989

— = 500'





INQUIRY #: 8402844.8

YEAR: 1984

— = 500'






INQUIRY #: 8402844.8

YEAR: 1978

— = 500'





INQUIRY #: 8402844.8

YEAR: 1970

— = 500'





INQUIRY #: 8402844.8

YEAR: 1969

— = 500'





INQUIRY #: 8402844.8

YEAR: 1963

— = 500'






INQUIRY #: 8402844.8

YEAR: 1957

— = 500'






INQUIRY #: 8402844.8

YEAR: 1954

— = 500'





INQUIRY #: 8402844.8

YEAR: 1947

— = 500'





INQUIRY #: 8402844.8

YEAR: 1940

500'





Site 3 - Central Site

N Alafaya Trail

Orlando, FL 32816

Inquiry Number: 8402844.4

July 13, 2026

EDR Historical Topo Map Report

with QuadMatch™



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Historical Topo Map Report

07/13/26

Site Name:

Site 3 - Central Site
N Alafaya Trail
Orlando, FL 32816
EDR Inquiry # 8402844.4

Client Name:

Onterris
9400 Southpark Center Loop, Bldg T, Ste
ORLANDO, FL 32819
Contact: Shannon Boyle



EDR Topographic Map Library has been searched by EDR and maps covering the target property location as provided by Onterris were identified for the years listed below. EDR's Historical Topo Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDR's Historical Topo Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the late 1800s.

Search Results:**Coordinates:**

P.O.#	PO PENDING	Latitude:	28.602361 28° 36' 8" North
Project:	3 Undeveloped UCF Properties	Longitude:	-81.206617 -81° 12' 24" West
		UTM Zone:	Zone 17 North
		UTM X Meters:	479798.96
		UTM Y Meters:	3163949.36
		Elevation:	82.00' above sea level

Maps Provided:

2024
2021
2018
2015
2012
1980
1970
1953

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT.

ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA), ARISING OUT OF OR IN ANY WAY CONNECTED WITH THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT. Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2026 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

2024 Source Sheets



Oviedo SW
2024
7.5-minute, 24000



Oviedo
2024
7.5-minute, 24000

2021 Source Sheets



Oviedo SW
2021
7.5-minute, 24000



Oviedo
2021
7.5-minute, 24000

2018 Source Sheets



Oviedo SW
2018
7.5-minute, 24000



Oviedo
2018
7.5-minute, 24000

2015 Source Sheets



Oviedo SW
2015
7.5-minute, 24000



Oviedo
2015
7.5-minute, 24000

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

2012 Source Sheets



Oviedo SW
2012
7.5-minute, 24000




Oviedo
2012
7.5-minute, 24000

1980 Source Sheets



Oviedo
1980
7.5-minute, 24000
Aerial Photo Revised 1977




Oviedo SW
1980
7.5-minute, 24000
Aerial Photo Revised 1977

1970 Source Sheets




Oviedo
1970
7.5-minute, 24000
Aerial Photo Revised 1970




Oviedo SW
1970
7.5-minute, 24000
Aerial Photo Revised 1970



1953 Source Sheets



Oviedo SW
1953
7.5-minute, 24000
Aerial Photo Revised 1951




This report includes information from the following map sheet(s).




TP, Oviedo SW, 2024, 7.5-minute
N, Oviedo, 2024, 7.5-minute

SITE NAME: Site 3 - Central Site
ADDRESS: N Alafaya Trail
Orlando, FL 32816
CLIENT: Onterris






This report includes information from the following map sheet(s).




TP, Oviedo SW, 2021, 7.5-minute
N, Oviedo, 2021, 7.5-minute

SITE NAME: Site 3 - Central Site
ADDRESS: N Alafaya Trail
Orlando, FL 32816
CLIENT: Onterris






This report includes information from the following map sheet(s).




TP, Oviedo SW, 2018, 7.5-minute
N, Oviedo, 2018, 7.5-minute

SITE NAME: Site 3 - Central Site
ADDRESS: N Alafaya Trail
Orlando, FL 32816
CLIENT: Onterris






This report includes information from the following map sheet(s).





TP, Oviedo SW, 2015, 7.5-minute
N, Oviedo, 2015, 7.5-minute

SITE NAME: Site 3 - Central Site
ADDRESS: N Alafaya Trail
Orlando, FL 32816
CLIENT: Onterris






This report includes information from the following map sheet(s).




TP, Oviedo SW, 2012, 7.5-minute
N, Oviedo, 2012, 7.5-minute

SITE NAME: Site 3 - Central Site
ADDRESS: N Alafaya Trail
Orlando, FL 32816
CLIENT: Onterris






This report includes information from the following map sheet(s).





TP, Oviedo SW, 1980, 7.5-minute
N, Oviedo, 1980, 7.5-minute

SITE NAME: Site 3 - Central Site
ADDRESS: N Alafaya Trail
Orlando, FL 32816
CLIENT: Onterris






This report includes information from the following map sheet(s).





TP, Oviedo SW, 1970, 7.5-minute
N, Oviedo, 1970, 7.5-minute

SITE NAME: Site 3 - Central Site
ADDRESS: N Alafaya Trail
Orlando, FL 32816
CLIENT: Onterris





This report includes information from the following map sheet(s).



TP, Oviedo SW, 1953, 7.5-minute

SITE NAME: Site 3 - Central Site
ADDRESS: N Alafaya Trail
Orlando, FL 32816
CLIENT: Onterris



LightBox City Directory Report

Site 3 - Central Site

N Alafaya Trail

Orlando, FL 32816

Inquiry Number: 8402844.5

July 13, 2026



TABLE OF CONTENTS

LIGHTBOX LIVE

Open [LightBox Live](https://lightbox.live/environmental/analysis/0f01e139-150b-4b77-89bf-a11ec95c1cfb) to access data, tools, and advanced analytics in one online platform.
<https://lightbox.live/environmental/analysis/0f01e139-150b-4b77-89bf-a11ec95c1cfb>

SECTION

Executive Summary	page 1
Findings	page 2

Thank you for your business.
Please contact LightBox at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to LightBox Parent, L.P. ("LightBox"). The user of this Report accepts this Report "AS IS" and "AS AVAILABLE". NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. LIGHTBOX SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, ACCURACY, COMPLETENESS, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. TO THE MAXIMUM EXTENT PERMITTED BY LAW, IN NO EVENT SHALL LIGHTBOX, ITS AFFILIATES, LICENSORS, OR SERVICE PROVIDERS BE LIABLE FOR ANY DAMAGES OF ANY KIND, WHETHER DIRECT, INDIRECT, INCIDENTAL, CONSEQUENTIAL, SPECIAL, EXEMPLARY, OR PUNITIVE, ARISING FROM OR RELATING TO THIS REPORT OR ITS USE. IF LIABILITY CANNOT BE EXCLUDED UNDER APPLICABLE LAW, IT IS STRICTLY LIMITED TO THE AMOUNT PAID FOR THE REPORT, IF ANY, BY THE USER OF THE REPORT. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright by LightBox Parent, L.P. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of LightBox or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of LightBox Parent, L.P. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

DESCRIPTION

The LightBox City Directory Report is designed to assist environmental professionals in evaluating potential liabilities on select properties resulting from past activities. The report includes a search of available business directory data at approximately five-year intervals.

SOURCES

Through agreements with major city directory publishers, including Cole Information, InfoUSA, and Bresser, as well as our own collections (Haines & Stewart), the LightBox City Directory Report offers comprehensive national coverage.

LightBox is authorized to reproduce and redistribute all works featured in this report. The purchaser of this LightBox City Directory Report may include it in their final report(s).

This report includes a search of the following sources:

<u>Year</u>	<u>Source</u>
2024	Cole Information
2022	Cole Information, Data Axle
2017	Cole Information, Data Axle
2014	Cole Information, Data Axle
2010	Cole Information
2005	Cole Information, Data Axle
2000	Cole Information
1995	Cole Information
1992	Cole Information
1990	City Publishing Co

EXECUTIVE SUMMARY

TARGET PROPERTY SEARCH RESULTS

No results found for target property.

FINDINGS

This section includes records sorted by street then year.

STREETS

Centaurus Blvd
Greek Park Dr
N Alafaya Trl
Strategy Blvd
University Blvd

CENTAURUS BLVD

2022

Cole Information

12488	UNIVERSITY OF CENTRAL FLORIDA DEPARTMENT OF THEATRE
-------	--

FINDINGS

GREEK PARK DR

2024

Cole Information

4207 University Of Central

GREEK PARK DR

2010

Cole Information

4101 ALPHA DELTA PI SORORITY
4202 ZETA TAU ALPHA

GREEK PARK DR

2022

Cole Information

4207 UNIVERSITY OF CENTRAL F
ALPHA DELTA PI

GREEK PARK DR

2005

Cole Information

4207 ALPHA DELTA PI SORORITY

GREEK PARK DR

2022

Data Axle

4100 ALPHA EPSILON PI FRATERNITY NU

GREEK PARK DR

2005

Data Axle

4101 ALPHA XI DELTA
4202 ZETA TAU ALPHA

GREEK PARK DR

2017

Data Axle

4101 ALPHA XI DELTA
4202 ZETA TAU ALPHA

GREEK PARK DR

2000

Cole Information

4100 ZACHARY PHIPPS
GREGORY SHORY
CLARK SIMMONS
EDWARD HENRY
M HENDERSON
ANDREW BRAWLEY
RYAN WILLIAMS
PERRY GREEN
LEE AMTHOR
WILLIAM D WATERS
J RANOW
JOHN J ANTHONY
4101 ALPHA XI DELTA SORORITY
4202 ZETA TAU ALPHA
JOAN A WALTERS
ALANA MARRON

GREEK PARK DR

2014

Cole Information

4202 ZETA TAU ALPHA
4207 ALPHA DELTA PI

GREEK PARK DR

2014

Data Axle

4101 ALPHA DELTA PI SORORITY

FINDINGS

GREEK PARK DR

2000 (cont.)

Cole Information

4202 T SMEDLEY
 4207 ALPHA DELTA PI SORORITY
 KRISTIN MINTER
 A FLOWERS
 J SCHONSHECK
 JULIA MONTGOMERY
 AMANDA HAVILL
 BECKY HOPKINS
 JESSICA GARDNER
 KATIE COX
 J M WALTER
 C CROSS

GREEK PARK DR

1990

City Publishing Co

4101	Banks D	+ 380-0803	90	1
4101	Bryant N	+ 380-6732	90	1
4101	★Delta Gamma House	+ 658-9064	90	1
4101	Plossl Theresa	☐ 282-8755	90	1
4202	Garbrecht A B	282-9667	89	1
4202	Grant L E	+ 380-1625	90	
4202	Marra J	+ 282-8627	90	
4202	Noce C	282-2079	88	G
4202	Sabol Mary-Katherine ..	☐ 380-1625	90	Frd
4202	Sammaro S M	☐ 658-8424	90	10
4202	★Zeta Tau Alpha	277-9021	87	10
4202	★Zeta Tau Alpha	277-9021	87	10

GREEK PARK DR

1995

Cole Information

4100 GRISSOM, PAUL
 4101 DELTA GAMMA HOUSE
 4202 ZETA TAU ALPHA
 BULLOCK, ANGIE
 EASON, HEATHER
 4207 ALPHA DELTA PI SORORITY

GREEK PARK DR

1992

Cole Information

4101 DELTA GAMMA HOUSE
 4202 ZETA TAU ALPHA
 COOK, LINDSEY
 4207 ALPHA DELTA PI SORORITY

FINDINGS

N ALAFAYA TRL

2022

Cole Information

4294 MCDONALDS

N ALAFAYA TRL

2022

Data Axle

4410 SIEMENS ENERGY INC

N ALAFAYA TRL

2017

Cole Information

4297 VARSITY NAILS

N ALAFAYA TRL

2017

Data Axle

4294 MC DONALD'S
4410 SIEMENS ENERGY INC

FINDINGS

STRATEGY BLVD

2024

Cole Information

12250 Sage Dental
Strategic Dental Care Corp
Textbook Solutions
Omelet Bar
Kanso Enterprises Llc
SARAH D DONOVAN
GINA V TENORE
RACHEL J DAUB
MATTHEW R MORSE
GABRIELA A LLAVE
JACOB S MARCHESE
NIARA J CLAY
MICAH A WADE

STRATEGY BLVD

2017 (cont.)

Cole Information

12250 Unit 4206B CHELSEA BLACKWOOD

STRATEGY BLVD

2022

Cole Information

12250 Ste 425 TEXTBOOK SOLUTIONS
BENTO CAFE
OMELET BAR
BENTOU CF LLC
Unit 4309A Matthew Morse
Unit 4307D Rachel Daub
Unit 4410D Micah Wade
Unit 4401B Gina Tenore
Unit 4203B Niara Clay
Unit 4508C Sarah Donovan
Unit 4304B Gabriela Llave
Unit 4207D Jacob S Marchese

STRATEGY BLVD

2017

Cole Information

12250 TEXTBOOK SOLUTIONS
BENTOU CF LLC

FINDINGS

UNIVERSITY BLVD

2014

Cole Information

12305 MCDONALDS

UNIVERSITY BLVD

1990

City Publishing Co

12305 ★ McDonald Restaurant ... 658-4612 89
12321 ★ Citizens & Southern 658-0579 89

UNIVERSITY BLVD

2010

Cole Information

12305 MC DONALDS

UNIVERSITY BLVD

2005

Cole Information

12305 MCDONALDS RESTAURANTS

UNIVERSITY BLVD

2000

Cole Information

12305 JONCO INCORPORATED
MCDONALDS RESTAURANTS

UNIVERSITY BLVD

1995

Cole Information

12305 MC DONALDS
JONCO INC

UNIVERSITY BLVD

1992

Cole Information

12305 MCDONALD'S



Site 3 - Central Site

N Alafaya Trail

Orlando, FL 32816

Inquiry Number: 8402844.3

July 13, 2026

Certified Sanborn® Map Report



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

Certified Sanborn® Map Report

07/13/26

Site Name:

Site 3 - Central Site

N Alafaya Trail

Orlando, FL 32816

EDR Inquiry # 8402844.3

Client Name:

Onterris

9400 Southpark Center Loop, Bldg T, Ste

ORLANDO, FL 32819

Contact: Shannon Boyle



The Sanborn Library has been searched by EDR and maps covering the target property location as provided by Onterris were identified for the years listed below. The Sanborn Library is the largest, most complete collection of fire insurance maps. The collection includes maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow, and others. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection. Results can be authenticated by visiting www.edrnet.com/sanborn.

The Sanborn Library is continually enhanced with newly identified map archives. This report accesses all maps in the collection as of the day this report was generated.

Certified Sanborn Results:

Certification # 2687-44BA-9D19

PO # PO PENDING

Project 3 Undeveloped UCF Properties

UNMAPED PROPERTY

This report certifies that the complete holdings of the Sanborn Library, LLC collection have been searched based on client supplied target property information, and fire insurance maps covering the target property were not found.



Sanborn® Library search results

Certification #: 2687-44BA-9D19

The Sanborn Library includes more than 1.2 million fire insurance maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow and others which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- ☒ Library of Congress
- ☒ University Publications of America
- ☒ EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

Onterris (the client) is permitted to make up to FIVE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT.

ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA), ARISING OUT OF OR IN ANY WAY CONNECTED WITH THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT. Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2026 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

Appendix E – EDR[®] Radius Map Report

Site 3 - Central Site

N Alafaya Trail
Orlando, FL 32816

Inquiry Number: 8439657.1s
August 19, 2026

The EDR Radius Map™ Report with GeoCheck®



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

LIGHTBOX LIVE

Open [LightBox Live](http://www.web.edrnet.com/ordering/switchboard/login.aspx?s=goto_lightbox&pguid=F2B49890-0DF5-42F6-BBDC-25A284673321) to access data, tools, and advanced analytics in one online platform.

http://www.web.edrnet.com/ordering/switchboard/login.aspx?s=goto_lightbox&pguid=F2B49890-0DF5-42F6-BBDC-25A284673321

<u>SECTION</u>	<u>PAGE</u>
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	8
Orphan Summary	279
Government Records Searched/Data Currency Tracking	GR-1

GEOCHECK ADDENDUM

Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting SSURGO Soil Map	A-5
Physical Setting Source Map	A-15
Physical Setting Source Map Findings	A-17
Physical Setting Source Records Searched	PSGR-1

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. **NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA) INFORMATION PROVIDED IN THIS REPORT.** Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2026 by Environmental Data Resources, LLC. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, LLC, or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E1527 - 21), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E2247 - 23), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E1528 - 22) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

N ALAFAYA TRAIL
ORLANDO, FL 32816

COORDINATES

Latitude (North):	28.6023610 - 28° 36' 8.49"
Longitude (West):	81.2066170 - 81° 12' 23.82"
Universal Tranverse Mercator:	Zone 17
UTM X (Meters):	479798.6
UTM Y (Meters):	3163775.0
Elevation:	82 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map:	50050712 OVIEDO SW, FL
Version Date:	2024

AERIAL PHOTOGRAPHY IN THIS REPORT

Photo Year:	2023
Source:	USDA

MAPPED SITES SUMMARY

Target Property Address:
N ALAFAYA TRAIL
ORLANDO, FL 32826

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
A1	GREEK ROW LOT DEBRIS	SOUTH OF 4100 S GREE	SWF/LF		TP
A2	UCF CREEK HOUSING	415 GREEK PARK DR	FINDS, ECHO		TP
3	AMSOUTH BANK - UCF	NWC MCCULLOCH/SR 434	FINDS, ECHO		TP
B4	STRATEGIC DENTAL CAR	12250 STRATEGY BLVD	HAZ WASTE	Lower	502, 0.095, SW
B5	GROCERY BOX	4066 N ALAFAYA TRL	LUST, UST, CLEANUP SITES, DWM CONTAM, Financial...	Higher	504, 0.095, SSW
B6	BOXLEY ENTERPRISES I	4066 N ALAFAYA TRL	EDR Hist Auto	Higher	504, 0.095, SSW
B7	GROCERY BOX	4066 N ALAFAYA TRL	UST FINDER RELEASE, UST FINDER	Higher	504, 0.095, SSW
8	THE CELESTE	4105 N ALAFAYA TRL	AST	Higher	662, 0.125, South
C9	PLAZA ON UNIVERSITY	12279 UNIVERSITY BLV	HAZ WASTE	Higher	943, 0.179, SSW
10	PLAZA ON UNIVERSITY	12101 UNIVERSITY BLV	AST	Lower	1032, 0.195, SSW
C11	LPR CONSTRUCTION COM	12279 UNIVERSITY BLV	RCRA NonGen / NLR	Lower	1071, 0.203, SSW
D12	SIEMENS ENERGY INC	4400 N ALAFAYA TRL	RCRA-VSQG, E MANIFEST	Lower	1130, 0.214, WNW
D13	SIEMENS ENERGY	4400 ALAFAYA TRAIL N	HAZ WASTE	Lower	1130, 0.214, WNW
D14	SIEMENS ENERGY INC	4400 ALAFAYA TRL	LUST, UST, AST, DWM CONTAM, Financial Assurance	Lower	1130, 0.214, WNW
D15	SIEMEN ENERGY	4400 NORTH ALAFAYA T	E MANIFEST	Lower	1130, 0.214, WNW
D16	SIEMENS ENERGY INC	4400 ALAFAYA TRL	UST FINDER RELEASE, UST FINDER	Lower	1130, 0.214, WNW
C17	CHEVRON - UNIVERSITY	12190 UNIVERSITY BLV	UST FINDER RELEASE, UST FINDER	Higher	1196, 0.227, SSW
C18	CHEVRON - UNIVERSITY	12190 UNIVERSITY BLV	LUST, UST, DWM CONTAM, Financial Assurance, NPDES	Higher	1196, 0.227, SSW
C19	CHEVRON PRODUCTS COM	12190 UNIVERSITY BLV	RCRA NonGen / NLR, FINDS, ECHO	Higher	1196, 0.227, SSW
20	UNIV OF CENTRAL FL W	OFF CENTRAL FL BLVD	UST	Lower	1205, 0.228, ESE
E21	DOLLAR TREE #5406	4498 ALAFAYA TRAIL N	HAZ WASTE	Lower	1280, 0.242, NNW
E22	EXPERIMAC	4498 ALAYAFA N 300	HAZ WASTE	Lower	1280, 0.242, NNW
E23	SOUTH BEACH TANNING	4498 ALAFAYA TR N 25	HAZ WASTE	Lower	1280, 0.242, NNW
F24	CIRCLE K #2708955	4600 N ALAFAYA TRAIL	UST FINDER RELEASE, UST FINDER	Lower	1346, 0.255, NNW
F25	CIRCLE K #2708955	4600 N ALAFAYA TRAIL	LUST, UST, DWM CONTAM, Financial Assurance	Lower	1346, 0.255, NNW
G26	UNIV OF CENTRAL FL	4000 CENTRAL FLORIDA	LUST, UST, Financial Assurance	Lower	1401, 0.265, ESE
G27	UCF - CHEMISTRY BUIL	4000 CENTRAL FLORIDA	ASBESTOS, DWM CONTAM	Lower	1401, 0.265, ESE
H28	SIEMENS ENERGY INC	11950 CORPORATE BLVD	UST FINDER RELEASE	Lower	2071, 0.392, NW
H29	SCG 11950 CORPORATE	11950 CORPORATE BLVD	LUST, AST, SPILLS, DWM CONTAM, Financial...	Lower	2071, 0.392, NW
30	UCF BIOLOGY BUILDING	LIBRA DRIVE	RESP PARTY	Lower	2296, 0.435, East
31	UCF BIOLOGY BUILDING	UCF CAMPUS	RESP PARTY, ERIC WASTE CLEANUP	Lower	2400, 0.455, ESE
32	UCF - ORANGE HALL BL	UCF CAMPUS	RESP PARTY, ERIC WASTE CLEANUP	Lower	2609, 0.494, ESE

EXECUTIVE SUMMARY

TARGET PROPERTY SEARCH RESULTS

The target property was identified in the following records. For more information on this property see page 8 of the attached EDR Radius Map report:

Site	Database(s)	EPA ID
GREEK ROW LOT DEBRIS SOUTH OF 4100 S GREE ORLANDO, FL 32816	SWF/LF Database: SWF/LF, Date of Government Version: 07/02/2026 Facility-Site Id: 103004 Class Status: PRE-AUTHORIZED(B)	N/A
UCF CREEK HOUSING 415 GREEK PARK DR ORLANDO, FL 32816	FINDS Registry ID:: 110046320085 ECHO Registry ID: 110046320085	N/A
AMSOUTH BANK - UCF NWC MCCULLOCH/SR 434 OVIEDO, FL 32765	FINDS Registry ID:: 110020558528 ECHO Registry ID: 110020558528	N/A

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Lists of Federal NPL (Superfund) sites

NPL..... National Priority List
Proposed NPL..... Proposed National Priority List Sites
NPL LIENS..... Federal Superfund Liens

Lists of Federal Delisted NPL sites

Delisted NPL..... National Priority List Deletions

Lists of Federal sites subject to CERCLA removals and CERCLA orders

FEDERAL FACILITY..... Federal Facility Site Information listing
SEMS..... Superfund Enterprise Management System

Lists of Federal CERCLA sites with NFRAP

SEMS-ARCHIVE..... Superfund Enterprise Management System Archive

EXECUTIVE SUMMARY

Lists of Federal RCRA facilities undergoing Corrective Action

CORRACTS..... Corrective Action Report

Lists of Federal RCRA TSD facilities

RCRA-TSDF..... RCRA - Treatment, Storage and Disposal

Lists of Federal RCRA generators

RCRA-LQG..... RCRA - Large Quantity Generators

RCRA-SQG..... RCRA - Small Quantity Generators

RCRA CONTROLS..... RCRA Sites with Controls in Place

Federal institutional controls / engineering controls registries

LUCIS..... Land Use Control Information System

US ENG CONTROLS..... Engineering Controls Sites List

US INST CONTROLS..... Institutional Controls Sites List

Federal ERNS list

ERNS..... Emergency Response Notification System

Lists of state- and tribal hazardous waste facilities

SHWS..... Florida's State-Funded Action Sites

Lists of state and tribal leaking storage tanks

LAST..... Leaking Aboveground Storage Tank Listing

INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land

Lists of state and tribal registered storage tanks

FF TANKS..... Federal Facilities Listing

FEMA UST..... Underground Storage Tank Listing

INDIAN UST..... Underground Storage Tanks on Indian Land

TANKS..... Storage Tank Facility List

State and tribal institutional control / engineering control registries

ENG CONTROLS..... Institutional Controls Registry

INST CONTROL..... Institutional Controls Registry

Lists of state and tribal voluntary cleanup sites

INDIAN VCP..... Voluntary Cleanup Priority Listing

VCP..... Voluntary Cleanup Sites

Lists of state and tribal brownfield sites

BROWNFIELDS..... Brownfields Sites Database

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS..... A Listing of Brownfields Sites

EXECUTIVE SUMMARY

Local Lists of Landfill / Solid Waste Disposal Sites

SWRCY..... Recycling Centers
INDIAN ODI..... Report on the Status of Open Dumps on Indian Lands
DEBRIS REGION 9..... Torres Martinez Reservation Illegal Dump Site Locations
ODI..... Open Dump Inventory
IHS OPEN DUMPS..... Open Dumps on Indian Land

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL..... Delisted National Clandestine Laboratory Register
PRIORITYCLEANERS..... Priority Ranking List
FI Sites..... Sites List
US CDL..... National Clandestine Laboratory Register

Local Land Records

LIENS 2..... CERCLA Lien Information

Records of Emergency Release Reports

HMIRS..... Hazardous Materials Information Reporting System
SPILLS..... Oil and Hazardous Materials Incidents
SPILLS 90..... SPILLS 90 data from FirstSearch
SPILLS 80..... SPILLS 80 data from FirstSearch

Other Ascertainable Records

FUDS..... Formerly Used Defense Sites
DOD..... Department of Defense Sites
SCRD DRYCLEANERS..... State Coalition for Remediation of Drycleaners Listing
US FIN ASSUR..... Financial Assurance Information
EPA WATCH LIST..... EPA WATCH LIST
2020 COR ACTION..... 2020 Corrective Action Program List
TSCA..... Toxic Substances Control Act
TRIS..... Toxic Chemical Release Inventory System
SSTS..... Section 7 Tracking Systems
ROD..... Records Of Decision
RMP..... Risk Management Plans
RAATS..... RCRA Administrative Action Tracking System
PRP..... Potentially Responsible Parties
PADS..... PCB Activity Database System
ICIS..... Integrated Compliance Information System
FTTS..... FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
MLTS..... Material Licensing Tracking System
COAL ASH DOE..... Steam-Electric Plant Operation Data
COAL ASH EPA..... Coal Combustion Residues Surface Impoundments List
PCB TRANSFORMER..... PCB Transformer Registration Database
RADINFO..... Radiation Information Database
HIST FTTS..... FIFRA/TSCA Tracking System Administrative Case Listing
DOT OPS..... Incident and Accident Data
CONSENT..... Superfund (CERCLA) Consent Decrees
INDIAN RESERV..... Indian Reservations

EXECUTIVE SUMMARY

FUSRAP.....	Formerly Utilized Sites Remedial Action Program
UMTRA.....	Uranium Mill Tailings Sites
LEAD SMELTERS.....	Lead Smelter Sites
US AIRS.....	Aerometric Information Retrieval System Facility Subsystem
US MINES.....	Mines Master Index File
MINES MRDS.....	Mineral Resources Data System
ABANDONED MINES.....	Abandoned Mines
DOCKET HWC.....	Hazardous Waste Compliance Docket Listing
UXO.....	Unexploded Ordnance Sites
FUELS PROGRAM.....	EPA Fuels Program Registered Listing
PFAS NPL.....	Superfund Sites with PFAS Detections Information
PFAS FEDERAL SITES.....	Federal Sites PFAS Information
PFAS TRIS.....	List of PFAS Added to the TRI
PFAS TSCA.....	PFAS Manufacture and Imports Information
PFAS RCRA MANIFEST.....	PFAS Transfers Identified In the RCRA Database Listing
PFAS ATSDR.....	PFAS Contamination Site Location Listing
PFAS WQP.....	Ambient Environmental Sampling for PFAS
PFAS PROJECT.....	NORTHEASTERN UNIVERSITY PFAS PROJECT
PFAS NPDES.....	Clean Water Act Discharge Monitoring Information
PFAS ECHO.....	Facilities in Industries that May Be Handling PFAS Listing
PFAS ECHO FIRE TRAIN.....	Facilities in Industries that May Be Handling PFAS Listing
PFAS PT 139 AIRPORT.....	All Certified Part 139 Airports PFAS Information Listing
AQUEOUS FOAM NRC.....	Aqueous Foam Related Incidents Listing
BIOSOLIDS.....	ICIS-NPDES Biosolids Facility Data
PFAS.....	PFAS Tracking List
AQUEOUS FOAM.....	Former Fire Training Facility Assessments Listing
DRYCLEANERS.....	Drycleaner Facility Listing
ABAND AIRFIELDS.....	Abandoned & Little-Known Airfields Listing
AIRS.....	Permitted Facilities Listing
ASBESTOS.....	ASBESTOS
CLEANUP SITES.....	DEP Cleanup Sites - Contamination Locator Map Listing
DEDB.....	Ethylene Dibromide Database Results
DRYCLEANERS.....	Drycleaning Facilities
Financial Assurance.....	Financial Assurance Information Listing
FL Cattle Dip. Vats.....	Cattle Dipping Vats
HW GEN.....	Hazardous Waste Generators
SOLCP.....	State-Owned Lands Cleanup Program Listing
SITE INV SITES.....	Site Investigation Section Sites Listing
TIER 2.....	Tier 2 Facility Listing
UIC.....	Underground Injection Wells Database Listing
NPDES.....	Wastewater Facility Regulation Database
ERIC WASTE CLEANUP.....	Environmental Restoration Integrated Cleanup Listing

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP.....	EDR Proprietary Manufactured Gas Plants
EDR Hist Cleaner.....	EDR Exclusive Historical Cleaners

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA HWS.....	Recovered Government Archive State Hazardous Waste Facilities List
--------------	--

EXECUTIVE SUMMARY

RGA LF..... Recovered Government Archive Solid Waste Facilities List
RGA LUST..... Recovered Government Archive Leaking Underground Storage Tank

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Lists of Federal RCRA generators

RCRA-VSQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Very small quantity generators (VSQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

A review of the RCRA-VSQG list, as provided by EDR, and dated 06/07/2026 has revealed that there is 1 RCRA-VSQG site within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>SIEMENS ENERGY INC</i> EPA ID:: FLD982140873	<i>4400 N ALAFAYA TRL</i>	<i>WNW 1/8 - 1/4 (0.214 mi.)</i>	<i>D12</i>	<i>26</i>

Lists of state and tribal leaking storage tanks

LUST: The Leaking Underground Storage Tank Incident Reports contain an inventory of reported leaking underground storage tank incidents. The data come from the Department of Environmental Protection's PCTO1--Petroleum Contamination Detail Report.

A review of the LUST list, as provided by EDR, and dated 04/20/2026 has revealed that there are 6 LUST sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>GROCERY BOX</i> Discharge Cleanup Status: RA - RA ONGOING Facility Status: CLOSED Facility-Site Id: 8513002	<i>4066 N ALAFAYA TRL</i>	<i>SSW 0 - 1/8 (0.095 mi.)</i>	<i>B5</i>	<i>10</i>
<i>CHEVRON - UNIVERSITY</i>	<i>12190 UNIVERSITY BLV</i>	<i>SSW 1/8 - 1/4 (0.227 mi.)</i>	<i>C18</i>	<i>57</i>

EXECUTIVE SUMMARY

Discharge Cleanup Status: SRCR - SRCR COMPLETE
 Facility Status: CLOSED
 Facility-Site Id: 8622642

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
SIEMENS ENERGY INC Discharge Cleanup Status: NFA - NFA COMPLETE Facility Status: OPEN Facility-Site Id: 9502687	4400 ALAFAYA TRL	WNW 1/8 - 1/4 (0.214 mi.)	D14	35
CIRCLE K #2708955 Discharge Cleanup Status: SRCR - SRCR COMPLETE Facility Status: OPEN Facility-Site Id: 9804008	4600 N ALAFAYA TRAIL	NNW 1/4 - 1/2 (0.255 mi.)	F25	72
UNIV OF CENTRAL FL Discharge Cleanup Status: SRCR - SRCR COMPLETE Facility Status: OPEN Facility-Site Id: 8622599	4000 CENTRAL FLORIDA	ESE 1/4 - 1/2 (0.265 mi.)	G26	94
SCG 11950 CORPORATE Discharge Cleanup Status: SRCR - SRCR COMPLETE Facility Status: OPEN Facility-Site Id: 9803631	11950 CORPORATE BLVD	NW 1/4 - 1/2 (0.392 mi.)	H29	250

Lists of state and tribal registered storage tanks

UST: The Underground Storage Tank database contains registered USTs. Shortly after the September 11 event, the DEP was instructed to remove the detail about some of the storage tank facilities in the state from their reports. Federal-owned facilities and bulk storage facilities are included in that set.

A review of the UST list, as provided by EDR, has revealed that there are 4 UST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
GROCERY BOX Database: UST, Date of Government Version: 04/15/2026 Tank Status: B-Removed from Site Facility-Site Id: 8513002 Facility Status: CLOSED	4066 N ALAFAYA TRL	SSW 0 - 1/8 (0.095 mi.)	B5	10
CHEVRON - UNIVERSITY Database: UST, Date of Government Version: 04/15/2026 Tank Status: B-Removed from Site Facility-Site Id: 8622642 Facility Status: CLOSED	12190 UNIVERSITY BLV	SSW 1/8 - 1/4 (0.227 mi.)	C18	57
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
SIEMENS ENERGY INC Database: UST, Date of Government Version: 04/15/2026 Tank Status: B-Removed from Site Facility-Site Id: 9502687	4400 ALAFAYA TRL	WNW 1/8 - 1/4 (0.214 mi.)	D14	35

EXECUTIVE SUMMARY

Facility Status: OPEN
UNIV OF CENTRAL FL W OFF CENTRAL FL BLVD ESE 1/8 - 1/4 (0.228 mi.) 20 68
Database: UST, Date of Government Version: 04/15/2026
Tank Status: B-Removed from Site
Facility-Site Id: 8732273
Facility Status: CLOSED

AST: Shortly after the Sept 11 event, the DEP was instructed to remove the detail about some of the storage tank facilities in the state from their reports. Federal-owned facilities and bulk storage facilities are included in that set.

A review of the AST list, as provided by EDR, has revealed that there are 3 AST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
THE CELESTE Database: AST, Date of Government Version: 04/15/2026 Facility-Site Id: 9817658 Facility Status: OPEN Facility Status: OPEN	4105 N ALAFAYA TRL	S 1/8 - 1/4 (0.125 mi.)	8	20
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
PLAZA ON UNIVERSITY Database: AST, Date of Government Version: 04/15/2026 Facility-Site Id: 9814092 Facility Status: OPEN Facility Status: OPEN	12101 UNIVERSITY BLV	SSW 1/8 - 1/4 (0.195 mi.)	10	22
SIEMENS ENERGY INC Database: AST, Date of Government Version: 04/15/2026 Facility-Site Id: 9502687 Facility Status: OPEN Facility Status: OPEN	4400 ALAFAYA TRL	WNW 1/8 - 1/4 (0.214 mi.)	D14	35

ADDITIONAL ENVIRONMENTAL RECORDS

Other Ascertainable Records

RCRA NonGen / NLR: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 06/07/2026 has revealed that there are 2 RCRA NonGen / NLR sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CHEVRON PRODUCTS COM	12190 UNIVERSITY BLV	SSW 1/8 - 1/4 (0.227 mi.)	C19	64

EXECUTIVE SUMMARY

EPA ID:: FLD984208983

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
LPR CONSTRUCTION COM EPA ID:: FLT960055283	12279 UNIVERSITY BLV	SSW 1/8 - 1/4 (0.203 mi.)	C11	23

UST FINDER RELEASE: US EPA's UST Finder data is a national composite of leaking underground storage tanks. This data contains information about, and locations of, leaking underground storage tanks. Data was collected from state sources and standardized into a national profile by EPA's Office of Underground Storage Tanks, Office of Research and Development, and the Association of State and Territorial Solid Waste Management Officials.

A review of the UST FINDER RELEASE list, as provided by EDR, and dated 11/21/2025 has revealed that there are 5 UST FINDER RELEASE sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
GROCERY BOX	4066 N ALAFAYA TRL	SSW 0 - 1/8 (0.095 mi.)	B7	18
CHEVRON - UNIVERSITY	12190 UNIVERSITY BLV	SSW 1/8 - 1/4 (0.227 mi.)	C17	55
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
SIEMENS ENERGY INC	4400 ALAFAYA TRL	WNW 1/8 - 1/4 (0.214 mi.)	D16	53
CIRCLE K #2708955	4600 N ALAFAYA TRAIL	NNW 1/4 - 1/2 (0.255 mi.)	F24	70
SIEMENS ENERGY INC	11950 CORPORATE BLVD	NW 1/4 - 1/2 (0.392 mi.)	H28	250

UST FINDER: EPA developed UST Finder, a web map application containing a comprehensive, state-sourced national map of underground storage tank (UST) and leaking UST (LUST) data. It provides the attributes and locations of active and closed USTs, UST facilities, and LUST sites from states and from Tribal lands and US territories. UST Finder contains information about proximity of UST facilities and LUST sites to: surface and groundwater public drinking water protection areas; estimated number of private domestic wells and number of people living nearby; and flooding and wildfires.

A review of the UST FINDER list, as provided by EDR, and dated 11/21/2025 has revealed that there are 3 UST FINDER sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
GROCERY BOX	4066 N ALAFAYA TRL	SSW 0 - 1/8 (0.095 mi.)	B7	18
CHEVRON - UNIVERSITY	12190 UNIVERSITY BLV	SSW 1/8 - 1/4 (0.227 mi.)	C17	55
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
SIEMENS ENERGY INC	4400 ALAFAYA TRL	WNW 1/8 - 1/4 (0.214 mi.)	D16	53

E MANIFEST: EPA established a national system for tracking hazardous waste shipments electronically. This system, known as "e-Manifest," will modernize the nations cradle-to-grave hazardous waste tracking process while saving valuable time, resources, and dollars for industry and states.

A review of the E MANIFEST list, as provided by EDR, and dated 06/07/2026 has revealed that there are 2 E MANIFEST sites within approximately 0.25 miles of the target property.

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
SIEMENS ENERGY INC SIEMEN ENERGY	4400 N ALAFAYA TRL 4400 NORTH ALAFAYA T	WNW 1/8 - 1/4 (0.214 mi.) WNW 1/8 - 1/4 (0.214 mi.)	D12 D15	26 45

DWM CONTAM: A listing of active or known sites. The listing includes sites that need cleanup but are not actively being working on because the agency currently does not have funding (primarily petroleum and drycleaning).

A review of the DWM CONTAM list, as provided by EDR, and dated 03/10/2026 has revealed that there are 6 DWM CONTAM sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
GROCERY BOX Program Site Id: 8513002	4066 N ALAFAYA TRL	SSW 0 - 1/8 (0.095 mi.)	B5	10
CHEVRON - UNIVERSITY Program Site Id: 8622642	12190 UNIVERSITY BLV	SSW 1/8 - 1/4 (0.227 mi.)	C18	57

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
SIEMENS ENERGY INC Program Site Id: 9502687	4400 ALAFAYA TRL	WNW 1/8 - 1/4 (0.214 mi.)	D14	35
CIRCLE K #2708955 Program Site Id: 9804008	4600 N ALAFAYA TRAIL	NNW 1/4 - 1/2 (0.255 mi.)	F25	72
UCF - CHEMISTRY BUIL Program Site Id: 8622599	4000 CENTRAL FLORIDA	ESE 1/4 - 1/2 (0.265 mi.)	G27	247
SCG 11950 CORPORATE Program Site Id: 9803631	11950 CORPORATE BLVD	NW 1/4 - 1/2 (0.392 mi.)	H29	250

HAZ WASTE: The records in this data set are generated by county SQG Assessment, Notification and Verification Programs on-site surveys (see 403.7225 FS). The waste records are wastes observed during county inspections. Even though this state program targets SQGs and VSQGs for outreach, some counties choose to additionally look at their LQGs.

A review of the HAZ WASTE list, as provided by EDR, and dated 05/11/2026 has revealed that there are 6 HAZ WASTE sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
PLAZA ON UNIVERSITY	12279 UNIVERSITY BLV	SSW 1/8 - 1/4 (0.179 mi.)	C9	22

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
STRATEGIC DENTAL CAR	12250 STRATEGY BLVD	SW 0 - 1/8 (0.095 mi.)	B4	9
SIEMENS ENERGY	4400 ALAFAYA TRAIL N	WNW 1/8 - 1/4 (0.214 mi.)	D13	34
DOLLAR TREE #5406	4498 ALAFAYA TRAIL N	NNW 1/8 - 1/4 (0.242 mi.)	E21	69
EXPERIMAC	4498 ALAYAF A N 300	NNW 1/8 - 1/4 (0.242 mi.)	E22	69
SOUTH BEACH TANNING	4498 ALAFAYA TR N 25	NNW 1/8 - 1/4 (0.242 mi.)	E23	70

EXECUTIVE SUMMARY

RESP PARTY: Open, inactive and closed responsible party sites

A review of the RESP PARTY list, as provided by EDR, and dated 03/23/2026 has revealed that there are 3 RESP PARTY sites within approximately 0.5 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
UCF BIOLOGY BUILDING Site Status: INACTIVE	LIBRA DRIVE	E 1/4 - 1/2 (0.435 mi.)	30	270
UCF BIOLOGY BUILDING Site Status: CLOSEDWCOND Site Status: INACTIVE	UCF CAMPUS	ESE 1/4 - 1/2 (0.455 mi.)	31	271
UCF - ORANGE HALL BL Site Status: CLOSED Site Status: INACTIVE	UCF CAMPUS	ESE 1/4 - 1/2 (0.494 mi.)	32	275

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR Hist Auto: EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.


A review of the EDR Hist Auto list, as provided by EDR, has revealed that there is 1 EDR Hist Auto site within approximately 0.125 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
BOXLEY ENTERPRISES I	4066 N ALAFAYA TRL	SSW 0 - 1/8 (0.095 mi.)	B6	18

EXECUTIVE SUMMARY

There were no unmapped sites in this report.

OVERVIEW MAP - 8439657.1S



- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- US National Priority List
- US DOD
- US Indian Reservations BIA


- County Boundary
- Power transmission lines
- Special Flood Hazard Area (1%)
- 0.2% Annual Chance Flood Hazard
- National Wetland Inventory
- State Wetlands
- FL BROWNFIELDS

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: Site 3 - Central Site
 ADDRESS: N Alafaya Trail
 Orlando FL 32816
 LAT/LONG: 28.602361 / 81.206617

CLIENT: Onterris
 CONTACT: Shannon Boyle
 INQUIRY #: 8439657.1s
 DATE: August 19, 2026 11:31 am

DETAIL MAP - 8439657.1S



- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- Sensitive Receptors
- US National Priority List
- US DOD
- US Indian Reservations BIA

- Power transmission lines
- Special Flood Hazard Area (1%)
- 0.2% Annual Chance Flood Hazard
- National Wetland Inventory
- State Wetlands
- FL BROWNFIELDS

0 1/16 1/8 1/4 Miles

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: Site 3 - Central Site
 ADDRESS: N Alafaya Trail
 Orlando FL 32816
 LAT/LONG: 28.602361 / 81.206617

CLIENT: Onterris
 CONTACT: Shannon Boyle
 INQUIRY #: 8439657.1s
 DATE: August 19, 2026 11:32 am

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
<i>Lists of Federal NPL (Superfund) sites</i>								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	1.000		0	0	0	0	NR	0
<i>Lists of Federal Delisted NPL sites</i>								
Delisted NPL	1.000		0	0	0	0	NR	0
<i>Lists of Federal sites subject to CERCLA removals and CERCLA orders</i>								
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
SEMS	0.500		0	0	0	NR	NR	0
<i>Lists of Federal CERCLA sites with NFRAP</i>								
SEMS-ARCHIVE	0.500		0	0	0	NR	NR	0
<i>Lists of Federal RCRA facilities undergoing Corrective Action</i>								
CORRACTS	1.000		0	0	0	0	NR	0
<i>Lists of Federal RCRA TSD facilities</i>								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
<i>Lists of Federal RCRA generators</i>								
RCRA-LQG	0.250		0	0	NR	NR	NR	0
RCRA-SQG	0.250		0	0	NR	NR	NR	0
RCRA-VSQG	0.250		0	1	NR	NR	NR	1
RCRA CONTROLS	0.500		0	0	0	NR	NR	0
<i>Federal institutional controls / engineering controls registries</i>								
LUCIS	0.500		0	0	0	NR	NR	0
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROLS	0.500		0	0	0	NR	NR	0
<i>Federal ERNS list</i>								
ERNS	TP		NR	NR	NR	NR	NR	0
<i>Lists of state- and tribal hazardous waste facilities</i>								
SHWS	1.000		0	0	0	0	NR	0
<i>Lists of state and tribal landfills and solid waste disposal facilities</i>								
SWF/LF	0.500	1	0	0	0	NR	NR	1
<i>Lists of state and tribal leaking storage tanks</i>								
LAST	0.500		0	0	0	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
LUST	0.500		1	2	3	NR	NR	6
INDIAN LUST	0.500		0	0	0	NR	NR	0
<i>Lists of state and tribal registered storage tanks</i>								
FF TANKS	0.250		0	0	NR	NR	NR	0
FEMA UST	0.250		0	0	NR	NR	NR	0
UST	0.250		1	3	NR	NR	NR	4
AST	0.250		0	3	NR	NR	NR	3
INDIAN UST	0.250		0	0	NR	NR	NR	0
TANKS	0.250		0	0	NR	NR	NR	0
<i>State and tribal institutional control / engineering control registries</i>								
ENG CONTROLS	0.500		0	0	0	NR	NR	0
INST CONTROL	0.500		0	0	0	NR	NR	0
<i>Lists of state and tribal voluntary cleanup sites</i>								
INDIAN VCP	0.500		0	0	0	NR	NR	0
VCP	0.500		0	0	0	NR	NR	0
<i>Lists of state and tribal brownfield sites</i>								
BROWNFIELDS	0.500		0	0	0	NR	NR	0
<u>ADDITIONAL ENVIRONMENTAL RECORDS</u>								
<i>Local Brownfield lists</i>								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
<i>Local Lists of Landfill / Solid Waste Disposal Sites</i>								
SWRCY	0.500		0	0	0	NR	NR	0
INDIAN ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
IHS OPEN DUMPS	0.500		0	0	0	NR	NR	0
<i>Local Lists of Hazardous waste / Contaminated Sites</i>								
US HIST CDL	TP		NR	NR	NR	NR	NR	0
PRIORITYCLEANERS	0.500		0	0	0	NR	NR	0
FI Sites	1.000		0	0	0	0	NR	0
US CDL	TP		NR	NR	NR	NR	NR	0
<i>Local Land Records</i>								
LIENS 2	TP		NR	NR	NR	NR	NR	0
<i>Records of Emergency Release Reports</i>								
HMIRS	TP		NR	NR	NR	NR	NR	0
SPILLS	TP		NR	NR	NR	NR	NR	0
SPILLS 90	TP		NR	NR	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
SPILLS 80	TP		NR	NR	NR	NR	NR	0
Other Ascertainable Records								
RCRA NonGen / NLR	0.250		0	2	NR	NR	NR	2
FUDS	1.000		0	0	0	0	NR	0
DOD	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
US FIN ASSUR	TP		NR	NR	NR	NR	NR	0
EPA WATCH LIST	TP		NR	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
TSCA	TP		NR	NR	NR	NR	NR	0
TRIS	TP		NR	NR	NR	NR	NR	0
SSTS	TP		NR	NR	NR	NR	NR	0
ROD	1.000		0	0	0	0	NR	0
RMP	TP		NR	NR	NR	NR	NR	0
RAATS	TP		NR	NR	NR	NR	NR	0
PRP	TP		NR	NR	NR	NR	NR	0
PADS	TP		NR	NR	NR	NR	NR	0
ICIS	TP		NR	NR	NR	NR	NR	0
FTTS	TP		NR	NR	NR	NR	NR	0
MLTS	TP		NR	NR	NR	NR	NR	0
COAL ASH DOE	TP		NR	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	TP		NR	NR	NR	NR	NR	0
RADINFO	TP		NR	NR	NR	NR	NR	0
HIST FTTS	TP		NR	NR	NR	NR	NR	0
DOT OPS	TP		NR	NR	NR	NR	NR	0
CONSENT	1.000		0	0	0	0	NR	0
INDIAN RESERV	1.000		0	0	0	0	NR	0
FUSRAP	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	TP		NR	NR	NR	NR	NR	0
US AIRS	TP		NR	NR	NR	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
MINES MRDS	0.250		0	0	NR	NR	NR	0
ABANDONED MINES	0.250		0	0	NR	NR	NR	0
FINDS	TP	2	NR	NR	NR	NR	NR	2
DOCKET HWC	TP		NR	NR	NR	NR	NR	0
ECHO	TP	2	NR	NR	NR	NR	NR	2
UXO	1.000		0	0	0	0	NR	0
FUELS PROGRAM	0.250		0	0	NR	NR	NR	0
PFAS NPL	0.250		0	0	NR	NR	NR	0
PFAS FEDERAL SITES	0.250		0	0	NR	NR	NR	0
PFAS TRIS	0.250		0	0	NR	NR	NR	0
PFAS TSCA	0.250		0	0	NR	NR	NR	0
PFAS RCRA MANIFEST	0.250		0	0	NR	NR	NR	0
PFAS ATSDR	0.250		0	0	NR	NR	NR	0
PFAS WQP	0.250		0	0	NR	NR	NR	0
PFAS PROJECT	0.250		0	0	NR	NR	NR	0
PFAS NPDES	0.250		0	0	NR	NR	NR	0
PFAS ECHO	0.250		0	0	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
PFAS ECHO FIRE TRAIN	0.250		0	0	NR	NR	NR	0
PFAS PT 139 AIRPORT	0.250		0	0	NR	NR	NR	0
AQUEOUS FOAM NRC	0.250		0	0	NR	NR	NR	0
BIOSOLIDS	TP		NR	NR	NR	NR	NR	0
UST FINDER RELEASE	0.500		1	2	2	NR	NR	5
UST FINDER	0.250		1	2	NR	NR	NR	3
E MANIFEST	0.250		0	2	NR	NR	NR	2
PFAS	0.250		0	0	NR	NR	NR	0
AQUEOUS FOAM	0.250		0	0	NR	NR	NR	0
DRYCLEANERS	0.250		0	0	NR	NR	NR	0
ABAND AIRFIELDS	0.500		0	0	0	NR	NR	0
AIRS	TP		NR	NR	NR	NR	NR	0
ASBESTOS	TP		NR	NR	NR	NR	NR	0
CLEANUP SITES	TP		NR	NR	NR	NR	NR	0
DEDB	0.250		0	0	NR	NR	NR	0
DRYCLEANERS	0.250		0	0	NR	NR	NR	0
DWM CONTAM	0.500		1	2	3	NR	NR	6
Financial Assurance	TP		NR	NR	NR	NR	NR	0
FL Cattle Dip. Vats	0.250		0	0	NR	NR	NR	0
HAZ WASTE	0.250		1	5	NR	NR	NR	6
HW GEN	0.250		0	0	NR	NR	NR	0
RESP PARTY	0.500		0	0	3	NR	NR	3
SOLCP	TP		NR	NR	NR	NR	NR	0
SITE INV SITES	0.500		0	0	0	NR	NR	0
TIER 2	TP		NR	NR	NR	NR	NR	0
UIC	TP		NR	NR	NR	NR	NR	0
NPDES	TP		NR	NR	NR	NR	NR	0
ERIC WASTE CLEANUP	TP		NR	NR	NR	NR	NR	0

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP	1.000		0	0	0	0	NR	0
EDR Hist Auto	0.125		1	NR	NR	NR	NR	1
EDR Hist Cleaner	0.125		0	NR	NR	NR	NR	0

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA HWS	TP		NR	NR	NR	NR	NR	0
RGA LF	TP		NR	NR	NR	NR	NR	0
RGA LUST	TP		NR	NR	NR	NR	NR	0

- Totals --		5	7	24	11	0	0	47
-------------	--	---	---	----	----	---	---	----

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

A1
Target
Property
GREEK ROW LOT DEBRIS STAGING AREA
SOUTH OF 4100 S GREEK PARK DR
ORLANDO, FL 32816

SWF/LF
S118894908
N/A

Site 1 of 2 in cluster A

Actual:
81 ft.

SWF/LF:
Name: GREEK ROW LOT DEBRIS STAGING AREA
Address: SOUTH OF 4100 S GREEK PARK DR
City,State,Zip: ORLANDO, FL 32816
Facility ID: 103004
District: CD
Lat/Long: 28:36:10.15 / 81:12:24.07
Class Type: 910
Classification: DISASTER DEBRIS MANAGEMENT SITE
Class Status: PRE-AUTHORIZED(B)
Section: Not reported
Township: Not reported
Range: Not reported
Responsible Authority Name: Not reported
Responsible Authority Address: Not reported
Responsible Authority City,St,Zip: Not reported
Responsible Authority Phone: Not reported
EMail Address1: Not reported
EMail Address2: Not reported
Site Supervisor Name: Not reported
Site Supervisor Addr: Not reported
Site Supervisor City/State/Zip: Not reported
Site Supervisor Telephone: Not reported
Land Owner Name: Not reported
Land Owner Address: Not reported
Land Owner City/State/Zip: Not reported
Land Owner Telephone: Not reported

[Click here for Florida Oculus:](#)

A2
Target
Property
UCF CREEK HOUSING
415 GREEK PARK DR
ORLANDO, FL 32816

FINDS
ECHO
1015891681
N/A

Site 2 of 2 in cluster A

Actual:
81 ft.

FINDS:
Registry ID: 110046320085

[Click Here for FRS Facility Detail Report:](#)

Environmental Interest/Information System:

The National Pollutant Discharge Elimination System (NPDES) module of the Integrated Compliance Information System (ICIS). Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1015891681

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UCF CREEK HOUSING (Continued)

1015891681

Registry ID: 110046320085

[DFR URL:](#)

Name: UCF CREEK HOUSING
Address: 415 Greek Park Dr
City,State,Zip: ORLANDO, FL 32816

3
Target
Property

AMSOUTH BANK - UCF
NWC MCCULLOCH/SR 434
OVIDO, FL 32765

FINDS **1008156936**
ECHO **N/A**

FINDS:

Registry ID: 110020558528

Actual:
82 ft.

[Click Here for FRS Facility Detail Report:](#)

Environmental Interest/Information System:

The Florida Integrated Environmental System Today (FIESTA) Data Maintenance (FDM) System maintains entity, environmental interest, and affiliation data.
The National Pollutant Discharge Elimination System (NPDES) module of the Integrated Compliance Information System (ICIS). Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1008156936
Registry ID: 110020558528

[DFR URL:](#)

Name: AMSOUTH BANK - UCF
Address: Nwc Mcculloch/Sr 434
City,State,Zip: OVIDO, FL 32765

B4
SW
< 1/8
0.095 mi.
502 ft.

STRATEGIC DENTAL CARE CORP
12250 STRATEGY BLVD 437
ORLANDO, FL 32817

HAZ WASTE **S130105688**
N/A

Site 1 of 4 in cluster B

Relative:
Lower

HAZ WASTE:

Facility ID: 227187
Name: STRATEGIC DENTAL CARE CORP
Address: 12250 STRATEGY BLVD 437
City,State,Zip: ORLANDO, FL 32817
County: ORANGE
Telephone: (407)284-1645
Email: n/a
Status: A - ACTIVE - WASTE GENERATOR
Generator Status: N - NOT A HAZARDOUS WASTE GENERATOR
EPA ID: NA

Actual:
77 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

STRATEGIC DENTAL CARE CORP (Continued)

S130105688

Other ID: DIST 5
Old Facility ID: 4831295
SIC: 8072 - SERVICES - DENTAL LABORATORIES
Verified: P - VERIFICATION BY PHONE CALL
Verified Date: 04/08/2020
Hazardous Waste LBS/YEAR: 0
Wastes: 1

B5
SSW
< 1/8
0.095 mi.
504 ft.

GROCERY BOX
4066 N ALAFAYA TRL
ORLANDO, FL 32817

Site 2 of 4 in cluster B

LUST
UST
CLEANUP SITES
DWM CONTAM
Financial Assurance

U001363857
N/A

Relative:
Higher
Actual:
83 ft.

LUST:
Name: GROCERY BOX
Address: 4066 N ALAFAYA TRL
City,State,Zip: ORLANDO, FL 32817
Region: STATE
Facility Id: 8513002
Facility Status: CLOSED
Facility Type: A - Retail Station
Facility Phone: (407)365-9099
Facility Cleanup Rank: 12568
District: Central District
Lat/Long (dms): 28 35 57.6199999 / 81 12 29.2899999
Section: 3
Township: 22
Range: 31
Feature: Not reported
Method: AGPS
Datum: 0
Score: 31
Score Effective Date: 2007-12-12 00:00:00
Score When Ranked: 7
Operator: HANK BOXLEY
Name Update: Not reported
Address Update: 2003-02-03 00:00:00

Petroleum Cleanup PCT Facility Score:

Facility Cleanup Status: ONGO - ONGOING
Contact: STEVEN NGUYEN
Contact Company: VIETNAM INVESTMENT CORP
Contact Address: 2611 LIBRA DR
Contact City/State/Zip: ORLANDO, FL 32837
Phone: (407)251-7867
Bad Address Ind: N
State: FL
Zip: 32817
Score: 31
Score Effective Date: 2007-12-12 00:00:00
Related Party ID: 48727
Primary RP Role: ACCOUNT OWNER
RP Begin Date: 2002-07-22
RP Zip: Not reported
RP Extension: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GROCERY BOX (Continued)

U001363857

Discharge Cleanup Summary:

Discharge Date: 11/25/1988
PCT Discharge Combined: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: RA - RA ONGOING
Disch Cleanup Status Date: 3/14/1995
Cleanup Work Status: ACTIVE
Information Source: E - EDI
Other Source Description: Not reported
Eligibility Indicator: E - ELIGIBLE
Site Manager: RUSSELL_J
Site Mgr End Date: Not reported
Tank Office: PCLP48 - ORANGE COUNTY ENVIRONMENTAL PROTECTION DIV

Petroleum Cleanup Program Eligibility:

Facility ID: 8513002
Discharge Date: 11/25/1988
Pct Discharge Combined With: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: RA - RA ONGOING
Disch Cleanup Status Date: 3/14/1995
Cleanup Work Status: ACTIVE
Information Source: E - EDI
Other Source Description: Not reported
Application Received Date: 12/1/1988
Cleanup Program: E - EARLY DETECTION INCENTIVE
Eligibility Status: 4/13/1993
Elig Status Date: 4/13/1993
Letter Of Intent Date: 4/5/1993
Redetermined: No
Inspection Date: 5/16/1990
Site Manager: RUSSELL_J
Site Mgr End Date: Not reported
Tank Office: PCLP48 - ORANGE COUNTY ENVIRONMENTAL PROTECTION DIV
Deductible Amount: Not reported
Deductible Paid To Date: 0
Co-Pay Amount: Not reported
Co-Pay Paid To Date: 0
Cap Amount: Not reported

Contaminated Media:

Discharge Date: 11/25/1988
Pct Discharge Combined With: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: RA - RA ONGOING
Disch Cleanup Status Date: 3/14/1995
Cleanup Work Status: ACTIVE
Information Source: E - EDI
Other Source Description: Not reported
Elig Indicator: E - ELIGIBLE
Site Manager: RUSSELL_J
Site Mgr End Date: Not reported
Tank Office: PCLP48 - ORANGE COUNTY ENVIRON
Contaminated Drinking Wells: 0
Contaminated Monitoring Well: No
Contaminated Soil: Yes
Contaminated Surface Water: No
Contaminated Ground Water: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GROCERY BOX (Continued)

U001363857

Pollutant: A - Leaded Gas
Pollutant Other Description: Not reported
Gallons Discharged: Not reported
Discharge Date: 11/25/1988
Pct Discharge Combined With: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: RA - RA ONGOING
Disch Cleanup Status Date: 3/14/1995
Cleanup Work Status: ACTIVE
Information Source: E - EDI
Other Source Description: Not reported
Elig Indicator: E - ELIGIBLE
Site Manager: RUSSELL_J
Site Mgr End Date: Not reported
Tank Office: PCLP48 - ORANGE COUNTY ENVIRON
Contaminated Drinking Wells: 0
Contaminated Monitoring Well: No
Contaminated Soil: Yes
Contaminated Surface Water: No
Contaminated Ground Water: No
Pollutant: B - Unleaded Gas
Pollutant Other Description: Not reported
Gallons Discharged: Not reported

Task Information:

District: CD
Facility ID: 8513002
Facility Status: CLOSED
Facility Type: A - Retail Station -
County: ORANGE
County ID: 48
Cleanup Eligibility Status: E
Source Effective Date: Not reported
Discharge Date: 11-25-1988
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: RA - RA ONGOING
Disch Cleanup Status Date: 03-14-1995
SRC Action Type: Not reported
SRC Submit Date: Not reported
SRC Review Date: Not reported
SRC Completion Status: Not reported
SRC Issue Date: Not reported
SRC Comment: Not reported
Cleanup Work Status: INACTIVE
Site Mgr: CLARK_RW
Site Mgr End Date: Not reported
Tank Office: PCLP48 - Orange County
SR Task ID: 21608
SR Cleanup Responsible: RP - RESPONSIBLE PARTY
SR Funding Eligibility Type: Not reported
SR Actual Cost: Not reported
SR Completion Date: Not reported
SR Payment Date: Not reported
SR Oral Date: Not reported
SR Written Date: Not reported
SR Soil Removal: Not reported
SR Free Product Removal: Not reported
SR Soil Tonnage Removed: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GROCERY BOX (Continued)

U001363857

SR Soil Treatment: Not reported
SR Other Treatment: Not reported
SR Alternate Proc Received Date: Not reported
SR Alternate Procedure Status: Not reported
SR Alternate Procedure Status Date: Not reported
SR Alternate Procedure Comments: Not reported
SA Task ID: 21609
SA Cleanup Responsible: RP - RESPONSIBLE PARTY
SA Funding Eligibility Type: Not reported
SA Actual Cost: Not reported
SA Completion Date: 04-26-1994
SA Payment Date: Not reported
RAP Task ID: 21610
RAP Cleanup Responsible ID: RP - RESPONSIBLE PARTY
RAP Funding Eligibility Type: Not reported
RAP Actual Cost: Not reported
RAP Completion Date: Not reported
RAP Payment Date: Not reported
RAP Last Order Approved: 1994-10-25 00:00:00
RA Task ID: 21611
RA Cleanup Responsible: RP - RESPONSIBLE PARTY
RA Funding Eligibility Type: Not reported
RA Years to Complete: Not reported
RA Actual Cost: Not reported

[Click here for Florida Oculus:](#)

UST:

Facility ID: 8513002
Name: GROCERY BOX
Address: 4066 N ALAFAYA TRL
City,State,Zip: ORLANDO, FL 32817
Facility Phone: 4073659099
Facility Status: CLOSED
Facility Type: A
Type Description: Retail Station
Depco: P
Region: STATE
Positioning Method: AGPS
Latitude/Longitude: 28 35 56 / 81 12 30

UST:

Tank ID: 1
Tank Capacity: 4000
Tank Location: UNDERGROUND
Tank Status: B-Removed from Site
Status Date: 01/01/2003
Install Date: 7/1/1972
Substance: B
Content Description: Unleaded Gas
Vessel Indicator: TANK
DEP Contractor: P

Owner:

Owner ID: 48727
Owner Name: VIETNAM INVESTMENT CORP
Owner Address: 2611 LIBRA DR
Owner Address 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GROCERY BOX (Continued)

U001363857

Owner City,State,Zip: ORLANDO, FL 32837
Owner Contact: STEVEN NGUYEN
Owner Phone: 4072517867

Tank ID: 2
Tank Capacity: 4000
Tank Location: UNDERGROUND
Tank Status: B-Removed from Site
Status Date: 01/01/2003
Install Date: 7/1/1972
Substance: B
Content Description: Unleaded Gas
Vessel Indicator: TANK
DEP Contractor: P

Owner:
Owner ID: 48727
Owner Name: VIETNAM INVESTMENT CORP
Owner Address: 2611 LIBRA DR
Owner Address 2: Not reported
Owner City,State,Zip: ORLANDO, FL 32837
Owner Contact: STEVEN NGUYEN
Owner Phone: 4072517867

Tank ID: 3
Tank Capacity: 4000
Tank Location: UNDERGROUND
Tank Status: B-Removed from Site
Status Date: 01/01/2003
Install Date: 7/1/1972
Substance: B
Content Description: Unleaded Gas
Vessel Indicator: TANK
DEP Contractor: P

Owner:
Owner ID: 48727
Owner Name: VIETNAM INVESTMENT CORP
Owner Address: 2611 LIBRA DR
Owner Address 2: Not reported
Owner City,State,Zip: ORLANDO, FL 32837
Owner Contact: STEVEN NGUYEN
Owner Phone: 4072517867

Tank ID: 4
Tank Capacity: 4000
Tank Location: UNDERGROUND
Tank Status: B-Removed from Site
Status Date: 01/01/2003
Install Date: 7/1/1972
Substance: B
Content Description: Unleaded Gas
Vessel Indicator: TANK
DEP Contractor: P

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GROCERY BOX (Continued)

U001363857

Owner:

Owner ID: 48727
Owner Name: VIETNAM INVESTMENT CORP
Owner Address: 2611 LIBRA DR
Owner Address 2: Not reported
Owner City,State,Zip: ORLANDO, FL 32837
Owner Contact: STEVEN NGUYEN
Owner Phone: 4072517867

Tank ID: 5
Tank Capacity: 4000
Tank Location: UNDERGROUND
Tank Status: B-Removed from Site
Status Date: 01/01/2003
Install Date: 7/1/1972
Substance: B
Content Description: Unleaded Gas
Vessel Indicator: TANK
DEP Contractor: P

Owner:

Owner ID: 48727
Owner Name: VIETNAM INVESTMENT CORP
Owner Address: 2611 LIBRA DR
Owner Address 2: Not reported
Owner City,State,Zip: ORLANDO, FL 32837
Owner Contact: STEVEN NGUYEN
Owner Phone: 4072517867

[Click here for Florida Oculus:](#)

CLEANUP SITES:

Name: GROCERY BOX
Address: 4066 N ALAFAYA TRL
City,State,Zip: ORLANDO, FL 32817
DEP Cleanup Site Key: 87695502
Source Database Name: Storage Tank Contamination Monitoring
Source Database Id: 8513002
CPAC Program Area Id: TK
CLLC Cleanup Category Key: PETRO
RSC2 Remediation Status Key: ACTIVE
Data Load Date: 05/18/2026
OC3 Office Id: CD
Physical Address Line 2: (12101 UNIVERSITY BLVD)
OIC Object Of Interest Id: FACIL
PC2 Proximity Id: CENTR
Calc Coordinates Accuracy Level Id: 4
CMC2 Coordinate Method Id: Digital Aerial Photography With Ground Control
DC4 Datum Id: High Accuracy Reference Network
VSC1 Verification Status: REVIEWED
Collect Username: MCKAY_T
Collect Date: 04/27/2005
Collect Affiliation: DEPARTMENT OF ENVIRONMENTAL PR
Map Source: 1999 doqs

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GROCERY BOX (Continued)

U001363857

Map Source Scale: 4516
Interpolation Scale: Not reported
Verifier Username: MCKAY_T
Verifier Affiliation: DEPARTMENT OF ENVIRONMENTAL PR
Verification Date: 04/27/2005
Verified Coordinate Method Id: Digital Aerial Photography With Ground Control
Source Database Name Code: STCM
CMC2 Coordinate Method ID Code: DPHO
DC4 Datum ID Code: HARN
Verified Coordinate Method ID Code: DPHO
Comments: Not reported
Latitude/Longitude (deg/min/sec): 28 35 / 81 12

DWM CONTAM:

Name: GROCERY BOX
Address: 4066 N ALAFAYA TRL
City,State,Zip: ORLANDO, FL 32817
Program Site Id: 8513002
Lat DD: 28
Lat MM: 35
Lat SS: 56
Long DD: 81
Long MM: 12
Long SS: 30
Office/ District: CD
Program Area: PETROLEUM
Priority Score: Not reported
Datum: 0
Method: AGPS
Facility Status: OPEN-STCM
Facility Type: A - Retail Station
Score Effective Date: 2007-12-12 00:00:00
Score When Ranked: 7
Rank: 12568
Operator: Not reported
Phone: Not reported
Name Changed: Not reported
Addr Changed: Not reported
Related Party ID: 48727
Primary RP Role: ACCOUNT OWNER
RP Begin Date: 7/22/2002
RP Name: VIETNAM INVESTMENT CORP
RP Address1: 2611 LIBRA DR
RP Address2: Not reported
RP City: ORLANDO
RP State: FL
RP Zip5: Not reported
RP Zip4: 32837
Contact: STEVEN NGUYEN
RP Phone: (407)251-7867
RP Extension: Not reported
Site Manager: RUSSELL_J

FL Financial Assurance 3:

Name: GROCERY BOX
Address: 4066 N ALAFAYA TRL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GROCERY BOX (Continued)

U001363857

City,State,Zip: ORLANDO, FL 32817
Region: 3
Facility ID: 8513002
Facility Phone: 4073659099
Facility Status: CLOSED
Facility Type: A
Type Description: Retail Station
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: FPLIPA
Effective Date: 06/04/1990
Expire Date: 07/18/1990
Owner ID: 48727
Owner Name: VIETNAM INVESTMENT CORP
Owner Address: 2611 LIBRA DR
Owner Address2: Not reported
Owner City,St,Zip: ORLANDO, FL 32837
Contact: STEVEN NGUYEN
Resp Party Phone: 4072517867

Name: GROCERY BOX
Address: 4066 N ALAFAYA TRL
City,State,Zip: ORLANDO, FL 32817
Region: 3
Facility ID: 8513002
Facility Phone: 4073659099
Facility Status: CLOSED
Facility Type: A
Type Description: Retail Station
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: FPLIPA
Effective Date: 09/20/1991
Expire Date: 09/20/1992
Owner ID: 48727
Owner Name: VIETNAM INVESTMENT CORP
Owner Address: 2611 LIBRA DR
Owner Address2: Not reported
Owner City,St,Zip: ORLANDO, FL 32837
Contact: STEVEN NGUYEN
Resp Party Phone: 4072517867

Name: GROCERY BOX
Address: 4066 N ALAFAYA TRL
City,State,Zip: ORLANDO, FL 32817
Region: 3
Facility ID: 8513002
Facility Phone: 4073659099
Facility Status: CLOSED
Facility Type: A
Type Description: Retail Station
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: GREAT AMERICAN
Effective Date: 06/08/2002
Expire Date: 05/22/2003
Owner ID: 48727

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GROCERY BOX (Continued)

U001363857

Owner Name: VIETNAM INVESTMENT CORP
Owner Address: 2611 LIBRA DR
Owner Address2: Not reported
Owner City,St,Zip: ORLANDO, FL 32837
Contact: STEVEN NGUYEN
Resp Party Phone: 4072517867

B6
SSW
< 1/8
0.095 mi.
504 ft.

BOXLEY ENTERPRISES INC
4066 N ALAFAYA TRL
ORLANDO, FL 32826

EDR Hist Auto 1021078847
N/A

Site 3 of 4 in cluster B

Relative:
Higher

EDR Hist Auto:

Actual:
83 ft.

Year: 1994
Name: BOXLEY ENTERPRISES INC
Type: Convenience Stores

B7
SSW
< 1/8
0.095 mi.
504 ft.

GROCERY BOX
4066 N ALAFAYA TRL
ORLANDO, FL 32817

UST FINDER RELEASE 1028223747
UST FINDER N/A

Site 4 of 4 in cluster B

Relative:
Higher

UST FINDER RELEASE:

Actual:
83 ft.

Object ID: 114013
Facility ID: FL8513002
Lust ID: FL28308
Name: GROCERY BOX
Address: 4066 N ALAFAYA TRL
City,State,Zip: ORLANDO, FL 0
Address Match Type: Not reported
Reported Date: 596494800000
Status: Open
Substance: Not reported
Population within 1500ft: 265
Domestic Wells within 1500ft: 9
Land Use: Developed, Medium Intensity
Within SPA: Yes
SPA PWS Facility ID: Not reported
SPA Water Type: Not reported
SPA Facility Type: Not reported
SPA HUC12: Not reported
Within WHPA: No
WHPA PWS Facility ID: FL3590988_76797518
WHPA Water Type: GW - Ground water
WHPA Facility Type: WL - Well
WHPA HUC12: 030801011007
Within 100yr Floodplain: No
Tribe: Not reported
EPA Region: 4
NFA Letter 1: Not reported
NFA Letter 2: Not reported
NFA Letter 3: Not reported
NFA Letter 4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GROCERY BOX (Continued)

1028223747

Closed With Residual Contaminate: Not reported
Coordinate Source: State
X Coord: -9040069.9438
Y Coord: 3324692.1045999974
Latitude: 28.59889
Longitude: -81.20833

UST FINDER:

Object ID: 77395
Facility ID: FL8513002
Name: Grocery Box
Address: 4066 N ALAFAYA TRL
City,State,Zip: ORLANDO, FL 32817
Address Match Type: Not reported
Open USTs: 0
Closed USTs: 5
TOS USTs: 0
Population 1500ft: 266
Private Wells 1500ft: 9
Within 100yr Floodplain: No
Land Use: Developed, Medium Intensity
Within SPA: Yes
SPA PWS Facility ID: Not reported
SPA Water Type: Not reported
SPA Facility Type: Not reported
SPA HUC12: Not reported
Within WHPA: No
WHPA PWS Facility ID: FL3590988_76797518
WHPA Water Type: GW - Ground water
WHPA Facility Type: WL - Well
WHPA HUC12: 30801011007
Facility Status: Closed UST(s)
Date of Last Inspection: Not reported
EPA Region: 4
Tribe: Not reported
Coordinate Source: State
X Coord: Not reported
Y Coord: Not reported
Latitude: 28.59888889
Longitude: -81.20833333

UST FINDER:

Object ID: 269333
Facility ID: FL8513002
Tank ID: FL8513002-1
Tank Status: Closed
Installation Date: 78811200000
Removal Date: Not reported
Tank Capacity: 4000
Substances: Unleaded Gas
Tank Wall Type: Not reported

Object ID: 269334
Facility ID: FL8513002
Tank ID: FL8513002-2
Tank Status: Closed
Installation Date: 78811200000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GROCERY BOX (Continued)

1028223747

Removal Date: Not reported
Tank Capacity: 4000
Substances: Unleaded Gas
Tank Wall Type: Not reported

Object ID: 269335
Facility ID: FL8513002
Tank ID: FL8513002-3
Tank Status: Closed
Installation Date: 78811200000
Removal Date: Not reported
Tank Capacity: 4000
Substances: Unleaded Gas
Tank Wall Type: Not reported

Object ID: 269336
Facility ID: FL8513002
Tank ID: FL8513002-4
Tank Status: Closed
Installation Date: 78811200000
Removal Date: Not reported
Tank Capacity: 4000
Substances: Unleaded Gas
Tank Wall Type: Not reported

Object ID: 269337
Facility ID: FL8513002
Tank ID: FL8513002-5
Tank Status: Closed
Installation Date: 78811200000
Removal Date: Not reported
Tank Capacity: 4000
Substances: Unleaded Gas
Tank Wall Type: Not reported

8
South
1/8-1/4
0.125 mi.
662 ft.

THE CELESTE
4105 N ALAFAYA TRL
ORLANDO, FL 32826

AST A100491046
N/A

Relative:
Higher

AST:

Actual:
86 ft.

Facility ID: 9817658
Name: THE CELESTE
Address: 4105 N ALAFAYA TRL
City,State,Zip: ORLANDO, FL 32826
Facility Phone: 4072074700
Facility Status: OPEN
Facility Type: C
Type Description: Fuel user/Non-retail
Depco: P
Region: STATE
Positioning Method: Not reported
Latitude/Longitude: Not reported

Tank:

Tank ID: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THE CELESTE (Continued)

A100491046

Tank Capacity: 1270
Tank Location: ABOVEGROUND
Tank Status: U-In Service
Status Date: 11/01/2019
Install Date: 11/1/2019
Substance: G
Content Description: Emerg Generator Diesel
Vessel Indicator: TANK
DEP Contractor: P

Monitoring:

Tank ID: 1
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: 1
Petro Monitoring Category: Q
Monitoring Description: Visual inspection of ASTs

Tank ID: 1
Petro Monitoring Category: 1
Monitoring Description: Continuous electronic sensing

Owner:

Owner ID: 79654
Owner Name: PEGASUS HOTEL LLC
Owner Address: 1480 ROYAL PALM BEACH BLVD, #A
Owner Address 2: Not reported
Owner City,State,Zip: West Palm Beach, FL 33411
Owner Contact: Matthew McAlister
Owner Phone: 4072074700

Construction:

Tank ID: 1
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: 1
Construction Category: I
Construction Description: Double wall

Tank ID: 1
Construction Category: C
Construction Description: Steel

Tank ID: 1
Construction Category: M
Construction Description: Spill containment bucket

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

C9
SSW
1/8-1/4
0.179 mi.
943 ft.
Site 1 of 5 in cluster C

HAZ WASTE **S130175282**
N/A

Relative: HAZ WASTE:
Higher Facility ID: 73563
Name: PLAZA ON UNIVERSITY
Actual: Address: 12279 UNIVERSITY BLVD
84 ft. City,State,Zip: ORLANDO, FL 32817
County: ORANGE
Telephone: (407)-
Email: Not reported
Status: X - ARCHIVE INACTIVE-INACTIVE AFTER 2 INSPECTIONS
Generator Status: N - NOT A HAZARDOUS WASTE GENERATOR
EPA ID: NA
Other ID: DIST 5
Old Facility ID: 4817597
SIC: 6513 - FIN, INS & REAL EST - APARTMENT BUILDING OPERATORS
Verified: X - ESQG VERIFICATION
Verified Date: 08/16/2023
Hazardous Waste LBS/YEAR: 0
Wastes: 0

10
SSW
1/8-1/4
0.195 mi.
1032 ft.
PLAZA ON UNIVERSITY
12101 UNIVERSITY BLVD
ORLANDO, FL 32817

AST **A100392936**
N/A

Relative: AST:
Lower Facility ID: 9814092
Name: PLAZA ON UNIVERSITY
Actual: Address: 12101 UNIVERSITY BLVD
75 ft. City,State,Zip: ORLANDO, FL 32817
Facility Phone: 4075581296
Facility Status: OPEN
Facility Type: C
Type Description: Fuel user/Non-retail
Depco: C
Region: STATE
Positioning Method: Not reported
Latitude/Longitude: Not reported
Tank:
Tank ID: 1
Tank Capacity: 944
Tank Location: ABOVEGROUND
Tank Status: U-In Service
Status Date: 07/01/2014
Install Date: 3/1/2014
Substance: G
Content Description: Emerg Generator Diesel
Vessel Indicator: TANK
DEP Contractor: C
Piping:
Tank ID: 1
Piping Category: B
Piping Description: Steel/galvanized metal

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PLAZA ON UNIVERSITY (Continued)

A100392936

Monitoring:

Tank ID: 1
Petro Monitoring Category: A
Monitoring Description: Site Suitability Plan

Tank ID: 1
Petro Monitoring Category: Q
Monitoring Description: Visual inspection of ASTs

Tank ID: 1
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Owner:

Owner ID: 69855
Owner Name: PLAZA ON UNIVERSITY
Owner Address: 12101 UNIV BLVD
Owner Address 2: ATTN: JASON GUILLEN
Owner City,State,Zip: ORLANDO, FL 32817
Owner Contact: JASON GUILLEN | JEREMY ROBERTS (512) 569-7481
Owner Phone: 4072765010

Construction:

Tank ID: 1
Construction Category: X
Construction Description: Concrete

Tank ID: 1
Construction Category: C
Construction Description: Steel

Tank ID: 1
Construction Category: I
Construction Description: Double wall

Tank ID: 1
Construction Category: M
Construction Description: Spill containment bucket

Tank ID: 1
Construction Category: P
Construction Description: Level gauges/alarms

C11
SSW
1/8-1/4
0.203 mi.
1071 ft.

LPR CONSTRUCTION COMPANY
12279 UNIVERSITY BLVD
WINTER PARK, FL 32789

RCRA NonGen / NLR

1014467883
FLT960055283

Site 2 of 5 in cluster C

Relative:
Lower

Actual:
81 ft.

RCRA Listings:

Date Form Received by Agency:
Handler Name:
Handler Address:
Handler City,State,Zip:

19961230
Lpr Construction Company
University Blvd
WINTER PARK, FL 32789

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LPR CONSTRUCTION COMPANY (Continued)

1014467883

EPA ID:	FLT960055283
Contact Name:	Not reported
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	04
Land Type:	Other
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	FI
State District:	CD
Mailing Address:	Not reported
Mailing City,State,Zip:	Not reported
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20250821
Recognized Trader-Importer:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LPR CONSTRUCTION COMPANY (Continued)

1014467883

Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Historic Generators:

Receive Date:	19960712
Handler Name:	LPR CONSTRUCTION COMPANY
Federal Waste Generator Description:	Very Small Quantity Generator (formerly Conditionally-Exempt Small Quantity Generator)
State District Owner:	FI
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	19961230
Handler Name:	LPR CONSTRUCTION COMPANY
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	FI
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	Not reported
Recognized Trader Exporter:	Not reported
Spent Lead Acid Battery Importer:	Not reported
Spent Lead Acid Battery Exporter:	Not reported
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

List of NAICS Codes and Descriptions:

NAICS Codes:	No NAICS Codes Found
--------------	----------------------

Facility Has Received Notices of Violations:

Violations:	No Violations Found
-------------	---------------------

Evaluation Action Summary:

Evaluations:	No Evaluations Found
--------------	----------------------

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site Database(s) EDR ID Number
EPA ID Number

D12 **SIEMENS ENERGY INC**
WNW **4400 N ALAFAYA TRL**
1/8-1/4 **ORLANDO, FL 32826**
0.214 mi.
1130 ft. **Site 1 of 5 in cluster D**

RCRA-VSQG **1000413181**
E MANIFEST **FLD982140873**

Relative:
Lower

Actual:
69 ft.

RCRA Listings:
Date Form Received by Agency: 20190304
Handler Name: Siemens Energy Inc
Handler Address: 4400 N Alafaya Trl
Handler City,State,Zip: ORLANDO, FL 32826-2301
EPA ID: FLD982140873
Contact Name: BRAD HOFFMAN
Contact Address: 4400 ALAFAYA TRAIL
Contact City,State,Zip: ORLANDO, FL 32826-0000
Contact Telephone: 407-736-2064
Contact Fax: Not reported
Contact Email: BRADFORD.HOFFMAN@SIEMENS.COM
Contact Title: EHS
EPA Region: 04
Land Type: Private
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: FL
State District: CD
Mailing Address: 4400 N ALAFAYA TRL
Mailing City,State,Zip: ORLANDO, FL 32826-2301
Owner Name: Al Forlano
Owner Type: Private
Operator Name: Siemens Energy Inc
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: N
Sub-Part K Indicator: Not reported
2018 GPRA Permit Baseline: Not on the Baseline
2018 GPRA Renewals Baseline: Not on the Baseline
202 GPRA Corrective Action Baseline: No
Subject to Corrective Action Universe: No
Non-TSDFs Where RCRA CA has Been Imposed Universe: No
Corrective Action Priority Ranking: No NCAPS ranking
Environmental Control Indicator: No
Institutional Control Indicator: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SIEMENS ENERGY INC (Continued)

1000413181

Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20230224
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D001
Waste Description:	Ignitable Waste

Waste Code:	D002
Waste Description:	Corrosive Waste

Waste Code:	F003
Waste Description:	The Following Spent Nonhalogenated Solvents: Xylene, Acetone, Ethyl Acetate, Ethyl Benzene, Ethyl Ether, Methyl Isobutyl Ketone, N-Butyl Alcohol, Cyclohexanone, And Methanol; All Spent Solvent Mixtures/Blends Containing, Before Use, Only The Above Spent Nonhalogenated Solvents; And All Spent Solvent Mixtures/Blends Containing, Before Use, One Or More Of The Above Nonhalogenated Solvents, And A Total Of Ten Percent Or More (By Volume) Of One Or More Of Those Solvents Listed In F001, F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	SIEMENS WESTINGHOUSE POWER CORP
Legal Status:	Private
Date Became Current:	20051003
Date Ended Current:	20080929
Owner/Operator Address:	4400 N ALAFAYA TRL
Owner/Operator City,State,Zip:	ORLANDO, FL 32826-2301
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	AL FORLANO
Legal Status:	Private
Date Became Current:	19980909
Date Ended Current:	20051003
Owner/Operator Address:	4400 N ALAFAYA TRL
Owner/Operator City,State,Zip:	ORLANDO, FL 32826-2301

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SIEMENS ENERGY INC (Continued)

1000413181

Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name: AL FORLANO	
Legal Status:	Private
Date Became Current:	19980909
Date Ended Current:	20051003
Owner/Operator Address:	4400 N ALAFAYA TRL
Owner/Operator City,State,Zip:	ORLANDO, FL 32826-2301
Owner/Operator Telephone:	407-293-1811
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name: SIEMENS ENERGY INC	
Legal Status:	Private
Date Became Current:	20080929
Date Ended Current:	Not reported
Owner/Operator Address:	4400 N ALAFAYA TRL
Owner/Operator City,State,Zip:	ORLANDO, FL 32826-2301
Owner/Operator Telephone:	407-736-2000
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name: SIEMENS REAL ESTATE	
Legal Status:	Private
Date Became Current:	20080929
Date Ended Current:	20190318
Owner/Operator Address:	186 WOOD AVE S
Owner/Operator City,State,Zip:	ISELIN, NJ 88300-2725
Owner/Operator Telephone:	561-962-2166
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name: SIEMENS WESTINGHOUSE POWER CORP	
Legal Status:	Private
Date Became Current:	20051003
Date Ended Current:	20080929
Owner/Operator Address:	4400 N ALAFAYA TRL
Owner/Operator City,State,Zip:	ORLANDO, FL 32826-2301
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name: SIEMENS ENERGY INC	
Legal Status:	Private
Date Became Current:	20080929

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SIEMENS ENERGY INC (Continued)

1000413181

Date Ended Current: Not reported
Owner/Operator Address: 4400 N ALAFAYA TRL
Owner/Operator City,State,Zip: ORLANDO, FL 32826-2301
Owner/Operator Telephone: 407-736-2000
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: SIEMENS REAL ESTATE
Legal Status: Private
Date Became Current: 20080929
Date Ended Current: Not reported
Owner/Operator Address: 186 WOOD AVE S
Owner/Operator City,State,Zip: ISELIN, NJ 08830-2725
Owner/Operator Telephone: 561-962-2166
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: SIEMENS WESTINGHOUSE POWER CORP
Legal Status: Private
Date Became Current: 20051003
Date Ended Current: 20080929
Owner/Operator Address: 4400 N ALAFAYA TRL
Owner/Operator City,State,Zip: ORLANDO, FL 32826-2301
Owner/Operator Telephone: 407-736-2000
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: SIEMENS ENERGY INC
Legal Status: Private
Date Became Current: 20080929
Date Ended Current: Not reported
Owner/Operator Address: 4400 N ALAFAYA TRL
Owner/Operator City,State,Zip: ORLANDO, FL 32826-2301
Owner/Operator Telephone: 407-736-2000
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: SIEMENS REAL ESTATE
Legal Status: Private
Date Became Current: 20080929
Date Ended Current: Not reported
Owner/Operator Address: 186 WOOD AVE S
Owner/Operator City,State,Zip: ISELIN, NJ 08830-2725
Owner/Operator Telephone: 561-962-2166
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SIEMENS ENERGY INC (Continued)

1000413181

Owner/Operator Name: ALAFAYA TRAIL LLC
Legal Status: Private
Date Became Current: 20180803
Date Ended Current: Not reported
Owner/Operator Address: 3550 LENOX RD NE STE 2000
Owner/Operator City,State,Zip: ATLANTA, GA 30326-0000
Owner/Operator Telephone: 407-293-1811
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 20100809
Handler Name: SIEMENS ENERGY INC
Federal Waste Generator Description: Very Small Quantity Generator (formerly Conditionally-Exempt Small Quantity Generator)
State District Owner: FI
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20190304
Handler Name: SIEMENS ENERGY INC
Federal Waste Generator Description: Very Small Quantity Generator (formerly Conditionally-Exempt Small Quantity Generator)
State District Owner: FI
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

List of NAICS Codes and Descriptions:

NAICS Code: 54133
NAICS Description: Engineering Services

NAICS Code: 541330
NAICS Description: Engineering Services

Facility Has Received Notices of Violations:

Violations: No Violations Found

Evaluation Action Summary:

Evaluations: No Evaluations Found

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SIEMENS ENERGY INC (Continued)

1000413181

E MANIFEST:

Manifest Tracking Number: 009954995JJK
Last Updated Date: 20200805
Shipped Date: 20200622
Received Date: 20200623
Manifest Status: Signed
Submission Type: DataImage5Copy
Origin Type: Web
Generator EPA ID: FLD982140873
Generator Name: Siemens Energy Inc
Generator Location Street Number: Not reported
Generator Location Street 1: 4400 N ALAFAYA TRL
Generator Location Street 2: Not reported
Generator Location City: ORLANDO
Generator Location State: FL
Generator Location Zip: 32826-2301
Generator Mail Street Number: Not reported
Generator Mail Street 1: 4400 N ALAFAYA TRL
Generator Mail Street 2: Not reported
Generator Mail City: ORLANDO
Generator Mail Zip: 32826-2301
Generator Mail State: FL
Generator Contact Company Name: Not reported
Designated Facility EPA ID: FLD980711071
Designated Facility Name: Perma-Fix Of Florida Inc
Designated Facility Mail Street Number: Not reported
Designated Facility Mail Street 1: Not reported
Designated Facility Mail Street 2: 1940 NW 67TH PL
Designated Facility Mail City: GAINESVILLE
Designated Facility Mail Zip: 32653-1649
Designated Facility Mail State: FL
Designated Facility Location Street Number: Not reported
Designated Facility Location Street 1: 1940 NW 67TH PL
Designated Facility Location Street 2: Not reported
Designated Facility Location City: GAINESVILLE
Designated Facility Location Zip: 32653-1649
Designated Facility Location State: FL
Designated Facility Contact Company Name: Not reported
Manifest Residue Indicator: N
Rejection Indicator: N

Manifest Tracking Number: 018773082JJK
Last Updated Date: 20200916
Shipped Date: 20200727
Received Date: 20200728
Manifest Status: Signed
Submission Type: DataImage5Copy
Origin Type: Web
Generator EPA ID: FLD982140873
Generator Name: Siemens Energy Inc
Generator Location Street Number: Not reported
Generator Location Street 1: 4400 N ALAFAYA TRL
Generator Location Street 2: Not reported
Generator Location City: ORLANDO
Generator Location State: FL
Generator Location Zip: 32826-2301
Generator Mail Street Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SIEMENS ENERGY INC (Continued)

1000413181

Generator Mail Street 1:	4400 N ALAFAYA TRL
Generator Mail Street 2:	Not reported
Generator Mail City:	ORLANDO
Generator Mail Zip:	32826-2301
Generator Mail State:	FL
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	FLD980711071
Designated Facility Name:	Perma-Fix Of Florida Inc
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	1940 NW 67TH PL
Designated Facility Mail City:	GAINESVILLE
Designated Facility Mail Zip:	32653-1649
Designated Facility Mail State:	FL
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	1940 NW 67TH PL
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	GAINESVILLE
Designated Facility Location Zip:	32653-1649
Designated Facility Location State:	FL
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N
Manifest Tracking Number:	018774396JJK
Last Updated Date:	20191226
Shipped Date:	20190204
Received Date:	20190205
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Web
Generator EPA ID:	FLD982140873
Generator Name:	Siemens Energy Inc
Generator Location Street Number:	Not reported
Generator Location Street 1:	4400 N ALAFAYA TRL
Generator Location Street 2:	Not reported
Generator Location City:	ORLANDO
Generator Location State:	FL
Generator Location Zip:	32826-2301
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	4400 N ALAFAYA TRL
Generator Mail Street 2:	Not reported
Generator Mail City:	ORLANDO
Generator Mail Zip:	32826-2301
Generator Mail State:	FL
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	FLD980711071
Designated Facility Name:	Perma-Fix Of Florida Inc
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	1940 NW 67TH PL
Designated Facility Mail City:	GAINESVILLE
Designated Facility Mail Zip:	32653-1649
Designated Facility Mail State:	FL
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	1940 NW 67TH PL
Designated Facility Location Street 2:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SIEMENS ENERGY INC (Continued)

1000413181

Designated Facility Location City: GAINESVILLE
Designated Facility Location Zip: 32653-1649
Designated Facility Location State: FL
Designated Facility Contact Company Name: Not reported
Manifest Residue Indicator: N
Rejection Indicator: N

Manifest Tracking Number: 018776784JJK
Last Updated Date: 20200124
Shipped Date: 20180725
Received Date: 20180726
Manifest Status: Signed
Submission Type: DataImage5Copy
Origin Type: Web
Generator EPA ID: FLD982140873
Generator Name: Siemens Energy Inc
Generator Location Street Number: Not reported
Generator Location Street 1: 4400 N ALAFAYA TRL
Generator Location Street 2: Not reported
Generator Location City: ORLANDO
Generator Location State: FL
Generator Location Zip: 32826-2301
Generator Mail Street Number: Not reported
Generator Mail Street 1: 4400 N ALAFAYA TRL
Generator Mail Street 2: Not reported
Generator Mail City: ORLANDO
Generator Mail Zip: 32826-2301
Generator Mail State: FL
Generator Contact Company Name: Not reported
Designated Facility EPA ID: FLD980711071
Designated Facility Name: Perma-Fix Of Florida Inc
Designated Facility Mail Street Number: Not reported
Designated Facility Mail Street 1: Not reported
Designated Facility Mail Street 2: 1940 NW 67TH PL
Designated Facility Mail City: GAINESVILLE
Designated Facility Mail Zip: 32653-1649
Designated Facility Mail State: FL
Designated Facility Location Street Number: Not reported
Designated Facility Location Street 1: 1940 NW 67TH PL
Designated Facility Location Street 2: Not reported
Designated Facility Location City: GAINESVILLE
Designated Facility Location Zip: 32653-1649
Designated Facility Location State: FL
Designated Facility Contact Company Name: Not reported
Manifest Residue Indicator: N
Rejection Indicator: N

Transporter:
Manifest Tracking Number: 018776784JJK
Transporter Line Number: 1
Transporter EPA ID: FLD980711071
Transporter Name: Perma-Fix Of Florida Inc

Waste Line:
Manifest Tracking Number: 018776784JJK
Waste Line Number: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SIEMENS ENERGY INC (Continued)

1000413181

U.S. DOT Hazardous Indicator: Y
U.S. DOT ID Number: UN1956
U.S. DOT Description: Un1956, Compressed Gas, N.O.S., (Oxygen, Nitrogen), 2.2 Pf #66026 - T
- Erg #126
Non-Hazardous Waste Description: Not reported
Number of Containers: 1
Container Type Code: DF
Container Type Description: Fiberboard or plastic drums, barrels, kegs
Waste Quantity: 5
Quantity Unit of Measure Code: G
Quantity Unit of Measure Description: Gallons
Waste Quantity, in Tons: 0.020850709
Acute Waste Quantity, in Tons: 0
Non-Acute Waste Quantity, in Tons: 0.020850709
Waste Quantity, in Kilograms: 18.912218
Acute Waste Quantity, in Kilograms: 0
Non-Acute Waste Quantity, in Kilograms: 18.912218
Management Method Code: Not reported
Management Method Description: Not reported
Waste Residue Indicator: N
Quantity Discrepancy Indicator: N
Waste Type Discrepancy Indicator: N
Waste Density: Not reported
Waste Density Unit of Measure Code: Not reported
Waste Density Unit of Measure Description: Not reported
Form Code: Not reported
Form Code Description: Not reported
Source Code: Not reported
Source Code Description: Not reported
Waste Minimization Code: Not reported
Waste Minimization Code Description: Not reported
Consent Number: Not reported
EPA Waste Indicator: N
Federal Waste Codes: Not reported
Quantity Haz Kg: 0
Quantity Haz Tons: 0
Quantity Non Haz Kg: 18.912218
Quantity Non Haz Tons: 0.020850709
State Waste Codes: Not reported

D13
WNW
1/8-1/4
0.214 mi.
1130 ft.

SIEMENS ENERGY
4400 ALAFAYA TRAIL N
ORLANDO, FL 32826
Site 2 of 5 in cluster D

HAZ WASTE **S130035980**
N/A

Relative:
Lower
Actual:
69 ft.

HAZ WASTE:
Facility ID: 147587
Name: SIEMENS ENERGY
Address: 4400 ALAFAYA TRAIL N
City,State,Zip: ORLANDO, FL 32826
County: ORANGE
Telephone: (321)230-2212
Email: elizabeth.spitzer@siemens-energy.com
Status: I - INACTIVE - DOES NOT GENERATE WASTE
Generator Status: N - NOT A HAZARDOUS WASTE GENERATOR
EPA ID: FLD982140873
Other ID: DIST 5

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SIEMENS ENERGY (Continued)

S130035980

Old Facility ID: 4829883
SIC: 8711 - SERVICES - ENGINEERING SERVICES
Verified: X - ESQG VERIFICATION
Verified Date: 02/07/2023
Hazardous Waste LBS/YEAR: 0
Wastes: 0

D14
WNW
1/8-1/4
0.214 mi.
1130 ft.

SIEMENS ENERGY INC
4400 ALAFAYA TRL
ORLANDO, FL 32826

Site 3 of 5 in cluster D

LUST **U003333861**
UST **N/A**
AST
DWM CONTAM
Financial Assurance

Relative:
Lower
Actual:
69 ft.

LUST:
Name: SIEMENS ENERGY INC
Address: 4400 ALAFAYA TRL
City,State,Zip: ORLANDO, FL 32826
Region: STATE
Facility Id: 9502687
Facility Status: OPEN
Facility Type: C - Fuel user/Non-retail
Facility Phone: (321)230-2212
Facility Cleanup Rank: 7166
District: Central District
Lat/Long (dms): 28 36 12.9600000 / 81 12 37.3800000
Section: Not reported
Township: Not reported
Range: Not reported
Feature: Not reported
Method: DPHO
Datum: Not reported
Score: 25
Score Effective Date: 2002-06-27 00:00:00
Score When Ranked: 25
Operator: ELIZABETH SPITZER
Name Update: 2012-06-28 00:00:00
Address Update: 2011-07-07 00:00:00

Petroleum Cleanup PCT Facility Score:

Facility Cleanup Status: CMPL - COMPLETED
Contact: ELIZABETH SPITZER / JODY LEDOUX
Contact Company: SIEMENS ENERGY INC
Contact Address: 4400 ALAFAYA TRL
Contact City/State/Zip: ORLANDO, FL 32826
Phone: (321)230-2212
Bad Address Ind: N
State: FL
Zip: 32826, 2300
Score: 25
Score Effective Date: 2002-06-27 00:00:00
Related Party ID: 47934
Primary RP Role: ACCOUNT OWNER
RP Begin Date: 1998-11-02
RP Zip: Not reported
RP Extension: Not reported

Discharge Cleanup Summary:

Discharge Date: 7/26/1995

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SIEMENS ENERGY INC (Continued)

U003333861

PCT Discharge Combined: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: NFA - NFA COMPLETE
Disch Cleanup Status Date: 1/16/2007
Cleanup Work Status: COMPLETED
Information Source: D - DISCHARGE NOTIFICATION
Other Source Description: Not reported
Eligibility Indicator: I - INELIGIBLE
Site Manager: THORNTON_K
Site Mgr End Date: 12/11/2006
Tank Office: PCLP48 - ORANGE COUNTY ENVIRONMENTAL PROTECTION DIV

Petroleum Cleanup Program Eligibility:

Facility ID: 9502687
Discharge Date: 7/26/1995
Pct Discharge Combined With: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: NFA - NFA COMPLETE
Disch Cleanup Status Date: 1/16/2007
Cleanup Work Status: COMPLETED
Information Source: D - DISCHARGE NOTIFICATION
Other Source Description: Not reported
Application Received Date: Not reported
Cleanup Program: O - OTHER
Eligibility Status: Not reported
Elig Status Date: Not reported
Letter Of Intent Date: Not reported
Redetermined: No
Inspection Date: 7/20/1995
Site Manager: THORNTON_K
Site Mgr End Date: 12/11/2006
Tank Office: PCLP48 - ORANGE COUNTY ENVIRONMENTAL PROTECTION DIV
Deductible Amount: Not reported
Deductible Paid To Date: Not reported
Co-Pay Amount: Not reported
Co-Pay Paid To Date: Not reported
Cap Amount: Not reported

Contaminated Media:

Discharge Date: 7/26/1995
Pct Discharge Combined With: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: NFA - NFA COMPLETE
Disch Cleanup Status Date: 1/16/2007
Cleanup Work Status: COMPLETED
Information Source: D - DISCHARGE NOTIFICATION
Other Source Description: Not reported
Elig Indicator: I - INELIGIBLE
Site Manager: THORNTON_K
Site Mgr End Date: 12/11/2006
Tank Office: PCLP48 - ORANGE COUNTY ENVIRON
Contaminated Drinking Wells: 0
Contaminated Monitoring Well: No
Contaminated Soil: Yes
Contaminated Surface Water: No
Contaminated Ground Water: No
Pollutant: G - Emerg Generator Diesel
Pollutant Other Description: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SIEMENS ENERGY INC (Continued)

U003333861

Gallons Discharged: Not reported

Task Information:

District: CD

Facility ID: 9502687

Facility Status: OPEN

Facility Type: C - Fuel user/Non-retail -

County: ORANGE

County ID: 48

Cleanup Eligibility Status: I

Source Effective Date: 12-11-2006

Discharge Date: 07-26-1995

Cleanup Required: R - CLEANUP REQUIRED

Discharge Cleanup Status: NFA - NFA COMPLETE

Disch Cleanup Status Date: 01-16-2007

SRC Action Type: NFA - NO FURTHER ACTION

SRC Submit Date: 12-04-2006

SRC Review Date: 12-06-2006

SRC Completion Status: A - APPROVED

SRC Issue Date: 01-16-2007

SRC Comment: Not reported

Cleanup Work Status: COMPLETED

Site Mgr: THORNTON_K

Site Mgr End Date: 12-11-2006

Tank Office: PCLP48 - Orange County

SR Task ID: Not reported

SR Cleanup Responsible: Not reported

SR Funding Eligibility Type: Not reported

SR Actual Cost: Not reported

SR Completion Date: Not reported

SR Payment Date: Not reported

SR Oral Date: Not reported

SR Written Date: Not reported

SR Soil Removal: Not reported

SR Free Product Removal: Not reported

SR Soil Tonnage Removed: Not reported

SR Soil Treatment: Not reported

SR Other Treatment: Not reported

SR Alternate Proc Received Date: Not reported

SR Alternate Procedure Status: Not reported

SR Alternate Procedure Status Date: Not reported

SR Alternate Procedure Comments: Not reported

SA Task ID: 78760

SA Cleanup Responsible: Not reported

SA Funding Eligibility Type: Not reported

SA Actual Cost: Not reported

SA Completion Date: Not reported

SA Payment Date: Not reported

RAP Task ID: Not reported

RAP Cleanup Responsible ID: Not reported

RAP Funding Eligibility Type: Not reported

RAP Actual Cost: Not reported

RAP Completion Date: Not reported

RAP Payment Date: Not reported

RAP Last Order Approved: Not reported

RA Task ID: 80223

RA Cleanup Responsible: RP - RESPONSIBLE PARTY

RA Funding Eligibility Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SIEMENS ENERGY INC (Continued)

U003333861

RA Years to Complete: 0
RA Actual Cost: Not reported

[Click here for Florida Oculus:](#)

UST:

Facility ID: 9502687
Name: SIEMENS ENERGY INC
Address: 4400 ALAFAYA TRL
City,State,Zip: ORLANDO, FL 32826
Facility Phone: 3212302212
Facility Status: OPEN
Facility Type: C
Type Description: Fuel user/Non-retail
Depco: P
Region: STATE
Positioning Method: DPHO
Latitude/Longitude: 28 36 12.96 / 81 12 37.38

UST:

Tank ID: 1
Tank Capacity: 2500
Tank Location: UNDERGROUND
Tank Status: B-Removed from Site
Status Date: 07/01/1995
Install Date: Not reported
Substance: G
Content Description: Emerg Generator Diesel
Vessel Indicator: TANK
DEP Contractor: P

Owner:

Owner ID: 47934
Owner Name: SIEMENS ENERGY INC
Owner Address: 4400 ALAFAYA TRL
Owner Address 2: ATTN: ELIZABETH SPITZER
Owner City,State,Zip: ORLANDO, FL 32826
Owner Contact: ELIZABETH SPITZER / JODY LEDOUX
Owner Phone: 3212302212

Construction:

Tank ID: 60760
Construction Category: C
Construction Description: Steel

Tank ID: 60760
Construction Category: O
Construction Description: Tight fill

Tank ID: 60760
Construction Category: M
Construction Description: Spill containment bucket

Tank ID: 60760
Construction Category: P
Construction Description: Level gauges/alarms

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SIEMENS ENERGY INC (Continued)

U003333861

Tank ID: 60760
Construction Category: R
Construction Description: Double wall - tank jacket

Piping:
Tank ID: 60760
Piping Category: A
Piping Description: Abv, no soil contact

Tank ID: 60760
Piping Category: B
Piping Description: Steel/galvanized metal

Monitoring:
Tank ID: 60760
Petro Monitoring Category: D
Monitoring Description: SPCC Plan

Tank ID: 60760
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

[Click here for Florida Oculus:](#)

AST:
Facility ID: 9502687
Name: SIEMENS ENERGY INC
Address: 4400 ALAFAYA TRL
City,State,Zip: ORLANDO, FL 32826
Facility Phone: 3212302212
Facility Status: OPEN
Facility Type: C
Type Description: Fuel user/Non-retail
Depco: P
Region: STATE
Positioning Method: DPHO
Latitude/Longitude: 28 36 12.96 / 81 12 37.38

Tank:
Tank ID: 60760
Tank Capacity: 2000
Tank Location: ABOVEGROUND
Tank Status: U-In Service
Status Date: 06/01/2012
Install Date: 7/1/1995
Substance: G
Content Description: Emerg Generator Diesel
Vessel Indicator: TANK
DEP Contractor: P

Piping:
Tank ID: 60760
Piping Category: A
Piping Description: Abv, no soil contact

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SIEMENS ENERGY INC (Continued)

U003333861

Tank ID: 60760
Piping Category: B
Piping Description: Steel/galvanized metal

Monitoring:
Tank ID: 60760
Petro Monitoring Category: D
Monitoring Description: SPCC Plan

Tank ID: 60760
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Owner:
Owner ID: 47934
Owner Name: SIEMENS ENERGY INC
Owner Address: 4400 ALAFAYA TRL
Owner Address 2: ATTN: ELIZABETH SPITZER
Owner City,State,Zip: ORLANDO, FL 32826
Owner Contact: ELIZABETH SPITZER / JODY LEDOUX
Owner Phone: 3212302212

Construction:
Tank ID: 60760
Construction Category: C
Construction Description: Steel

Tank ID: 60760
Construction Category: O
Construction Description: Tight fill

Tank ID: 60760
Construction Category: M
Construction Description: Spill containment bucket

Tank ID: 60760
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: 60760
Construction Category: R
Construction Description: Double wall - tank jacket

DWM CONTAM:
Name: SIEMENS ENERGY INC
Address: 4400 ALAFAYA TRL
City,State,Zip: ORLANDO, FL
Program Site Id: 9502687
Lat DD: 28
Lat MM: 36
Lat SS: 12.96
Long DD: 81
Long MM: 12

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SIEMENS ENERGY INC (Continued)

U003333861

Long SS: 37.38
Office/ District: CD
Program Area: PETROLEUM
Priority Score: Not reported
Datum: Not reported
Method: DPHO
Facility Status: CLOSED-STCM
Facility Type: Not reported
Score Effective Date: Not reported
Score When Ranked: Not reported
Rank: Not reported
Operator: Not reported
Phone: Not reported
Name Changed: Not reported
Addr Changed: Not reported
Related Party ID: Not reported
Primary RP Role: Not reported
RP Begin Date: Not reported
RP Name: Not reported
RP Address1: Not reported
RP Address2: Not reported
RP City: Not reported
RP State: Not reported
RP Zip5: Not reported
RP Zip4: Not reported
Contact: Not reported
RP Phone: Not reported
RP Extension: Not reported
Site Manager: Not reported

FL Financial Assurance 3:

Name: SIEMENS ENERGY INC
Address: 4400 ALAFAYA TRL
City,State,Zip: ORLANDO, FL 32826
Region: 3
Facility ID: 9502687
Facility Phone: 3212302212
Facility Status: OPEN
Facility Type: C
Type Description: Fuel user/Non-retail
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: GERLING AMERICA
Effective Date: 10/01/2008
Expire Date: 10/01/2009
Owner ID: 47934
Owner Name: SIEMENS ENERGY INC
Owner Address: 4400 ALAFAYA TRL
Owner Address2: ATTN: ELIZABETH SPITZER
Owner City,St,Zip: ORLANDO, FL 32826
Contact: ELIZABETH SPITZER / JODY LEDOUX
Resp Party Phone: 3212302212

Name: SIEMENS ENERGY INC
Address: 4400 ALAFAYA TRL
City,State,Zip: ORLANDO, FL 32826
Region: 3

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SIEMENS ENERGY INC (Continued)

U003333861

Facility ID: 9502687
Facility Phone: 3212302212
Facility Status: OPEN
Facility Type: C
Type Description: Fuel user/Non-retail
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: GERLING AMERICA
Effective Date: 10/01/2009
Expire Date: 10/01/2010
Owner ID: 47934
Owner Name: SIEMENS ENERGY INC
Owner Address: 4400 ALAFAYA TRL
Owner Address2: ATTN: ELIZABETH SPITZER
Owner City,St,Zip: ORLANDO, FL 32826
Contact: ELIZABETH SPITZER / JODY LEDOUX
Resp Party Phone: 3212302212

Name: SIEMENS ENERGY INC
Address: 4400 ALAFAYA TRL
City,State,Zip: ORLANDO, FL 32826
Region: 3
Facility ID: 9502687
Facility Phone: 3212302212
Facility Status: OPEN
Facility Type: C
Type Description: Fuel user/Non-retail
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: GERLING AMERICA
Effective Date: 10/01/2011
Expire Date: 10/01/2012
Owner ID: 47934
Owner Name: SIEMENS ENERGY INC
Owner Address: 4400 ALAFAYA TRL
Owner Address2: ATTN: ELIZABETH SPITZER
Owner City,St,Zip: ORLANDO, FL 32826
Contact: ELIZABETH SPITZER / JODY LEDOUX
Resp Party Phone: 3212302212

Name: SIEMENS ENERGY INC
Address: 4400 ALAFAYA TRL
City,State,Zip: ORLANDO, FL 32826
Region: 3
Facility ID: 9502687
Facility Phone: 3212302212
Facility Status: OPEN
Facility Type: C
Type Description: Fuel user/Non-retail
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: GERLING AMERICA
Effective Date: 10/01/2012
Expire Date: 10/01/2013
Owner ID: 47934
Owner Name: SIEMENS ENERGY INC
Owner Address: 4400 ALAFAYA TRL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SIEMENS ENERGY INC (Continued)

U003333861

Owner Address2: ATTN: ELIZABETH SPITZER
Owner City,St,Zip: ORLANDO, FL 32826
Contact: ELIZABETH SPITZER / JODY LEDOUX
Resp Party Phone: 3212302212

Name: SIEMENS ENERGY INC
Address: 4400 ALAFAYA TRL
City,State,Zip: ORLANDO, FL 32826
Region: 3
Facility ID: 9502687
Facility Phone: 3212302212
Facility Status: OPEN
Facility Type: C
Type Description: Fuel user/Non-retail
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: GERLING AMERICA
Effective Date: 10/01/2013
Expire Date: 10/01/2014
Owner ID: 47934
Owner Name: SIEMENS ENERGY INC
Owner Address: 4400 ALAFAYA TRL
Owner Address2: ATTN: ELIZABETH SPITZER
Owner City,St,Zip: ORLANDO, FL 32826
Contact: ELIZABETH SPITZER / JODY LEDOUX
Resp Party Phone: 3212302212

Name: SIEMENS ENERGY INC
Address: 4400 ALAFAYA TRL
City,State,Zip: ORLANDO, FL 32826
Region: 3
Facility ID: 9502687
Facility Phone: 3212302212
Facility Status: OPEN
Facility Type: C
Type Description: Fuel user/Non-retail
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: GERLING AMERICA
Effective Date: 10/01/2014
Expire Date: 10/01/2015
Owner ID: 47934
Owner Name: SIEMENS ENERGY INC
Owner Address: 4400 ALAFAYA TRL
Owner Address2: ATTN: ELIZABETH SPITZER
Owner City,St,Zip: ORLANDO, FL 32826
Contact: ELIZABETH SPITZER / JODY LEDOUX
Resp Party Phone: 3212302212

Name: SIEMENS ENERGY INC
Address: 4400 ALAFAYA TRL
City,State,Zip: ORLANDO, FL 32826
Region: 3
Facility ID: 9502687
Facility Phone: 3212302212
Facility Status: OPEN
Facility Type: C

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SIEMENS ENERGY INC (Continued)

U003333861

Type Description: Fuel user/Non-retail
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: GERLING AMERICA
Effective Date: 10/01/2015
Expire Date: 10/01/2016
Owner ID: 47934
Owner Name: SIEMENS ENERGY INC
Owner Address: 4400 ALAFAYA TRL
Owner Address2: ATTN: ELIZABETH SPITZER
Owner City,St,Zip: ORLANDO, FL 32826
Contact: ELIZABETH SPITZER / JODY LEDOUX
Resp Party Phone: 3212302212

Name: SIEMENS ENERGY INC
Address: 4400 ALAFAYA TRL
City,State,Zip: ORLANDO, FL 32826
Region: 3
Facility ID: 9502687
Facility Phone: 3212302212
Facility Status: OPEN
Facility Type: C
Type Description: Fuel user/Non-retail
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: HDI-GERLING AMERICA
Effective Date: 10/01/2016
Expire Date: 10/01/2017
Owner ID: 47934
Owner Name: SIEMENS ENERGY INC
Owner Address: 4400 ALAFAYA TRL
Owner Address2: ATTN: ELIZABETH SPITZER
Owner City,St,Zip: ORLANDO, FL 32826
Contact: ELIZABETH SPITZER / JODY LEDOUX
Resp Party Phone: 3212302212

Name: SIEMENS ENERGY INC
Address: 4400 ALAFAYA TRL
City,State,Zip: ORLANDO, FL 32826
Region: 3
Facility ID: 9502687
Facility Phone: 3212302212
Facility Status: OPEN
Facility Type: C
Type Description: Fuel user/Non-retail
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: HDI-GERLING AMERICA
Effective Date: 10/01/2017
Expire Date: 10/01/2018
Owner ID: 47934
Owner Name: SIEMENS ENERGY INC
Owner Address: 4400 ALAFAYA TRL
Owner Address2: ATTN: ELIZABETH SPITZER
Owner City,St,Zip: ORLANDO, FL 32826
Contact: ELIZABETH SPITZER / JODY LEDOUX
Resp Party Phone: 3212302212

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SIEMENS ENERGY INC (Continued)

U003333861

Name: SIEMENS ENERGY INC
Address: 4400 ALAFAYA TRL
City,State,Zip: ORLANDO, FL 32826
Region: 3
Facility ID: 9502687
Facility Phone: 3212302212
Facility Status: OPEN
Facility Type: C
Type Description: Fuel user/Non-retail
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: HDI-GERLING AMERICA
Effective Date: 10/01/2019
Expire Date: 10/01/2020
Owner ID: 47934
Owner Name: SIEMENS ENERGY INC
Owner Address: 4400 ALAFAYA TRL
Owner Address2: ATTN: ELIZABETH SPITZER
Owner City,St,Zip: ORLANDO, FL 32826
Contact: ELIZABETH SPITZER / JODY LEDOUX
Resp Party Phone: 3212302212

Name: SIEMENS ENERGY INC
Address: 4400 ALAFAYA TRL
City,State,Zip: ORLANDO, FL 32826
Region: 3
Facility ID: 9502687
Facility Phone: 3212302212
Facility Status: OPEN
Facility Type: C
Type Description: Fuel user/Non-retail
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: ILLINOIS UNION INSURANCE COMPANY
Effective Date: 07/06/2023
Expire Date: 07/06/2025
Owner ID: 47934
Owner Name: SIEMENS ENERGY INC
Owner Address: 4400 ALAFAYA TRL
Owner Address2: ATTN: ELIZABETH SPITZER
Owner City,St,Zip: ORLANDO, FL 32826
Contact: ELIZABETH SPITZER / JODY LEDOUX
Resp Party Phone: 3212302212

D15
WNW
1/8-1/4
0.214 mi.
1130 ft.

SIEMEN ENERGY
4400 NORTH ALAFAYA TRI
ORLANDO, FL 32826

Site 4 of 5 in cluster D

E MANIFEST 1032301426
N/A

Relative:
Lower
Actual:
69 ft.

E MANIFEST:
Manifest Tracking Number: 016359527FLE
Last Updated Date: 20210824
Shipped Date: 20210803
Received Date: 20210804
Manifest Status: Signed
Submission Type: DataImage5Copy
Origin Type: Service

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SIEMEN ENERGY (Continued)

1032301426

Generator EPA ID:	CESQG
Generator Name:	Siemen Energy
Generator Location Street Number:	Not reported
Generator Location Street 1:	4400 NORTH ALAFAYA TRI
Generator Location Street 2:	Not reported
Generator Location City:	ORLANDO
Generator Location State:	FL
Generator Location Zip:	32826
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	4400 North Alafaya Tri
Generator Mail Street 2:	Not reported
Generator Mail City:	Orlando
Generator Mail Zip:	32826
Generator Mail State:	FL
Generator Contact Company Name:	Siemen Energy
Designated Facility EPA ID:	FLD980729610
Designated Facility Name:	Clean Harbors Florida Llc
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	7001 Kilo Avenue
Designated Facility Mail City:	Bartow
Designated Facility Mail Zip:	33830
Designated Facility Mail State:	FL
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	7001 Kilo Avenue
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Bartow
Designated Facility Location Zip:	33830
Designated Facility Location State:	FL
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Transporter:

Manifest Tracking Number:	016359527FLE
Transporter Line Number:	1
Transporter EPA ID:	MAD039322250
Transporter Name:	Clean Harbors Environmental Services, Inc.

Waste Line:

Manifest Tracking Number:	016359527FLE
Waste Line Number:	1
U.S. DOT Hazardous Indicator:	Y
U.S. DOT ID Number:	UN1950
U.S. DOT Description:	Un1950, Waste Aerosols, Flammable, (Each Not Exceeding 1 L Capacity), 2.1, None
Non-Hazardous Waste Description:	Not reported
Number of Containers:	1
Container Type Code:	DF
Container Type Description:	Fiberboard or plastic drums, barrels, kegs
Waste Quantity:	10
Quantity Unit of Measure Code:	P
Quantity Unit of Measure Description:	Pounds
Waste Quantity, in Tons:	0.005
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.005

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SIEMEN ENERGY (Continued)

1032301426

Waste Quantity, in Kilograms:	4.53515
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilograms:	4.53515
Management Method Code:	H141
Management Method Description:	STORAGE, BULKING AND/OR TRANSFER OFF SITE
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y
Federal Waste Codes:	D001, D005, D006, D007, D008, D035
Quantity Haz Kg:	4.53515
Quantity Haz Tons:	0.005
Quantity Non Haz Kg:	0
Quantity Non Haz Tons:	0
State Waste Codes:	Not reported
Manifest Tracking Number:	016359527FLE
Waste Line Number:	2
U.S. DOT Hazardous Indicator:	Y
U.S. DOT ID Number:	UN1133
U.S. DOT Description:	Un1133, Waste Adhesives, 3, Pg li
Non-Hazardous Waste Description:	Not reported
Number of Containers:	1
Container Type Code:	DF
Container Type Description:	Fiberboard or plastic drums, barrels, kegs
Waste Quantity:	10
Quantity Unit of Measure Code:	P
Quantity Unit of Measure Description:	Pounds
Waste Quantity, in Tons:	0.005
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.005
Waste Quantity, in Kilograms:	4.53515
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilograms:	4.53515
Management Method Code:	H141
Management Method Description:	STORAGE, BULKING AND/OR TRANSFER OFF SITE
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SIEMEN ENERGY (Continued)

1032301426

Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y
Federal Waste Codes:	D001, D035
Quantity Haz Kg:	4.53515
Quantity Haz Tons:	0.005
Quantity Non Haz Kg:	0
Quantity Non Haz Tons:	0
State Waste Codes:	Not reported
Manifest Tracking Number:	016359527FLE
Waste Line Number:	3
U.S. DOT Hazardous Indicator:	Y
U.S. DOT ID Number:	UN2800
U.S. DOT Description:	Un2800, Batteries, Wet, Non-Spillable, 8, None, (Universal Waste-Batteries)
Non-Hazardous Waste Description:	Not reported
Number of Containers:	1
Container Type Code:	DF
Container Type Description:	Fiberboard or plastic drums, barrels, kegs
Waste Quantity:	150
Quantity Unit of Measure Code:	P
Quantity Unit of Measure Description:	Pounds
Waste Quantity, in Tons:	0.075
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.075
Waste Quantity, in Kilograms:	68.02725
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilograms:	68.02725
Management Method Code:	H141
Management Method Description:	STORAGE, BULKING AND/OR TRANSFER OFF SITE
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	N
Federal Waste Codes:	Not reported
Quantity Haz Kg:	0
Quantity Haz Tons:	0
Quantity Non Haz Kg:	68.02725
Quantity Non Haz Tons:	0.075
State Waste Codes:	Not reported
Manifest Tracking Number:	016359527FLE
Waste Line Number:	4
U.S. DOT Hazardous Indicator:	Y
U.S. DOT ID Number:	UN3028
U.S. DOT Description:	Un3028, Batteries, Dry, Containing Potassium Hydroxide Solid, 8, None,

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SIEMEN ENERGY (Continued)

1032301426

	Universal Waste
Non-Hazardous Waste Description:	Not reported
Number of Containers:	1
Container Type Code:	DF
Container Type Description:	Fiberboard or plastic drums, barrels, kegs
Waste Quantity:	13
Quantity Unit of Measure Code:	P
Quantity Unit of Measure Description:	Pounds
Waste Quantity, in Tons:	0.0065
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.0065
Waste Quantity, in Kilograms:	5.895695
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilograms:	5.895695
Management Method Code:	H141
Management Method Description:	STORAGE, BULKING AND/OR TRANSFER OFF SITE
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	N
Federal Waste Codes:	Not reported
Quantity Haz Kg:	0
Quantity Haz Tons:	0
Quantity Non Haz Kg:	5.895695
Quantity Non Haz Tons:	0.0065
State Waste Codes:	Not reported
Manifest Tracking Number:	016359527FLE
Waste Line Number:	5
U.S. DOT Hazardous Indicator:	N
U.S. DOT ID Number:	Not reported
U.S. DOT Description:	Not reported
Non-Hazardous Waste Description:	N/A, Non Dot Regulated Material (Latex Paints), N/A, None
Number of Containers:	1
Container Type Code:	DF
Container Type Description:	Fiberboard or plastic drums, barrels, kegs
Waste Quantity:	70
Quantity Unit of Measure Code:	P
Quantity Unit of Measure Description:	Pounds
Waste Quantity, in Tons:	0.035
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.035
Waste Quantity, in Kilograms:	31.746052
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilograms:	31.746052
Management Method Code:	H141
Management Method Description:	STORAGE, BULKING AND/OR TRANSFER OFF SITE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SIEMEN ENERGY (Continued)

1032301426

Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	N
Federal Waste Codes:	Not reported
Quantity Haz Kg:	0
Quantity Haz Tons:	0
Quantity Non Haz Kg:	31.746052
Quantity Non Haz Tons:	0.035
State Waste Codes:	Not reported
Manifest Tracking Number:	016359527FLE
Waste Line Number:	6
U.S. DOT Hazardous Indicator:	N
U.S. DOT ID Number:	Not reported
U.S. DOT Description:	Not reported
Non-Hazardous Waste Description:	None, Batteries, Dry, Sealed, N.O.S. (Alkaline Batteries), N/A, None
Number of Containers:	1
Container Type Code:	DM
Container Type Description:	Metal drums, barrels, kegs
Waste Quantity:	600
Quantity Unit of Measure Code:	P
Quantity Unit of Measure Description:	Pounds
Waste Quantity, in Tons:	0.3
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.3
Waste Quantity, in Kilograms:	272.109
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilograms:	272.109
Management Method Code:	H141
Management Method Description:	STORAGE, BULKING AND/OR TRANSFER OFF SITE
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	N
Federal Waste Codes:	Not reported
Quantity Haz Kg:	0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SIEMEN ENERGY (Continued)

1032301426

Quantity Haz Tons:	0
Quantity Non Haz Kg:	272.109
Quantity Non Haz Tons:	0.3
State Waste Codes:	Not reported
Manifest Tracking Number:	016359527FLE
Waste Line Number:	7
U.S. DOT Hazardous Indicator:	N
U.S. DOT ID Number:	Not reported
U.S. DOT Description:	Not reported
Non-Hazardous Waste Description:	None, Non D.O.T. Regulated (Oil, Spill Pads, And Sand), N/A, None
Number of Containers:	1
Container Type Code:	DF
Container Type Description:	Fiberboard or plastic drums, barrels, kegs
Waste Quantity:	15
Quantity Unit of Measure Code:	P
Quantity Unit of Measure Description:	Pounds
Waste Quantity, in Tons:	0.0075
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.0075
Waste Quantity, in Kilograms:	6.802725
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilograms:	6.802725
Management Method Code:	H141
Management Method Description:	STORAGE, BULKING AND/OR TRANSFER OFF SITE
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	N
Federal Waste Codes:	Not reported
Quantity Haz Kg:	0
Quantity Haz Tons:	0
Quantity Non Haz Kg:	6.802725
Quantity Non Haz Tons:	0.0075
State Waste Codes:	Not reported
Manifest Tracking Number:	016359527FLE
Waste Line Number:	8
U.S. DOT Hazardous Indicator:	N
U.S. DOT ID Number:	Not reported
U.S. DOT Description:	Not reported
Non-Hazardous Waste Description:	None, Non Dot Regulated Material, N/A, None, Straight Bulbs-Universal Waste-Lamps
Number of Containers:	4
Container Type Code:	CF
Container Type Description:	Fiber or plastic boxes, cartons, cases
Waste Quantity:	50

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SIEMEN ENERGY (Continued)

1032301426

Quantity Unit of Measure Code:	P
Quantity Unit of Measure Description:	Pounds
Waste Quantity, in Tons:	0.025
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.025
Waste Quantity, in Kilograms:	22.67575
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilograms:	22.67575
Management Method Code:	H141
Management Method Description:	STORAGE, BULKING AND/OR TRANSFER OFF SITE
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	N
Federal Waste Codes:	Not reported
Quantity Haz Kg:	0
Quantity Haz Tons:	0
Quantity Non Haz Kg:	22.67575
Quantity Non Haz Tons:	0.025
State Waste Codes:	Not reported
Manifest Tracking Number:	016359527FLE
Waste Line Number:	9
U.S. DOT Hazardous Indicator:	N
U.S. DOT ID Number:	Not reported
U.S. DOT Description:	Not reported
Non-Hazardous Waste Description:	None, Non Dot Regulated Material, N/A, None, Misc. Shaped Bulbs-Universal Waste?Lamp
Number of Containers:	2
Container Type Code:	CF
Container Type Description:	Fiber or plastic boxes, cartons, cases
Waste Quantity:	60
Quantity Unit of Measure Code:	P
Quantity Unit of Measure Description:	Pounds
Waste Quantity, in Tons:	0.03
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.03
Waste Quantity, in Kilograms:	27.2109
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilograms:	27.2109
Management Method Code:	H141
Management Method Description:	STORAGE, BULKING AND/OR TRANSFER OFF SITE
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SIEMEN ENERGY (Continued)

1032301426

Waste Density Unit of Measure Description: Not reported
Form Code: Not reported
Form Code Description: Not reported
Source Code: Not reported
Source Code Description: Not reported
Waste Minimization Code: Not reported
Waste Minimization Code Description: Not reported
Consent Number: Not reported
EPA Waste Indicator: N
Federal Waste Codes: Not reported
Quantity Haz Kg: 0
Quantity Haz Tons: 0
Quantity Non Haz Kg: 27.2109
Quantity Non Haz Tons: 0.03
State Waste Codes: Not reported

D16
WNW
1/8-1/4
0.214 mi.
1130 ft.

SIEMENS ENERGY INC
4400 ALAFAYA TRL
ORLANDO, FL 32826
Site 5 of 5 in cluster D

UST FINDER RELEASE
UST FINDER

1028251703
N/A

Relative:
Lower
Actual:
69 ft.

UST FINDER RELEASE:
Object ID: 113236
Facility ID: FL9502687
Lust ID: FL11840
Name: SIEMENS ENERGY INC
Address: 4400 ALAFAYA TRL
City,State,Zip: ORLANDO, FL 0
Address Match Type: Not reported
Reported Date: 806788800000
Status: No Further Action
Substance: Not reported
Population within 1500ft: 142
Domestic Wells within 1500ft: 0
Land Use: Developed, Medium Intensity
Within SPA: Yes
SPA PWS Facility ID: Not reported
SPA Water Type: Not reported
SPA Facility Type: Not reported
SPA HUC12: Not reported
Within WHPA: No
WHPA PWS Facility ID: FL3590988_76797518
WHPA Water Type: GW - Ground water
WHPA Facility Type: WL - Well
WHPA HUC12: 030801011007
Within 100yr Floodplain: No
Tribe: Not reported
EPA Region: 4
NFA Letter 1: Not reported
NFA Letter 2: Not reported
NFA Letter 3: Not reported
NFA Letter 4: Not reported
Closed With Residual Contaminate: Not reported
Coordinate Source: State
X Coord: -9040298.1487
Y Coord: 3325289.292800002
Latitude: 28.6036

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SIEMENS ENERGY INC (Continued)

1028251703

Longitude: -81.21038

UST FINDER:

Object ID: 56602
Facility ID: FL9502687
Name: Siemens Energy Inc
Address: 4400 ALAFAYA TRL
City,State,Zip: ORLANDO, FL 32826
Address Match Type: Not reported
Open USTs: 0
Closed USTs: 1
TOS USTs: 0
Population 1500ft: 142
Private Wells 1500ft: 0
Within 100yr Floodplain: No
Land Use: Developed, Medium Intensity
Within SPA: Yes
SPA PWS Facility ID: Not reported
SPA Water Type: Not reported
SPA Facility Type: Not reported
SPA HUC12: Not reported
Within WHPA: No
WHPA PWS Facility ID: FL3590988_76797518
WHPA Water Type: GW - Ground water
WHPA Facility Type: WL - Well
WHPA HUC12: 30801011007
Facility Status: Closed UST(s)
Date of Last Inspection: Not reported
EPA Region: 4
Tribe: Not reported
Coordinate Source: State
X Coord: Not reported
Y Coord: Not reported
Latitude: 28.6036
Longitude: -81.21038333

UST FINDER:

Object ID: 291021
Facility ID: FL9502687
Tank ID: FL9502687-1
Tank Status: Closed
Installation Date: Not reported
Removal Date: Not reported
Tank Capacity: 2500
Substances: Emerg Generator Diesel
Tank Wall Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

C17
SSW
1/8-1/4
0.227 mi.
1196 ft.
CHEVRON - UNIVERSITY MCS PC #134
12190 UNIVERSITY BLVD
ORLANDO, FL 32817
Site 3 of 5 in cluster C

UST FINDER RELEASE
UST FINDER
1028229585
N/A

Relative:
Higher
Actual:
84 ft.

UST FINDER RELEASE:

Object ID: 114017
Facility ID: FL8622642
Lust ID: FL27287
Name: CHEVRON - UNIVERSITY MCS PC #134
Address: 12190 UNIVERSITY BLVD
City,State,Zip: ORLANDO, FL 0
Address Match Type: Not reported
Reported Date: 598136400000
Status: No Further Action
Substance: Not reported
Population within 1500ft: 403
Domestic Wells within 1500ft: 15
Land Use: Developed, Medium Intensity
Within SPA: Yes
SPA PWS Facility ID: Not reported
SPA Water Type: Not reported
SPA Facility Type: Not reported
SPA HUC12: Not reported
Within WHPA: No
WHPA PWS Facility ID: FL3590988_76797518
WHPA Water Type: GW - Ground water
WHPA Facility Type: WL - Well
WHPA HUC12: 030801011007
Within 100yr Floodplain: No
Tribe: Not reported
EPA Region: 4
NFA Letter 1: Not reported
NFA Letter 2: Not reported
NFA Letter 3: Not reported
NFA Letter 4: Not reported
Closed With Residual Contaminate: Not reported
Coordinate Source: State
X Coord: -9040065.491
Y Coord: 3324498.119400002
Latitude: 28.5973599999999
Longitude: -81.20829

UST FINDER:

Object ID: 73139
Facility ID: FL8622642
Name: Chevron - University Mcs Pc #134
Address: 12190 UNIVERSITY BLVD
City,State,Zip: ORLANDO, FL 32817
Address Match Type: Not reported
Open USTs: 0
Closed USTs: 3
TOS USTs: 0
Population 1500ft: 404
Private Wells 1500ft: 15
Within 100yr Floodplain: No
Land Use: Developed, Medium Intensity
Within SPA: Yes

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHEVRON - UNIVERSITY MCS PC #134 (Continued)

1028229585

SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	No
WHPA PWS Facility ID:	FL3590988_76797518
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	30801011007
Facility Status:	Closed UST(s)
Date of Last Inspection:	Not reported
EPA Region:	4
Tribe:	Not reported
Coordinate Source:	State
X Coord:	Not reported
Y Coord:	Not reported
Latitude:	28.59735556
Longitude:	-81.20829167

UST FINDER:

Object ID:	227553
Facility ID:	FL8622642
Tank ID:	FL8622642-1
Tank Status:	Closed
Installation Date:	489038400000
Removal Date:	Not reported
Tank Capacity:	10000
Substances:	Unleaded Gas
Tank Wall Type:	Not reported

Object ID:	227554
Facility ID:	FL8622642
Tank ID:	FL8622642-2
Tank Status:	Closed
Installation Date:	489038400000
Removal Date:	Not reported
Tank Capacity:	10000
Substances:	Unleaded Gas
Tank Wall Type:	Not reported

Object ID:	227555
Facility ID:	FL8622642
Tank ID:	FL8622642-3
Tank Status:	Closed
Installation Date:	489038400000
Removal Date:	Not reported
Tank Capacity:	10000
Substances:	Unleaded Gas
Tank Wall Type:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

C18
SSW
1/8-1/4
0.227 mi.
1196 ft.
Relative:
Higher
Actual:
84 ft.

CHEVRON - UNIVERSITY MCS PC #134
12190 UNIVERSITY BLVD
ORLANDO, FL 32817
Site 4 of 5 in cluster C

LUST
UST
DWM CONTAM
Financial Assurance
NPDES

1000737755
N/A

LUST:

Name: CHEVRON - UNIVERSITY MCS PC #134
Address: 12190 UNIVERSITY BLVD
City,State,Zip: ORLANDO, FL 32817
Region: STATE
Facility Id: 8622642
Facility Status: CLOSED
Facility Type: A - Retail Station
Facility Phone: (407)886-3338
Facility Cleanup Rank: 12937
District: Central District
Lat/Long (dms): 28 35 50.4799999 / 81 12 29.8500000
Section: 9
Township: 22S
Range: 31E
Feature: Not reported
Method: DPHO
Datum: 0
Score: 30
Score Effective Date: 2008-11-20 00:00:00
Score When Ranked: 6
Operator: KENNETH L WOOD
Name Update: 2003-12-11 00:00:00
Address Update: 1999-01-27 00:00:00

Petroleum Cleanup PCT Facility Score:

Facility Cleanup Status: CMPL - COMPLETED
Contact: KENNETH L WOOD
Contact Company: MEDALLION CONVENIENCE STORES INC
Contact Address: 2070 S ORANGE BLOSSOM TRAIL
Contact City/State/Zip: APOPKA, FL 32703
Phone: (407)886-3338
Bad Address Ind: N
State: FL
Zip: 32817, 2143
Score: 30
Score Effective Date: 2008-11-20 00:00:00
Related Party ID: 55320
Primary RP Role: ACCOUNT OWNER
RP Begin Date: 2003-12-11
RP Zip: Not reported
RP Extension: Not reported

Discharge Cleanup Summary:

Discharge Date: 12/14/1988
PCT Discharge Combined: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: SRCR - SRCR COMPLETE
Disch Cleanup Status Date: 10/13/2016
Cleanup Work Status: COMPLETED
Information Source: E - EDI
Other Source Description: Not reported
Eligibility Indicator: E - ELIGIBLE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHEVRON - UNIVERSITY MCS PC #134 (Continued)

1000737755

Site Manager: VOLPE_NI
Site Mgr End Date: 7/7/2016
Tank Office: PCLP48 - ORANGE COUNTY ENVIRONMENTAL PROTECTION DIV

Petroleum Cleanup Program Eligibility:

Facility ID: 8622642
Discharge Date: 12/14/1988
Pct Discharge Combined With: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: SRCR - SRCR COMPLETE
Disch Cleanup Status Date: 10/13/2016
Cleanup Work Status: COMPLETED
Information Source: E - EDI
Other Source Description: Not reported
Application Received Date: 12/16/1988
Cleanup Program: E - EARLY DETECTION INCENTIVE
Eligibility Status: 4/11/1990
Elig Status Date: 4/11/1990
Letter Of Intent Date: Not reported
Redetermined: No
Inspection Date: 3/19/1990
Site Manager: VOLPE_NI
Site Mgr End Date: 7/7/2016
Tank Office: PCLP48 - ORANGE COUNTY ENVIRONMENTAL PROTECTION DIV
Deductible Amount: Not reported
Deductible Paid To Date: 0
Co-Pay Amount: Not reported
Co-Pay Paid To Date: 0
Cap Amount: Not reported

Contaminated Media:

Discharge Date: 12/14/1988
Pct Discharge Combined With: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: SRCR - SRCR COMPLETE
Disch Cleanup Status Date: 10/13/2016
Cleanup Work Status: COMPLETED
Information Source: E - EDI
Other Source Description: Not reported
Elig Indicator: E - ELIGIBLE
Site Manager: VOLPE_NI
Site Mgr End Date: 7/7/2016
Tank Office: PCLP48 - ORANGE COUNTY ENVIRON
Contaminated Drinking Wells: 0
Contaminated Monitoring Well: Yes
Contaminated Soil: No
Contaminated Surface Water: No
Contaminated Ground Water: Yes
Pollutant: Z - Other Non Regulated
Pollutant Other Description: Not reported
Gallons Discharged: Not reported

Task Information:

District: CD
Facility ID: 8622642
Facility Status: CLOSED
Facility Type: A - Retail Station -
County: ORANGE
County ID: 48

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHEVRON - UNIVERSITY MCS PC #134 (Continued)

1000737755

Cleanup Eligibility Status: E
Source Effective Date: 07-07-2016
Discharge Date: 12-14-1988
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: SRCR - SRCR COMPLETE
Disch Cleanup Status Date: 10-13-2016
SRC Action Type: SRCR - SITE REHABILITATION COMPLETION REPORT
SRC Submit Date: 09-04-2015
SRC Review Date: 09-15-2015
SRC Completion Status: A - APPROVED
SRC Issue Date: 10-13-2016
SRC Comment: Not reported
Cleanup Work Status: COMPLETED
Site Mgr: VOLPE_NI
Site Mgr End Date: 07-07-2016
Tank Office: PCLP48 - Orange County
SR Task ID: 20728
SR Cleanup Responsible: ST - STATE
SR Funding Eligibility Type: Not reported
SR Actual Cost: Not reported
SR Completion Date: Not reported
SR Payment Date: Not reported
SR Oral Date: Not reported
SR Written Date: Not reported
SR Soil Removal: Not reported
SR Free Product Removal: Not reported
SR Soil Tonnage Removed: Not reported
SR Soil Treatment: Not reported
SR Other Treatment: Not reported
SR Alternate Proc Received Date: Not reported
SR Alternate Procedure Status: Not reported
SR Alternate Procedure Status Date: Not reported
SR Alternate Procedure Comments: Not reported
SA Task ID: 20729
SA Cleanup Responsible: ST - STATE
SA Funding Eligibility Type: Not reported
SA Actual Cost: Not reported
SA Completion Date: Not reported
SA Payment Date: Not reported
RAP Task ID: 20730
RAP Cleanup Responsible ID: ST - STATE
RAP Funding Eligibility Type: Not reported
RAP Actual Cost: Not reported
RAP Completion Date: Not reported
RAP Payment Date: Not reported
RAP Last Order Approved: Not reported
RA Task ID: 20731
RA Cleanup Responsible: ST - STATE
RA Funding Eligibility Type: Not reported
RA Years to Complete: 0
RA Actual Cost: Not reported

[Click here for Florida Oculus:](#)

UST:

Facility ID: 8622642
Name: CHEVRON - UNIVERSITY MCS PC #134

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHEVRON - UNIVERSITY MCS PC #134 (Continued)

1000737755

Address: 12190 UNIVERSITY BLVD
City,State,Zip: ORLANDO, FL 32817
Facility Phone: 4078863338
Facility Status: CLOSED
Facility Type: A
Type Description: Retail Station
Depco: P
Region: STATE
Positioning Method: DPHO
Latitude/Longitude: 28 35 50.48 / 81 12 29.85

UST:

Tank ID: 3
Tank Capacity: 10000
Tank Location: UNDERGROUND
Tank Status: B-Removed from Site
Status Date: 07/01/2015
Install Date: 7/1/1985
Substance: B
Content Description: Unleaded Gas
Vessel Indicator: TANK
DEP Contractor: P

Owner:

Owner ID: 55320
Owner Name: MEDALLION CONVENIENCE STORES INC
Owner Address: 2070 S ORANGE BLOSSOM TRAIL
Owner Address 2: Not reported
Owner City,State,Zip: APOPKA, FL 32703
Owner Contact: KENNETH L WOOD
Owner Phone: 4078863338

Tank ID: 2
Tank Capacity: 10000
Tank Location: UNDERGROUND
Tank Status: B-Removed from Site
Status Date: 07/01/2015
Install Date: 7/1/1985
Substance: B
Content Description: Unleaded Gas
Vessel Indicator: TANK
DEP Contractor: P

Owner:

Owner ID: 55320
Owner Name: MEDALLION CONVENIENCE STORES INC
Owner Address: 2070 S ORANGE BLOSSOM TRAIL
Owner Address 2: Not reported
Owner City,State,Zip: APOPKA, FL 32703
Owner Contact: KENNETH L WOOD
Owner Phone: 4078863338

Tank ID: 1
Tank Capacity: 10000
Tank Location: UNDERGROUND
Tank Status: B-Removed from Site
Status Date: 07/01/2015

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHEVRON - UNIVERSITY MCS PC #134 (Continued)

1000737755

Install Date: 7/1/1985
Substance: B
Content Description: Unleaded Gas
Vessel Indicator: TANK
DEP Contractor: P
Owner:
Owner ID: 55320
Owner Name: MEDALLION CONVENIENCE STORES INC
Owner Address: 2070 S ORANGE BLOSSOM TRAIL
Owner Address 2: Not reported
Owner City,State,Zip: APOPKA, FL 32703
Owner Contact: KENNETH L WOOD
Owner Phone: 4078863338

[Click here for Florida Oculus:](#)

DWM CONTAM:

Name: CHEVRON - UNIVERSITY MCS PC #134
Address: 12190 UNIVERSITY BLVD
City,State,Zip: ORLANDO, FL
Program Site Id: 8622642
Lat DD: 28
Lat MM: 35
Lat SS: 50.48
Long DD: 81
Long MM: 12
Long SS: 29.85
Office/ District: CD
Program Area: PETROLEUM
Priority Score: Not reported
Datum: 0
Method: DPHO
Facility Status: CLOSED-STCM
Facility Type: Not reported
Score Effective Date: Not reported
Score When Ranked: Not reported
Rank: Not reported
Operator: Not reported
Phone: Not reported
Name Changed: Not reported
Addr Changed: Not reported
Related Party ID: Not reported
Primary RP Role: Not reported
RP Begin Date: Not reported
RP Name: Not reported
RP Address1: Not reported
RP Address2: Not reported
RP City: Not reported
RP State: Not reported
RP Zip5: Not reported
RP Zip4: Not reported
Contact: Not reported
RP Phone: Not reported
RP Extension: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHEVRON - UNIVERSITY MCS PC #134 (Continued)

1000737755

Site Manager: Not reported

FL Financial Assurance 3:

Name: CHEVRON - UNIVERSITY MCS PC #134
Address: 12190 UNIVERSITY BLVD
City,State,Zip: ORLANDO, FL 32817
Region: 3
Facility ID: 8622642
Facility Phone: 4078863338
Facility Status: CLOSED
Facility Type: A
Type Description: Retail Station
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: LIBERTY MUTUAL
Effective Date: 12/31/2011
Expire Date: 12/31/2012
Owner ID: 55320
Owner Name: MEDALLION CONVENIENCE STORES INC
Owner Address: 2070 S ORANGE BLOSSOM TRAIL
Owner Address2: Not reported
Owner City,St,Zip: APOPKA, FL 32703
Contact: KENNETH L WOOD
Resp Party Phone: 4078863338

Name: CHEVRON - UNIVERSITY MCS PC #134
Address: 12190 UNIVERSITY BLVD
City,State,Zip: ORLANDO, FL 32817
Region: 3
Facility ID: 8622642
Facility Phone: 4078863338
Facility Status: CLOSED
Facility Type: A
Type Description: Retail Station
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: ZURICH-AMERICAN
Effective Date: 12/31/2008
Expire Date: 12/31/2009
Owner ID: 55320
Owner Name: MEDALLION CONVENIENCE STORES INC
Owner Address: 2070 S ORANGE BLOSSOM TRAIL
Owner Address2: Not reported
Owner City,St,Zip: APOPKA, FL 32703
Contact: KENNETH L WOOD
Resp Party Phone: 4078863338

Name: CHEVRON - UNIVERSITY MCS PC #134
Address: 12190 UNIVERSITY BLVD
City,State,Zip: ORLANDO, FL 32817
Region: 3
Facility ID: 8622642
Facility Phone: 4078863338
Facility Status: CLOSED
Facility Type: A
Type Description: Retail Station
DEP CO: P

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHEVRON - UNIVERSITY MCS PC #134 (Continued)

1000737755

Financial Responsibility: NONE
Insurance Company: Not reported
Effective Date: Not reported
Expire Date: Not reported
Owner ID: 55320
Owner Name: MEDALLION CONVENIENCE STORES INC
Owner Address: 2070 S ORANGE BLOSSOM TRAIL
Owner Address2: Not reported
Owner City,St,Zip: APOPKA, FL 32703
Contact: KENNETH L WOOD
Resp Party Phone: 4078863338

WASTEWATER:

Name: CHASE UNIVERSITY
Address: 12190 UNIVERSITY BLVD
City,State,Zip: ORLANDO, FL
Facility ID: FLR10RD13
Facility Type: Construction Stormwater GP
Status: Active - Existing, permitted facility/site for which effluent, reclaimed water or wastewater residual discharge into the environment and/or monitoring is taking place.

District Office: TLST
NPDES Permitted Site: Not reported
Environmental Interest: Not reported
Owner Type: Private
Permit Capacity: Not reported
Party Name: Matt Heule, PMTE
Company Name: Not reported
RP Address: 6979 Kingspointe Pkwy
RP Address 2: Ste 7
RP City,Stat,Zip: Orlando FL 32819-6532
Telephone: 4072862428
Email: mheule@vericonbuilds.com
Issue Date: 07/13/2017
Effective Date: 07/13/2017
Expiration Date: 07/12/2022
DOC Description: Generic Permit
Latitude Degrees: 28
Latitude Minutes: 35
Latitude Seconds: 50.07
Longitude Degrees: 81
Longitude Minutes: 12
Longitude Seconds: 29.92
Treatment: Not reported
Decode For Fstatus: Active
Cell Phone: Not reported
Permit Type: Not reported
Major Minor Discharge: Not reported
Nature of Business: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site Database(s) EDR ID Number
EPA ID Number

C19 **CHEVRON PRODUCTS COMPANY #42164**
SSW **12190 UNIVERSITY BLVD**
1/8-1/4 **ORLANDO, FL 32817**
0.227 mi.
1196 ft. **Site 5 of 5 in cluster C**

RCRA NonGen / NLR **1000702809**
FINDS **FLD984208983**
ECHO

Relative:
Higher

Actual:
84 ft.

RCRA Listings:
Date Form Received by Agency: 20110323
Handler Name: Chevron Products Company #42164
Handler Address: 12190 University Blvd
Handler City,State,Zip: ORLANDO, FL 32817-2143
EPA ID: FLD984208983
Contact Name: JUDY MCCOURT
Contact Address: PO BOX 1706
Contact City,State,Zip: ATLANTA, GA 30301-1706
Contact Telephone: 404-984-4135
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: MARKETING ASST
EPA Region: 04
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: FI
State District: CD
Mailing Address: PO BOX 5004
Mailing City,State,Zip: SAN RAMON, CA 94583-0804
Owner Name: Kathy Comp
Owner Type: Private
Operator Name: Jocko Rodriguez
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No
Universal Waste Destination Facility: No
Federal Universal Waste: No
Active Site State-Reg Handler: ---
Federal Facility Indicator: Not reported
Hazardous Secondary Material Indicator: N
Sub-Part K Indicator: Not reported
2018 GPRA Permit Baseline: Not on the Baseline
2018 GPRA Renewals Baseline: Not on the Baseline
202 GPRA Corrective Action Baseline: No
Subject to Corrective Action Universe: No
Non-TSDFs Where RCRA CA has Been Imposed Universe: No
Corrective Action Priority Ranking: No NCAPS ranking
Environmental Control Indicator: No
Institutional Control Indicator: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHEVRON PRODUCTS COMPANY #42164 (Continued)

1000702809

Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20231027
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D001
Waste Description:	Ignitable Waste

Waste Code:	D018
Waste Description:	Benzene

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CHEVRON PRODUCTS CO #42164
Legal Status:	Private
Date Became Current:	19910415
Date Ended Current:	Not reported
Owner/Operator Address:	PO BOX 5004
Owner/Operator City,State,Zip:	SAN RAMON, CA 94583
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	JOCKO RODRIGUEZ
Legal Status:	Private
Date Became Current:	19910415
Date Ended Current:	Not reported
Owner/Operator Address:	PO BOX 5004
Owner/Operator City,State,Zip:	SAN RAMON, CA 94583-8040
Owner/Operator Telephone:	678-387-3500
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	CHEVRON PRODUCTS CO #42164
Legal Status:	Private
Date Became Current:	19910415
Date Ended Current:	Not reported
Owner/Operator Address:	PO BOX 5004
Owner/Operator City,State,Zip:	SAN RAMON, CA 94583-8040

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHEVRON PRODUCTS COMPANY #42164 (Continued)

1000702809

Owner/Operator Telephone:	678-387-3500
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name: KATHY COMP	
Legal Status:	Private
Date Became Current:	19961018
Date Ended Current:	Not reported
Owner/Operator Address:	PO BOX 5004
Owner/Operator City,State,Zip:	SAN RAMON, CA 94583-8040
Owner/Operator Telephone:	678-387-3500
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name: KATHY COMP	
Legal Status:	Private
Date Became Current:	19961018
Date Ended Current:	Not reported
Owner/Operator Address:	PO BOX 5004
Owner/Operator City,State,Zip:	SAN RAMON, CA 94583-8040
Owner/Operator Telephone:	954-962-4262
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name: CHEVRON PRODUCTS CO #42164	
Legal Status:	Private
Date Became Current:	19910415
Date Ended Current:	Not reported
Owner/Operator Address:	PO BOX 5004
Owner/Operator City,State,Zip:	SAN RAMON, CA 94583-8040
Owner/Operator Telephone:	954-962-4262
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name: JOCKO RODRIGUEZ	
Legal Status:	Private
Date Became Current:	19910415
Date Ended Current:	Not reported
Owner/Operator Address:	PO BOX 5004
Owner/Operator City,State,Zip:	SAN RAMON, CA 94583-8040
Owner/Operator Telephone:	954-962-4262
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20101011
Handler Name:	CHEVRON PRODUCTS COMPANY #42164
Federal Waste Generator Description:	Not a generator, verified

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHEVRON PRODUCTS COMPANY #42164 (Continued)

1000702809

State District Owner: FI
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: Not reported
Recognized Trader Exporter: Not reported
Spent Lead Acid Battery Importer: Not reported
Spent Lead Acid Battery Exporter: Not reported
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20110323
Handler Name: CHEVRON PRODUCTS COMPANY #42164
Federal Waste Generator Description: Not a generator, verified
State District Owner: FI
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: Not reported
Recognized Trader Exporter: Not reported
Spent Lead Acid Battery Importer: Not reported
Spent Lead Acid Battery Exporter: Not reported
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:

NAICS Code: 562998
NAICS Description: All Other Miscellaneous Waste Management Services

Facility Has Received Notices of Violations:

Violations: No Violations Found

Evaluation Action Summary:

Evaluations: No Evaluations Found

FINDS:

Registry ID: 110007452078

[Click Here for FRS Facility Detail Report:](#)

Environmental Interest/Information System:

The Florida Integrated Environmental System Today (FIESTA) Data Maintenance (FDM) System maintains entity, environmental interest, and affiliation data.

The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000702809
Registry ID: 110007452078

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHEVRON PRODUCTS COMPANY #42164 (Continued)

1000702809

[DFR URL:](#)

Name: CHEVRON PRODUCTS COMPANY #42164
Address: 12190 University Blvd
City,State,Zip: ORLANDO, FL 32817

20
ESE
1/8-1/4
0.228 mi.
1205 ft.

UNIV OF CENTRAL FL WASTEWTR BLDG #4
OFF CENTRAL FL BLVD
ORLANDO, FL 32816

UST U001364759
N/A

Relative:
Lower

UST:

Actual:
77 ft.

Facility ID: 8732273
Name: UNIV OF CENTRAL FL WASTEWTR BLDG #4
Address: OFF CENTRAL FL BLVD
City,State,Zip: ORLANDO, FL 32816
Facility Phone: 3052815281
Facility Status: CLOSED
Facility Type: G
Type Description: State Government
Depco: P
Region: STATE
Positioning Method: DPHO
Latitude/Longitude: 28 35 31 / 81 11 22.47

UST:

Tank ID: 1
Tank Capacity: 600
Tank Location: UNDERGROUND
Tank Status: B-Removed from Site
Status Date: 06/01/1993
Install Date: 5/1/1968
Substance: M
Content Description: Fuel Oil - Onsite Heat
Vessel Indicator: TANK
DEP Contractor: P

Owner:

Owner ID: 22666
Owner Name: UNIVERSITY OF CENTRAL FLORIDA
Owner Address: 3546 S PERSEUS LOOP
Owner Address 2: ENVIRONMENTAL HEALTH & SAFETY
Owner City,State,Zip: Orlando, FL 32816
Owner Contact: AARON YOUNG
Owner Phone: 4078230707

[Click here for Florida Oculus:](#)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

E21
NNW
1/8-1/4
0.242 mi.
1280 ft.
DOLLAR TREE #5406
4498 ALAFAYA TRAIL N 234
ORLANDO, FL 32826
Site 1 of 3 in cluster E

HAZ WASTE **S130092853**
N/A

Relative: HAZ WASTE:
Lower Facility ID: 213944
Name: DOLLAR TREE #5406
Actual: Address: 4498 ALAFAYA TRAIL N 234
78 ft. City,State,Zip: ORLANDO, FL 32826
County: ORANGE
Telephone: (407)723-4625
Email: na
Status: A - ACTIVE - WASTE GENERATOR
Generator Status: 3 - Very Small Quantity Generator
EPA ID: NA
Other ID: DIST 5
Old Facility ID: 4831127
SIC: 5331 - RETAIL TRADE - VARIETY STORES
Verified: X - ESQG VERIFICATION
Verified Date: 01/05/2021
Hazardous Waste LBS/YEAR: 15
Wastes: 1

E22
NNW
1/8-1/4
0.242 mi.
1280 ft.
EXPERIMAC
4498 ALAYAFA N 300
ORLANDO, FL 32826
Site 2 of 3 in cluster E

HAZ WASTE **S130115914**
N/A

Relative: HAZ WASTE:
Lower Facility ID: 237859
Name: EXPERIMAC
Actual: Address: 4498 ALAYAFA N 300
78 ft. City,State,Zip: ORLANDO, FL 32826
County: ORANGE
Telephone: (407)988-3544
Email: orlando@exmfl.com
Status: A - ACTIVE - WASTE GENERATOR
Generator Status: N - NOT A HAZARDOUS WASTE GENERATOR
EPA ID: NA
Other ID: Not reported
Old Facility ID: 4831706
SIC: 7378 - SERVICES - COMPUTER MAINTENANCE AND REPAIR
Verified: V - VERIFICATION BY ON-SITE VISIT
Verified Date: 03/04/2020
Hazardous Waste LBS/YEAR: 0
Wastes: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

E23
NNW
1/8-1/4
0.242 mi.
1280 ft.

SOUTH BEACH TANNING COMPANY-OUT OF BUSINESS/VACANT
4498 ALAFAYA TR N 258
ORLANDO, FL 32826

HAZ WASTE **S130061244**
N/A

Site 3 of 3 in cluster E

Relative: HAZ WASTE:
Lower Facility ID: 175485
Name: SOUTH BEACH TANNING COMPANY-OUT OF BUSINESS/VACANT
Actual: Address: 4498 ALAFAYA TR N 258
78 ft. City,State,Zip: ORLANDO, FL 32826
County: ORANGE
Telephone: (407)382-5300
Email: crystal@southbeachtanningcompany.com
Status: O - OUT OF BUSINESS
Generator Status: N - NOT A HAZARDOUS WASTE GENERATOR
EPA ID: NA
Other ID: DIST 5
Old Facility ID: 4830499
SIC: 0011 - UNKNOWN
Verified: X - ESQG VERIFICATION
Verified Date: 10/12/2021
Hazardous Waste LBS/YEAR: 0
Wastes: 0

F24
NNW
1/4-1/2
0.255 mi.
1346 ft.

CIRCLE K #2708955
4600 N ALAFAYA TRAIL
ORLANDO, FL 32826

UST FINDER RELEASE **1028254695**
UST FINDER **N/A**

Site 1 of 2 in cluster F

Relative: UST FINDER RELEASE:
Lower Object ID: 114551
Facility ID: FL9804008
Actual: Lust ID: FL2321
78 ft. Name: CIRCLE K #2708955
Address: 4600 N ALAFAYA TRAIL
City,State,Zip: ORLANDO, FL 0
Address Match Type: Not reported
Reported Date: 1228942800000
Status: Open
Substance: Not reported
Population within 1500ft: 1750
Domestic Wells within 1500ft: 32
Land Use: Developed, Medium Intensity
Within SPA: Yes
SPA PWS Facility ID: Not reported
SPA Water Type: Not reported
SPA Facility Type: Not reported
SPA HUC12: Not reported
Within WHPA: No
WHPA PWS Facility ID: FL3590988_76797518
WHPA Water Type: GW - Ground water
WHPA Facility Type: WL - Well
WHPA HUC12: 030801011007
Within 100yr Floodplain: No
Tribe: Not reported
EPA Region: 4
NFA Letter 1: Not reported
NFA Letter 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE K #2708955 (Continued)

1028254695

NFA Letter 3: Not reported
NFA Letter 4: Not reported
Closed With Residual Contaminate: Not reported
Coordinate Source: State
X Coord: -9040008.7181
Y Coord: 3325712.7927
Latitude: 28.60694
Longitude: -81.20778

UST FINDER:

Object ID: 51574
Facility ID: FL9804008
Name: Circle K #2708955
Address: 4600 N ALAFAYA TRAIL
City,State,Zip: ORLANDO, FL 32826
Address Match Type: Not reported
Open USTs: 4
Closed USTs: 0
TOS USTs: 0
Population 1500ft: 1752
Private Wells 1500ft: 32
Within 100yr Floodplain: No
Land Use: Developed, Medium Intensity
Within SPA: Yes
SPA PWS Facility ID: Not reported
SPA Water Type: Not reported
SPA Facility Type: Not reported
SPA HUC12: Not reported
Within WHPA: No
WHPA PWS Facility ID: FL3590988_76797518
WHPA Water Type: GW - Ground water
WHPA Facility Type: WL - Well
WHPA HUC12: 30801011007
Facility Status: Open UST(s)
Date of Last Inspection: Not reported
EPA Region: 4
Tribe: Not reported
Coordinate Source: State
X Coord: Not reported
Y Coord: Not reported
Latitude: 28.60694444
Longitude: -81.20777778

UST FINDER:

Object ID: 202332
Facility ID: FL9804008
Tank ID: FL9804008-1
Tank Status: Open
Installation Date: 975646800000
Removal Date: Not reported
Tank Capacity: 10000
Substances: Unleaded Gas
Tank Wall Type: Not reported

Object ID: 202333
Facility ID: FL9804008
Tank ID: FL9804008-2

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE K #2708955 (Continued)

1028254695

Tank Status: Open
Installation Date: 975646800000
Removal Date: Not reported
Tank Capacity: 10000
Substances: Unleaded Gas
Tank Wall Type: Not reported

Object ID: 202334
Facility ID: FL9804008
Tank ID: FL9804008-3
Tank Status: Open
Installation Date: 975646800000
Removal Date: Not reported
Tank Capacity: 10000
Substances: Unleaded Gas
Tank Wall Type: Not reported

Object ID: 202335
Facility ID: FL9804008
Tank ID: FL9804008-4
Tank Status: Open
Installation Date: 975646800000
Removal Date: Not reported
Tank Capacity: 10000
Substances: Unleaded Gas
Tank Wall Type: Not reported

**F25
NNW
1/4-1/2
0.255 mi.
1346 ft.**

**CIRCLE K #2708955
4600 N ALAFAYA TRAIL
ORLANDO, FL 32826
Site 2 of 2 in cluster F**

**LUST U003798902
UST N/A
DWM CONTAM
Financial Assurance**

**Relative:
Lower
Actual:
78 ft.**

LUST:
Name: CIRCLE K #2708955
Address: 4600 N ALAFAYA TRAIL
City,State,Zip: ORLANDO, FL 32826
Region: STATE
Facility Id: 9804008
Facility Status: OPEN
Facility Type: A - Retail Station
Facility Phone: (919)774-6700
Facility Cleanup Rank: Not reported
District: Central District
Lat/Long (dms): 28 36 25.6202000 / 81 12 28.4307000
Section: Not reported
Township: Not reported
Range: Not reported
Feature: Not reported
Method: AGPS
Datum: Not reported
Score: 30
Score Effective Date: 2009-11-18 00:00:00
Score When Ranked: Not reported
Operator: GRAHAM BIGGS
Name Update: 2012-08-24 00:00:00
Address Update: 2022-02-09 00:00:00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE K #2708955 (Continued)

U003798902

Petroleum Cleanup PCT Facility Score:

Facility Cleanup Status: CMPL - COMPLETED
Contact: JOANNE SSSLER
Contact Company: CIRCLE K STORES INC
Contact Address: 1100 Situs Ct
Contact City/State/Zip: Raleigh, NC 27606
Phone: (703)618-9183
Bad Address Ind: N
State: FL
Zip: 32826, 2304
Score: 30
Score Effective Date: 2009-11-18 00:00:00
Related Party ID: 4045
Primary RP Role: ACCOUNT OWNER
RP Begin Date: 2012-08-24
RP Zip: 5446
RP Extension: Not reported

Discharge Cleanup Summary:

Discharge Date: 12/10/2008
PCT Discharge Combined: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: SRCR - SRCR COMPLETE
Disch Cleanup Status Date: 5/16/2023
Cleanup Work Status: COMPLETED
Information Source: D - DISCHARGE NOTIFICATION
Other Source Description: Not reported
Eligibility Indicator: I - INELIGIBLE
Site Manager: SMEENK_S
Site Mgr End Date: 7/3/2023
Tank Office: PCLP48 - ORANGE COUNTY ENVIRONMENTAL PROTECTION DIV

Contaminated Media:

Discharge Date: 12/10/2008
Pct Discharge Combined With: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: SRCR - SRCR COMPLETE
Disch Cleanup Status Date: 5/16/2023
Cleanup Work Status: COMPLETED
Information Source: D - DISCHARGE NOTIFICATION
Other Source Description: Not reported
Elig Indicator: I - INELIGIBLE
Site Manager: SMEENK_S
Site Mgr End Date: 7/3/2023
Tank Office: PCLP48 - ORANGE COUNTY ENVIRON
Contaminated Drinking Wells: Not reported
Contaminated Monitoring Well: No
Contaminated Soil: Yes
Contaminated Surface Water: No
Contaminated Ground Water: No
Pollutant: B - Unleaded Gas
Pollutant Other Description: Not reported
Gallons Discharged: 1

Task Information:

District: CD
Facility ID: 9804008

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE K #2708955 (Continued)

U003798902

Facility Status:	OPEN
Facility Type:	A - Retail Station -
County:	ORANGE
County ID:	48
Cleanup Eligibility Status:	I
Source Effective Date:	Not reported
Discharge Date:	12-10-2008
Cleanup Required:	R - CLEANUP REQUIRED
Discharge Cleanup Status:	RA - RA ONGOING
Disch Cleanup Status Date:	06-28-2010
SRC Action Type:	Not reported
SRC Submit Date:	Not reported
SRC Review Date:	Not reported
SRC Completion Status:	Not reported
SRC Issue Date:	Not reported
SRC Comment:	Not reported
Cleanup Work Status:	INACTIVE
Site Mgr:	TOBIN_KL
Site Mgr End Date:	Not reported
Tank Office:	PCLP48 - Orange County
SR Task ID:	Not reported
SR Cleanup Responsible:	Not reported
SR Funding Eligibility Type:	Not reported
SR Actual Cost:	Not reported
SR Completion Date:	Not reported
SR Payment Date:	Not reported
SR Oral Date:	Not reported
SR Written Date:	Not reported
SR Soil Removal:	Not reported
SR Free Product Removal:	Not reported
SR Soil Tonnage Removed:	Not reported
SR Soil Treatment:	Not reported
SR Other Treatment:	Not reported
SR Alternate Proc Received Date:	Not reported
SR Alternate Procedure Status:	Not reported
SR Alternate Procedure Status Date:	Not reported
SR Alternate Procedure Comments:	Not reported
SA Task ID:	83938
SA Cleanup Responsible:	Not reported
SA Funding Eligibility Type:	Not reported
SA Actual Cost:	Not reported
SA Completion Date:	Not reported
SA Payment Date:	Not reported
RAP Task ID:	Not reported
RAP Cleanup Responsible ID:	Not reported
RAP Funding Eligibility Type:	Not reported
RAP Actual Cost:	Not reported
RAP Completion Date:	Not reported
RAP Payment Date:	Not reported
RAP Last Order Approved:	Not reported
RA Task ID:	86182
RA Cleanup Responsible:	Not reported
RA Funding Eligibility Type:	Not reported
RA Years to Complete:	Not reported
RA Actual Cost:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE K #2708955 (Continued)

U003798902

[Click here for Florida Oculus:](#)

UST:

Facility ID: 9804008
Name: CIRCLE K #2708955
Address: 4600 N ALAFAYA TRAIL
City,State,Zip: ORLANDO, FL 32826
Facility Phone: 9197746700
Facility Status: OPEN
Facility Type: A
Type Description: Retail Station
Depco: P
Region: STATE
Positioning Method: AGPS
Latitude/Longitude: 28 36 25 / 81 12 28

UST:

Tank ID: 4
Tank Capacity: 10000
Tank Location: UNDERGROUND
Tank Status: U-In Service
Status Date: 12/01/2000
Install Date: 12/1/2000
Substance: D
Content Description: Vehicular Diesel
Vessel Indicator: TANK
DEP Contractor: P

Owner:

Owner ID: 4045
Owner Name: CIRCLE K STORES INC
Owner Address: 1100 Situs Ct
Owner Address 2: Not reported
Owner City,State,Zip: Raleigh, NC 27606
Owner Contact: JOANNE SISSLER
Owner Phone: 7036189183

Construction:

Tank ID: 1
Construction Category: A
Construction Description: Ball check valve

Tank ID: 1
Construction Category: E
Construction Description: Fiberglass

Tank ID: 1
Construction Category: I
Construction Description: Double wall

Tank ID: 1
Construction Category: N
Construction Description: Flow shut-Off

Tank ID: 3
Construction Category: A
Construction Description: Ball check valve

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE K #2708955 (Continued)

U003798902

Tank ID: 3
Construction Category: E
Construction Description: Fiberglass

Tank ID: 3
Construction Category: I
Construction Description: Double wall

Tank ID: 3
Construction Category: N
Construction Description: Flow shut-Off

Tank ID: 4
Construction Category: A
Construction Description: Ball check valve

Tank ID: 4
Construction Category: E
Construction Description: Fiberglass

Tank ID: 4
Construction Category: I
Construction Description: Double wall

Tank ID: 4
Construction Category: N
Construction Description: Flow shut-Off

Tank ID: 2
Construction Category: A
Construction Description: Ball check valve

Tank ID: 2
Construction Category: E
Construction Description: Fiberglass

Tank ID: 2
Construction Category: I
Construction Description: Double wall

Tank ID: 2
Construction Category: N
Construction Description: Flow shut-Off

Piping:

Tank ID: 1
Piping Category: C
Piping Description: Fiberglass

Tank ID: 1
Piping Category: F
Piping Description: Double wall

Tank ID: 3
Piping Category: C
Piping Description: Fiberglass

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE K #2708955 (Continued)

U003798902

Tank ID: 3
Piping Category: F
Piping Description: Double wall

Tank ID: 4
Piping Category: C
Piping Description: Fiberglass

Tank ID: 4
Piping Category: F
Piping Description: Double wall

Tank ID: 2
Piping Category: C
Piping Description: Fiberglass

Tank ID: 2
Piping Category: F
Piping Description: Double wall

Monitoring:

Tank ID: 1
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: 1
Petro Monitoring Category: G
Monitoring Description: Electronic line leak detector

Tank ID: 1
Petro Monitoring Category: K
Monitoring Description: Monitor dbl wall pipe space

Tank ID: 1
Petro Monitoring Category: L
Monitoring Description: Automatic tank gauging - USTs

Tank ID: 3
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: 3
Petro Monitoring Category: G
Monitoring Description: Electronic line leak detector

Tank ID: 3
Petro Monitoring Category: K
Monitoring Description: Monitor dbl wall pipe space

Tank ID: 3
Petro Monitoring Category: L
Monitoring Description: Automatic tank gauging - USTs

Tank ID: 4
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE K #2708955 (Continued)

U003798902

Tank ID:	4
Petro Monitoring Category:	G
Monitoring Description:	Electronic line leak detector
Tank ID:	4
Petro Monitoring Category:	K
Monitoring Description:	Monitor dbl wall pipe space
Tank ID:	2
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	2
Petro Monitoring Category:	G
Monitoring Description:	Electronic line leak detector
Tank ID:	2
Petro Monitoring Category:	K
Monitoring Description:	Monitor dbl wall pipe space
Tank ID:	2
Petro Monitoring Category:	L
Monitoring Description:	Automatic tank gauging - USTs
Tank ID:	1
Tank Capacity:	10000
Tank Location:	UNDERGROUND
Tank Status:	U-In Service
Status Date:	12/01/2000
Install Date:	12/1/2000
Substance:	B
Content Description:	Unleaded Gas
Vessel Indicator:	TANK
DEP Contractor:	P
Owner:	
Owner ID:	4045
Owner Name:	CIRCLE K STORES INC
Owner Address:	1100 Situs Ct
Owner Address 2:	Not reported
Owner City,State,Zip:	Raleigh, NC 27606
Owner Contact:	JOANNE SISSLER
Owner Phone:	7036189183
Construction:	
Tank ID:	1
Construction Category:	A
Construction Description:	Ball check valve
Tank ID:	1
Construction Category:	E
Construction Description:	Fiberglass
Tank ID:	1
Construction Category:	I
Construction Description:	Double wall

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE K #2708955 (Continued)

U003798902

Tank ID:	1
Construction Category:	N
Construction Description:	Flow shut-Off
Tank ID:	3
Construction Category:	A
Construction Description:	Ball check valve
Tank ID:	3
Construction Category:	E
Construction Description:	Fiberglass
Tank ID:	3
Construction Category:	I
Construction Description:	Double wall
Tank ID:	3
Construction Category:	N
Construction Description:	Flow shut-Off
Tank ID:	4
Construction Category:	A
Construction Description:	Ball check valve
Tank ID:	4
Construction Category:	E
Construction Description:	Fiberglass
Tank ID:	4
Construction Category:	I
Construction Description:	Double wall
Tank ID:	4
Construction Category:	N
Construction Description:	Flow shut-Off
Tank ID:	2
Construction Category:	A
Construction Description:	Ball check valve
Tank ID:	2
Construction Category:	E
Construction Description:	Fiberglass
Tank ID:	2
Construction Category:	I
Construction Description:	Double wall
Tank ID:	2
Construction Category:	N
Construction Description:	Flow shut-Off

Piping:

Tank ID:	1
Piping Category:	C
Piping Description:	Fiberglass

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE K #2708955 (Continued)

U003798902

Tank ID: 1
Piping Category: F
Piping Description: Double wall

Tank ID: 3
Piping Category: C
Piping Description: Fiberglass

Tank ID: 3
Piping Category: F
Piping Description: Double wall

Tank ID: 4
Piping Category: C
Piping Description: Fiberglass

Tank ID: 4
Piping Category: F
Piping Description: Double wall

Tank ID: 2
Piping Category: C
Piping Description: Fiberglass

Tank ID: 2
Piping Category: F
Piping Description: Double wall

Monitoring:
Tank ID: 1
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: 1
Petro Monitoring Category: G
Monitoring Description: Electronic line leak detector

Tank ID: 1
Petro Monitoring Category: K
Monitoring Description: Monitor dbl wall pipe space

Tank ID: 1
Petro Monitoring Category: L
Monitoring Description: Automatic tank gauging - USTs

Tank ID: 3
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: 3
Petro Monitoring Category: G
Monitoring Description: Electronic line leak detector

Tank ID: 3
Petro Monitoring Category: K
Monitoring Description: Monitor dbl wall pipe space

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE K #2708955 (Continued)

U003798902

Tank ID: 3
Petro Monitoring Category: L
Monitoring Description: Automatic tank gauging - USTs

Tank ID: 4
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: 4
Petro Monitoring Category: G
Monitoring Description: Electronic line leak detector

Tank ID: 4
Petro Monitoring Category: K
Monitoring Description: Monitor dbl wall pipe space

Tank ID: 2
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: 2
Petro Monitoring Category: G
Monitoring Description: Electronic line leak detector

Tank ID: 2
Petro Monitoring Category: K
Monitoring Description: Monitor dbl wall pipe space

Tank ID: 2
Petro Monitoring Category: L
Monitoring Description: Automatic tank gauging - USTs

Tank ID: 2
Tank Capacity: 10000
Tank Location: UNDERGROUND
Tank Status: U-In Service
Status Date: 12/01/2000
Install Date: 12/1/2000
Substance: B
Content Description: Unleaded Gas
Vessel Indicator: TANK
DEP Contractor: P

Owner:
Owner ID: 4045
Owner Name: CIRCLE K STORES INC
Owner Address: 1100 Situs Ct
Owner Address 2: Not reported
Owner City,State,Zip: Raleigh, NC 27606
Owner Contact: JOANNE SISSLER
Owner Phone: 7036189183

Construction:
Tank ID: 1
Construction Category: A
Construction Description: Ball check valve

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE K #2708955 (Continued)

U003798902

Tank ID:	1
Construction Category:	E
Construction Description:	Fiberglass
Tank ID:	1
Construction Category:	I
Construction Description:	Double wall
Tank ID:	1
Construction Category:	N
Construction Description:	Flow shut-Off
Tank ID:	3
Construction Category:	A
Construction Description:	Ball check valve
Tank ID:	3
Construction Category:	E
Construction Description:	Fiberglass
Tank ID:	3
Construction Category:	I
Construction Description:	Double wall
Tank ID:	3
Construction Category:	N
Construction Description:	Flow shut-Off
Tank ID:	4
Construction Category:	A
Construction Description:	Ball check valve
Tank ID:	4
Construction Category:	E
Construction Description:	Fiberglass
Tank ID:	4
Construction Category:	I
Construction Description:	Double wall
Tank ID:	4
Construction Category:	N
Construction Description:	Flow shut-Off
Tank ID:	2
Construction Category:	A
Construction Description:	Ball check valve
Tank ID:	2
Construction Category:	E
Construction Description:	Fiberglass
Tank ID:	2
Construction Category:	I
Construction Description:	Double wall
Tank ID:	2

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE K #2708955 (Continued)

U003798902

Construction Category: N
Construction Description: Flow shut-Off

Piping:

Tank ID: 1
Piping Category: C
Piping Description: Fiberglass

Tank ID: 1
Piping Category: F
Piping Description: Double wall

Tank ID: 3
Piping Category: C
Piping Description: Fiberglass

Tank ID: 3
Piping Category: F
Piping Description: Double wall

Tank ID: 4
Piping Category: C
Piping Description: Fiberglass

Tank ID: 4
Piping Category: F
Piping Description: Double wall

Tank ID: 2
Piping Category: C
Piping Description: Fiberglass

Tank ID: 2
Piping Category: F
Piping Description: Double wall

Monitoring:

Tank ID: 1
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: 1
Petro Monitoring Category: G
Monitoring Description: Electronic line leak detector

Tank ID: 1
Petro Monitoring Category: K
Monitoring Description: Monitor dbl wall pipe space

Tank ID: 1
Petro Monitoring Category: L
Monitoring Description: Automatic tank gauging - USTs

Tank ID: 3
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE K #2708955 (Continued)

U003798902

Tank ID:	3
Petro Monitoring Category:	G
Monitoring Description:	Electronic line leak detector
Tank ID:	3
Petro Monitoring Category:	K
Monitoring Description:	Monitor dbl wall pipe space
Tank ID:	3
Petro Monitoring Category:	L
Monitoring Description:	Automatic tank gauging - USTs
Tank ID:	4
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	4
Petro Monitoring Category:	G
Monitoring Description:	Electronic line leak detector
Tank ID:	4
Petro Monitoring Category:	K
Monitoring Description:	Monitor dbl wall pipe space
Tank ID:	2
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	2
Petro Monitoring Category:	G
Monitoring Description:	Electronic line leak detector
Tank ID:	2
Petro Monitoring Category:	K
Monitoring Description:	Monitor dbl wall pipe space
Tank ID:	2
Petro Monitoring Category:	L
Monitoring Description:	Automatic tank gauging - USTs
Tank ID:	3
Tank Capacity:	10000
Tank Location:	UNDERGROUND
Tank Status:	U-In Service
Status Date:	12/01/2000
Install Date:	12/1/2000
Substance:	B
Content Description:	Unleaded Gas
Vessel Indicator:	TANK
DEP Contractor:	P

Owner:

Owner ID:	4045
Owner Name:	CIRCLE K STORES INC
Owner Address:	1100 Situs Ct
Owner Address 2:	Not reported
Owner City,State,Zip:	Raleigh, NC 27606

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE K #2708955 (Continued)

U003798902

Owner Contact: JOANNE SISSLER
Owner Phone: 7036189183

Construction:

Tank ID: 1
Construction Category: A
Construction Description: Ball check valve

Tank ID: 1
Construction Category: E
Construction Description: Fiberglass

Tank ID: 1
Construction Category: I
Construction Description: Double wall

Tank ID: 1
Construction Category: N
Construction Description: Flow shut-Off

Tank ID: 3
Construction Category: A
Construction Description: Ball check valve

Tank ID: 3
Construction Category: E
Construction Description: Fiberglass

Tank ID: 3
Construction Category: I
Construction Description: Double wall

Tank ID: 3
Construction Category: N
Construction Description: Flow shut-Off

Tank ID: 4
Construction Category: A
Construction Description: Ball check valve

Tank ID: 4
Construction Category: E
Construction Description: Fiberglass

Tank ID: 4
Construction Category: I
Construction Description: Double wall

Tank ID: 4
Construction Category: N
Construction Description: Flow shut-Off

Tank ID: 2
Construction Category: A
Construction Description: Ball check valve

Tank ID: 2

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE K #2708955 (Continued)

U003798902

Construction Category: E
Construction Description: Fiberglass

Tank ID: 2
Construction Category: I
Construction Description: Double wall

Tank ID: 2
Construction Category: N
Construction Description: Flow shut-Off

Piping:

Tank ID: 1
Piping Category: C
Piping Description: Fiberglass

Tank ID: 1
Piping Category: F
Piping Description: Double wall

Tank ID: 3
Piping Category: C
Piping Description: Fiberglass

Tank ID: 3
Piping Category: F
Piping Description: Double wall

Tank ID: 4
Piping Category: C
Piping Description: Fiberglass

Tank ID: 4
Piping Category: F
Piping Description: Double wall

Tank ID: 2
Piping Category: C
Piping Description: Fiberglass

Tank ID: 2
Piping Category: F
Piping Description: Double wall

Monitoring:

Tank ID: 1
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: 1
Petro Monitoring Category: G
Monitoring Description: Electronic line leak detector

Tank ID: 1
Petro Monitoring Category: K
Monitoring Description: Monitor dbl wall pipe space

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE K #2708955 (Continued)

U003798902

Tank ID:	1
Petro Monitoring Category:	L
Monitoring Description:	Automatic tank gauging - USTs
Tank ID:	3
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	3
Petro Monitoring Category:	G
Monitoring Description:	Electronic line leak detector
Tank ID:	3
Petro Monitoring Category:	K
Monitoring Description:	Monitor dbl wall pipe space
Tank ID:	3
Petro Monitoring Category:	L
Monitoring Description:	Automatic tank gauging - USTs
Tank ID:	4
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	4
Petro Monitoring Category:	G
Monitoring Description:	Electronic line leak detector
Tank ID:	4
Petro Monitoring Category:	K
Monitoring Description:	Monitor dbl wall pipe space
Tank ID:	2
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	2
Petro Monitoring Category:	G
Monitoring Description:	Electronic line leak detector
Tank ID:	2
Petro Monitoring Category:	K
Monitoring Description:	Monitor dbl wall pipe space
Tank ID:	2
Petro Monitoring Category:	L
Monitoring Description:	Automatic tank gauging - USTs

[Click here for Florida Oculus:](#)

DWM CONTAM:

Name:	CIRCLE K #2708955
Address:	4600 N ALAFAYA TRAIL
City,State,Zip:	ORLANDO, FL 32826
Program Site Id:	9804008

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE K #2708955 (Continued)

U003798902

Lat DD: 28
Lat MM: 36
Lat SS: 25
Long DD: 81
Long MM: 12
Long SS: 28
Office/ District: CD
Program Area: PETROLEUM
Priority Score: Not reported
Datum: Not reported
Method: AGPS
Facility Status: CLOSED-STCM
Facility Type: A - Retail Station
Score Effective Date: 2009-11-18 00:00:00
Score When Ranked: Not reported
Rank: Not reported
Operator: Not reported
Phone: Not reported
Name Changed: Not reported
Addr Changed: Not reported
Related Party ID: 4045
Primary RP Role: ACCOUNT OWNER
RP Begin Date: 8/24/2012
RP Name: CIRCLE K STORES INC
RP Address1: 1100 SITUS CT #100
RP Address2: ATTN: STORAGE TANK REGIS
RP City: RALEIGH
RP State: NC
RP Zip5: 4295
RP Zip4: 27606
Contact: GRAHAM BIGGS
RP Phone: (919)774-6700
RP Extension: 6326
Site Manager: Not reported

FL Financial Assurance 3:

Name: CIRCLE K #2708955
Address: 4600 N ALAFAYA TRAIL
City,State,Zip: ORLANDO, FL 32826
Region: 3
Facility ID: 9804008
Facility Phone: 9197746700
Facility Status: OPEN
Facility Type: A
Type Description: Retail Station
DEP CO: P
Financial Responsibility: GUARANTEE
Insurance Company: Not reported
Effective Date: 04/24/2022
Expire Date: 08/21/2023
Owner ID: 4045
Owner Name: CIRCLE K STORES INC
Owner Address: 1100 Situs Ct
Owner Address2: Not reported
Owner City,St,Zip: Raleigh, NC 27606
Contact: JOANNE SISSLER
Resp Party Phone: 7036189183

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE K #2708955 (Continued)

U003798902

Name: CIRCLE K #2708955
Address: 4600 N ALAFAYA TRAIL
City,State,Zip: ORLANDO, FL 32826
Region: 3
Facility ID: 9804008
Facility Phone: 9197746700
Facility Status: OPEN
Facility Type: A
Type Description: Retail Station
DEP CO: P
Financial Responsibility: GUARANTEE
Insurance Company: Not reported
Effective Date: 04/25/2021
Expire Date: 08/27/2022
Owner ID: 4045
Owner Name: CIRCLE K STORES INC
Owner Address: 1100 Situs Ct
Owner Address2: Not reported
Owner City,St,Zip: Raleigh, NC 27606
Contact: JOANNE SISSLER
Resp Party Phone: 7036189183

Name: CIRCLE K #2708955
Address: 4600 N ALAFAYA TRAIL
City,State,Zip: ORLANDO, FL 32826
Region: 3
Facility ID: 9804008
Facility Phone: 9197746700
Facility Status: OPEN
Facility Type: A
Type Description: Retail Station
DEP CO: P
Financial Responsibility: GUARANTEE
Insurance Company: Not reported
Effective Date: 04/28/2024
Expire Date: 08/26/2025
Owner ID: 4045
Owner Name: CIRCLE K STORES INC
Owner Address: 1100 Situs Ct
Owner Address2: Not reported
Owner City,St,Zip: Raleigh, NC 27606
Contact: JOANNE SISSLER
Resp Party Phone: 7036189183

Name: CIRCLE K #2708955
Address: 4600 N ALAFAYA TRAIL
City,State,Zip: ORLANDO, FL 32826
Region: 3
Facility ID: 9804008
Facility Phone: 9197746700
Facility Status: OPEN
Facility Type: A
Type Description: Retail Station
DEP CO: P
Financial Responsibility: GUARANTEE
Insurance Company: Not reported
Effective Date: 04/30/2023

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE K #2708955 (Continued)

U003798902

Expire Date: 08/28/2024
Owner ID: 4045
Owner Name: CIRCLE K STORES INC
Owner Address: 1100 Situs Ct
Owner Address2: Not reported
Owner City,St,Zip: Raleigh, NC 27606
Contact: JOANNE SISSLER
Resp Party Phone: 7036189183

Name: CIRCLE K #2708955
Address: 4600 N ALAFAYA TRAIL
City,State,Zip: ORLANDO, FL 32826
Region: 3
Facility ID: 9804008
Facility Phone: 9197746700
Facility Status: OPEN
Facility Type: A
Type Description: Retail Station
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: ACE
Effective Date: 01/01/2009
Expire Date: 01/01/2010
Owner ID: 4045
Owner Name: CIRCLE K STORES INC
Owner Address: 1100 Situs Ct
Owner Address2: Not reported
Owner City,St,Zip: Raleigh, NC 27606
Contact: JOANNE SISSLER
Resp Party Phone: 7036189183

Name: CIRCLE K #2708955
Address: 4600 N ALAFAYA TRAIL
City,State,Zip: ORLANDO, FL 32826
Region: 3
Facility ID: 9804008
Facility Phone: 9197746700
Facility Status: OPEN
Facility Type: A
Type Description: Retail Station
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: ACE
Effective Date: 01/01/2010
Expire Date: 01/01/2011
Owner ID: 4045
Owner Name: CIRCLE K STORES INC
Owner Address: 1100 Situs Ct
Owner Address2: Not reported
Owner City,St,Zip: Raleigh, NC 27606
Contact: JOANNE SISSLER
Resp Party Phone: 7036189183

Name: CIRCLE K #2708955
Address: 4600 N ALAFAYA TRAIL
City,State,Zip: ORLANDO, FL 32826
Region: 3

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE K #2708955 (Continued)

U003798902

Facility ID: 9804008
Facility Phone: 9197746700
Facility Status: OPEN
Facility Type: A
Type Description: Retail Station
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: AMERICAN SAFETY INDEMNITY CO
Effective Date: 03/03/2011
Expire Date: 03/03/2012
Owner ID: 4045
Owner Name: CIRCLE K STORES INC
Owner Address: 1100 Situs Ct
Owner Address2: Not reported
Owner City,St,Zip: Raleigh, NC 27606
Contact: JOANNE SISSLER
Resp Party Phone: 7036189183

Name: CIRCLE K #2708955
Address: 4600 N ALAFAYA TRAIL
City,State,Zip: ORLANDO, FL 32826
Region: 3
Facility ID: 9804008
Facility Phone: 9197746700
Facility Status: OPEN
Facility Type: A
Type Description: Retail Station
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: COLONY
Effective Date: 03/03/2010
Expire Date: 03/03/2011
Owner ID: 4045
Owner Name: CIRCLE K STORES INC
Owner Address: 1100 Situs Ct
Owner Address2: Not reported
Owner City,St,Zip: Raleigh, NC 27606
Contact: JOANNE SISSLER
Resp Party Phone: 7036189183

Name: CIRCLE K #2708955
Address: 4600 N ALAFAYA TRAIL
City,State,Zip: ORLANDO, FL 32826
Region: 3
Facility ID: 9804008
Facility Phone: 9197746700
Facility Status: OPEN
Facility Type: A
Type Description: Retail Station
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: IRONSHORE SPECIALTY INSURANCE CO
Effective Date: 12/01/2013
Expire Date: 12/01/2014
Owner ID: 4045
Owner Name: CIRCLE K STORES INC
Owner Address: 1100 Situs Ct

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE K #2708955 (Continued)

U003798902

Owner Address2: Not reported
Owner City,St,Zip: Raleigh, NC 27606
Contact: JOANNE SISSLER
Resp Party Phone: 7036189183

Name: CIRCLE K #2708955
Address: 4600 N ALAFAYA TRAIL
City,State,Zip: ORLANDO, FL 32826
Region: 3
Facility ID: 9804008
Facility Phone: 9197746700
Facility Status: OPEN
Facility Type: A
Type Description: Retail Station
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: IRONSHORE SPECIALTY INSURANCE CO
Effective Date: 12/01/2014
Expire Date: 12/01/2015
Owner ID: 4045
Owner Name: CIRCLE K STORES INC
Owner Address: 1100 Situs Ct
Owner Address2: Not reported
Owner City,St,Zip: Raleigh, NC 27606
Contact: JOANNE SISSLER
Resp Party Phone: 7036189183

Name: CIRCLE K #2708955
Address: 4600 N ALAFAYA TRAIL
City,State,Zip: ORLANDO, FL 32826
Region: 3
Facility ID: 9804008
Facility Phone: 9197746700
Facility Status: OPEN
Facility Type: A
Type Description: Retail Station
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: IRONSHORE SPECIALTY INSURANCE CO
Effective Date: 12/01/2015
Expire Date: 12/01/2016
Owner ID: 4045
Owner Name: CIRCLE K STORES INC
Owner Address: 1100 Situs Ct
Owner Address2: Not reported
Owner City,St,Zip: Raleigh, NC 27606
Contact: JOANNE SISSLER
Resp Party Phone: 7036189183

Name: CIRCLE K #2708955
Address: 4600 N ALAFAYA TRAIL
City,State,Zip: ORLANDO, FL 32826
Region: 3
Facility ID: 9804008
Facility Phone: 9197746700
Facility Status: OPEN
Facility Type: A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE K #2708955 (Continued)

U003798902

Type Description: Retail Station
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: IRONSHORE SPECIALTY INSURANCE CO
Effective Date: 12/01/2016
Expire Date: 12/01/2017
Owner ID: 4045
Owner Name: CIRCLE K STORES INC
Owner Address: 1100 Situs Ct
Owner Address2: Not reported
Owner City,St,Zip: Raleigh, NC 27606
Contact: JOANNE SISSLER
Resp Party Phone: 7036189183

Name: CIRCLE K #2708955
Address: 4600 N ALAFAYA TRAIL
City,State,Zip: ORLANDO, FL 32826
Region: 3
Facility ID: 9804008
Facility Phone: 9197746700
Facility Status: OPEN
Facility Type: A
Type Description: Retail Station
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: IRONSHORE SPECIALTY INSURANCE CO
Effective Date: 12/01/2017
Expire Date: 12/01/2018
Owner ID: 4045
Owner Name: CIRCLE K STORES INC
Owner Address: 1100 Situs Ct
Owner Address2: Not reported
Owner City,St,Zip: Raleigh, NC 27606
Contact: JOANNE SISSLER
Resp Party Phone: 7036189183

Name: CIRCLE K #2708955
Address: 4600 N ALAFAYA TRAIL
City,State,Zip: ORLANDO, FL 32826
Region: 3
Facility ID: 9804008
Facility Phone: 9197746700
Facility Status: OPEN
Facility Type: A
Type Description: Retail Station
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: IRONSHORE SPECIALTY INSURANCE CO
Effective Date: 12/01/2018
Expire Date: 12/01/2019
Owner ID: 4045
Owner Name: CIRCLE K STORES INC
Owner Address: 1100 Situs Ct
Owner Address2: Not reported
Owner City,St,Zip: Raleigh, NC 27606
Contact: JOANNE SISSLER
Resp Party Phone: 7036189183

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE K #2708955 (Continued)

U003798902

Name: CIRCLE K #2708955
Address: 4600 N ALAFAYA TRAIL
City,State,Zip: ORLANDO, FL 32826
Region: 3
Facility ID: 9804008
Facility Phone: 9197746700
Facility Status: OPEN
Facility Type: A
Type Description: Retail Station
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: NAVIGATORS SPECIALTY INSURANCE CO
Effective Date: 12/01/2019
Expire Date: 12/01/2020
Owner ID: 4045
Owner Name: CIRCLE K STORES INC
Owner Address: 1100 Situs Ct
Owner Address2: Not reported
Owner City,St,Zip: Raleigh, NC 27606
Contact: JOANNE SISSLER
Resp Party Phone: 7036189183

Name: CIRCLE K #2708955
Address: 4600 N ALAFAYA TRAIL
City,State,Zip: ORLANDO, FL 32826
Region: 3
Facility ID: 9804008
Facility Phone: 9197746700
Facility Status: OPEN
Facility Type: A
Type Description: Retail Station
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: NAVIGATORS SPECIALTY INSURANCE CO
Effective Date: 12/01/2020
Expire Date: 12/01/2021
Owner ID: 4045
Owner Name: CIRCLE K STORES INC
Owner Address: 1100 Situs Ct
Owner Address2: Not reported
Owner City,St,Zip: Raleigh, NC 27606
Contact: JOANNE SISSLER
Resp Party Phone: 7036189183

G26 **UNIV OF CENTRAL FL**
ESE **4000 CENTRAL FLORIDA BLVD**
1/4-1/2 **ORLANDO, FL 32816**
0.265 mi.
1401 ft. **Site 1 of 2 in cluster G**

LUST **U003974569**
UST **N/A**
Financial Assurance

Relative: **LUST:**
Lower Name: UNIV OF CENTRAL FL
Address: 4000 CENTRAL FLORIDA BLVD
City,State,Zip: ORLANDO, FL 32816
Region: STATE
Facility Id: 8622599
Facility Status: OPEN
Facility Type: G - State Government

Actual:
76 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Facility Phone: (407)823-0707
Facility Cleanup Rank: 12937
District: Central District
Lat/Long (dms): 28 35 28.8599999 / 81 11 50.0959999
Section: 10
Township: 22S
Range: 31E
Feature: Not reported
Method: DPHO
Datum: 0
Score: 30
Score Effective Date: 2009-10-05 00:00:00
Score When Ranked: 6
Operator: AARON YOUNG
Name Update: 2013-07-29 00:00:00
Address Update: 2023-10-31 00:00:00

Petroleum Cleanup PCT Facility Score:

Facility Cleanup Status: CMPL - COMPLETED
Contact: AARON YOUNG
Contact Company: UNIVERSITY OF CENTRAL FLORIDA
Contact Address: 3546 S PERSEUS LOOP
Contact City/State/Zip: Orlando, FL 32816
Phone: (407)823-0707
Bad Address Ind: N
State: FL
Zip: 32816, 8003
Score: 30
Score Effective Date: 2009-10-05 00:00:00
Related Party ID: 22666
Primary RP Role: ACCOUNT OWNER
RP Begin Date: 1986-02-06
RP Zip: Not reported
RP Extension: Not reported

Discharge Cleanup Summary:

Discharge Date: 9/22/1994
PCT Discharge Combined: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: SRCR - SRCR COMPLETE
Disch Cleanup Status Date: 7/7/2021
Cleanup Work Status: COMPLETED
Information Source: D - DISCHARGE NOTIFICATION
Other Source Description: Not reported
Eligibility Indicator: E - ELIGIBLE
Site Manager: WEBER_N
Site Mgr End Date: 9/16/2021
Tank Office: PCLP48 - ORANGE COUNTY ENVIRONMENTAL PROTECTION DIV

Petroleum Cleanup Program Eligibility:

Facility ID: 8622599
Discharge Date: 9/22/1994
Pct Discharge Combined With: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: SRCR - SRCR COMPLETE
Disch Cleanup Status Date: 7/7/2021
Cleanup Work Status: COMPLETED
Information Source: D - DISCHARGE NOTIFICATION

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Other Source Description:	Not reported
Application Received Date:	Not reported
Cleanup Program:	C - PETROLEUM CLEANUP PARTICIPATION PROGRAM
Eligibility Status:	3/21/2002
Elig Status Date:	3/21/2002
Letter Of Intent Date:	Not reported
Redetermined:	No
Inspection Date:	Not reported
Site Manager:	WEBER_N
Site Mgr End Date:	9/16/2021
Tank Office:	PCLP48 - ORANGE COUNTY ENVIRONMENTAL PROTECTION DIV
Deductible Amount:	Not reported
Deductible Paid To Date:	0
Co-Pay Amount:	25
Co-Pay Paid To Date:	0
Cap Amount:	400000
Contaminated Media:	
Discharge Date:	9/22/1994
Pct Discharge Combined With:	Not reported
Cleanup Required:	R - CLEANUP REQUIRED
Discharge Cleanup Status:	SRCR - SRCR COMPLETE
Disch Cleanup Status Date:	7/7/2021
Cleanup Work Status:	COMPLETED
Information Source:	D - DISCHARGE NOTIFICATION
Other Source Description:	Not reported
Elig Indicator:	E - ELIGIBLE
Site Manager:	WEBER_N
Site Mgr End Date:	9/16/2021
Tank Office:	PCLP48 - ORANGE COUNTY ENVIRON
Contaminated Drinking Wells:	0
Contaminated Monitoring Well:	No
Contaminated Soil:	Yes
Contaminated Surface Water:	No
Contaminated Ground Water:	No
Pollutant:	A - Leaded Gas
Pollutant Other Description:	Not reported
Gallons Discharged:	Not reported
Discharge Date:	9/22/1994
Pct Discharge Combined With:	Not reported
Cleanup Required:	R - CLEANUP REQUIRED
Discharge Cleanup Status:	SRCR - SRCR COMPLETE
Disch Cleanup Status Date:	7/7/2021
Cleanup Work Status:	COMPLETED
Information Source:	D - DISCHARGE NOTIFICATION
Other Source Description:	Not reported
Elig Indicator:	E - ELIGIBLE
Site Manager:	WEBER_N
Site Mgr End Date:	9/16/2021
Tank Office:	PCLP48 - ORANGE COUNTY ENVIRON
Contaminated Drinking Wells:	0
Contaminated Monitoring Well:	No
Contaminated Soil:	Yes
Contaminated Surface Water:	No
Contaminated Ground Water:	No
Pollutant:	B - Unleaded Gas
Pollutant Other Description:	Not reported
Gallons Discharged:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Task Information:

District:	CD
Facility ID:	8622599
Facility Status:	OPEN
Facility Type:	G - State Government -
County:	ORANGE
County ID:	48
Cleanup Eligibility Status:	E
Source Effective Date:	Not reported
Discharge Date:	09-22-1994
Cleanup Required:	R - CLEANUP REQUIRED
Discharge Cleanup Status:	SA - SA ONGOING
Disch Cleanup Status Date:	12-05-1994
SRC Action Type:	Not reported
SRC Submit Date:	Not reported
SRC Review Date:	Not reported
SRC Completion Status:	Not reported
SRC Issue Date:	Not reported
SRC Comment:	Not reported
Cleanup Work Status:	INACTIVE
Site Mgr:	TAYLOR_DT
Site Mgr End Date:	Not reported
Tank Office:	PCLP48 - Orange County
SR Task ID:	85319
SR Cleanup Responsible:	Not reported
SR Funding Eligibility Type:	Not reported
SR Actual Cost:	Not reported
SR Completion Date:	10-10-1994
SR Payment Date:	Not reported
SR Oral Date:	Not reported
SR Written Date:	Not reported
SR Soil Removal:	Y
SR Free Product Removal:	Not reported
SR Soil Tonnage Removed:	26
SR Soil Treatment:	Not reported
SR Other Treatment:	Not reported
SR Alternate Proc Received Date:	Not reported
SR Alternate Procedure Status:	Not reported
SR Alternate Procedure Status Date:	Not reported
SR Alternate Procedure Comments:	Not reported
SA Task ID:	82562
SA Cleanup Responsible:	Not reported
SA Funding Eligibility Type:	Not reported
SA Actual Cost:	Not reported
SA Completion Date:	Not reported
SA Payment Date:	Not reported
RAP Task ID:	Not reported
RAP Cleanup Responsible ID:	Not reported
RAP Funding Eligibility Type:	Not reported
RAP Actual Cost:	Not reported
RAP Completion Date:	Not reported
RAP Payment Date:	Not reported
RAP Last Order Approved:	Not reported
RA Task ID:	Not reported
RA Cleanup Responsible:	Not reported
RA Funding Eligibility Type:	Not reported
RA Years to Complete:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

RA Actual Cost: Not reported

[Click here for Florida Oculus:](#)

UST:

Facility ID: 8622599
Name: UNIV OF CENTRAL FL
Address: 4000 CENTRAL FLORIDA BLVD
City,State,Zip: ORLANDO, FL 32816
Facility Phone: 4078230707
Facility Status: OPEN
Facility Type: G
Type Description: State Government
Depco: P
Region: STATE
Positioning Method: DPHO
Latitude/Longitude: 28 35 55.36 / 81 11 50.15

UST:

Tank ID: 1
Tank Capacity: 1000
Tank Location: UNDERGROUND
Tank Status: B-Removed from Site
Status Date: 04/30/1993
Install Date: 7/1/1970
Substance: B
Content Description: Unleaded Gas
Vessel Indicator: TANK
DEP Contractor: P

Owner:

Owner ID: 22666
Owner Name: UNIVERSITY OF CENTRAL FLORIDA
Owner Address: 3546 S PERSEUS LOOP
Owner Address 2: ENVIRONMENTAL HEALTH & SAFETY
Owner City,State,Zip: Orlando, FL 32816
Owner Contact: AARON YOUNG
Owner Phone: 4078230707

Construction:

Tank ID: E85
Construction Category: C
Construction Description: Steel

Tank ID: 10
Construction Category: F
Construction Description: Fiberglass clad steel

Tank ID: 10
Construction Category: A
Construction Description: Ball check valve

Tank ID: 10
Construction Category: O
Construction Description: Tight fill

Tank ID: 10

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	10
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	10
Construction Category:	L
Construction Description:	Compartmented
Tank ID:	10
Construction Category:	R
Construction Description:	Double wall - tank jacket
Tank ID:	EG-20A
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-20A
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-20A
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-16
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-16
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-16
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-52
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-52
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-52
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-75
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-75
Construction Category:	I

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Description:	Double wall
Tank ID:	EG-75
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-80
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-80
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-80
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-20A
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-16
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-52
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-75
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-80
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-134
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-134
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-134
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-131
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-131
Construction Category:	M
Construction Description:	Spill containment bucket

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID: EG-131
Construction Category: I
Construction Description: Double wall

Tank ID: EG-54
Construction Category: C
Construction Description: Steel

Tank ID: EG-54
Construction Category: N
Construction Description: Flow shut-Off

Tank ID: EG-54
Construction Category: M
Construction Description: Spill containment bucket

Tank ID: EG-54
Construction Category: O
Construction Description: Tight fill

Tank ID: EG-54
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: EG-54
Construction Category: I
Construction Description: Double wall

Tank ID: EG-7
Construction Category: C
Construction Description: Steel

Tank ID: EG-7
Construction Category: N
Construction Description: Flow shut-Off

Tank ID: EG-7
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: EG-7
Construction Category: I
Construction Description: Double wall

Tank ID: EG-50
Construction Category: C
Construction Description: Steel

Tank ID: EG-50
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: EG-50
Construction Category: I
Construction Description: Double wall

Tank ID: EG-141

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-141
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-141
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-141
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG121A
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG121A
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG121A
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-150
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-150
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-150
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-150
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-117
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-117
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-117
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-119
Construction Category:	C

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Description:	Steel
Tank ID:	EG-119
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-119
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-119
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	E85
Construction Category:	A
Construction Description:	Ball check valve
Tank ID:	E85
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	E85
Construction Category:	N
Construction Description:	Flow shut-Off
Tank ID:	E85
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	E85
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG121B
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG121B
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG121B
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-41
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-41
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-41
Construction Category:	P
Construction Description:	Level gauges/alarms

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	EG-41
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG159
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG159
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG159
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG159
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	CHP-01
Construction Category:	C
Construction Description:	Steel
Tank ID:	CHP-01
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	CHP-01
Construction Category:	N
Construction Description:	Flow shut-Off
Tank ID:	CHP-01
Construction Category:	I
Construction Description:	Double wall
Tank ID:	CHP-01
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG554B
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG554A
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG554A
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG554B
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG554A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Category: M
Construction Description: Spill containment bucket

Tank ID: EG554B
Construction Category: C
Construction Description: Steel

Tank ID: EG554A
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: EG554B
Construction Category: I
Construction Description: Double wall

Tank ID: EG-20B
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: EG-20B
Construction Category: I
Construction Description: Double wall

Tank ID: EG-20B
Construction Category: C
Construction Description: Steel

Tank ID: EG-20B
Construction Category: M
Construction Description: Spill containment bucket

Tank ID: EG-47
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: EG-47
Construction Category: I
Construction Description: Double wall

Tank ID: EG-47
Construction Category: G
Construction Description: Sacrificial anode CP

Tank ID: EG-47
Construction Category: M
Construction Description: Spill containment bucket

Piping:
Tank ID: 10
Piping Category: B
Piping Description: Steel/galvanized metal

Tank ID: 10
Piping Category: G
Piping Description: Pipe trench liner

Tank ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	F
Piping Description:	Double wall
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	I
Piping Description:	Suction piping system
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	J
Piping Description:	Pressurized piping system
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	F
Piping Description:	Double wall
Tank ID:	Not reported
Piping Category:	N
Piping Description:	Approved synthetic material
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	P
Piping Description:	Internal pipe/internal sump riser
Tank ID:	Not reported
Piping Category:	N
Piping Description:	Approved synthetic material
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	L
Piping Description:	Bulk product system
Tank ID:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Piping Category:	L
Piping Description:	Bulk product system
Tank ID:	Not reported
Piping Category:	P
Piping Description:	Internal pipe/internal sump riser
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	N
Piping Description:	Approved synthetic material
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	Y
Piping Description:	Unknown
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Monitoring:	
Tank ID:	10
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	10
Petro Monitoring Category:	L
Monitoring Description:	Automatic tank gauging - USTs
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	10
Petro Monitoring Category:	2
Monitoring Description:	Visual inspect pipe sumps
Tank ID:	10
Petro Monitoring Category:	4
Monitoring Description:	Visual inspect dispenser liners
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Monitoring Description:	Site Suitability Plan
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	G
Monitoring Description:	Electronic line leak detector
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	H
Monitoring Description:	Mechanical line leak detector
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Monitoring Description: External piping monitoring

Tank ID: Not reported

Petro Monitoring Category: F

Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported

Petro Monitoring Category: F

Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported

Petro Monitoring Category: M

Monitoring Description: Manual tank gauging - USTs

Tank ID: Not reported

Petro Monitoring Category: Q

Monitoring Description: Visual inspection of ASTs

Tank ID: Not reported

Petro Monitoring Category: R

Monitoring Description: Monitor tank bottom space

Tank ID: Not reported

Petro Monitoring Category: F

Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported

Petro Monitoring Category: F

Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported

Petro Monitoring Category: F

Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported

Petro Monitoring Category: F

Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported

Petro Monitoring Category: Q

Monitoring Description: Visual inspection of ASTs

Tank ID: 10

Tank Capacity: 17500

Tank Location: UNDERGROUND

Tank Status: U-In Service

Status Date: 11/01/1993

Install Date: 11/1/1993

Substance: D

Content Description: Vehicular Diesel

Vessel Indicator: TANK

DEP Contractor: P

Owner:

Owner ID: 22666

Owner Name: UNIVERSITY OF CENTRAL FLORIDA

Owner Address: 3546 S PERSEUS LOOP

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Owner Address 2: ENVIRONMENTAL HEALTH & SAFETY
Owner City,State,Zip: Orlando, FL 32816
Owner Contact: AARON YOUNG
Owner Phone: 4078230707

Construction:

Tank ID: E85
Construction Category: C
Construction Description: Steel

Tank ID: 10
Construction Category: F
Construction Description: Fiberglass clad steel

Tank ID: 10
Construction Category: A
Construction Description: Ball check valve

Tank ID: 10
Construction Category: O
Construction Description: Tight fill

Tank ID: 10
Construction Category: M
Construction Description: Spill containment bucket

Tank ID: 10
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: 10
Construction Category: L
Construction Description: Compartmented

Tank ID: 10
Construction Category: R
Construction Description: Double wall - tank jacket

Tank ID: EG-20A
Construction Category: C
Construction Description: Steel

Tank ID: EG-20A
Construction Category: I
Construction Description: Double wall

Tank ID: EG-20A
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: EG-16
Construction Category: C
Construction Description: Steel

Tank ID: EG-16
Construction Category: I
Construction Description: Double wall

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	EG-16
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-52
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-52
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-52
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-75
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-75
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-75
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-80
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-80
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-80
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-20A
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-16
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-52
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-75
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-80

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-134
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-134
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-134
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-131
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-131
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-131
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-54
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-54
Construction Category:	N
Construction Description:	Flow shut-Off
Tank ID:	EG-54
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-54
Construction Category:	O
Construction Description:	Tight fill
Tank ID:	EG-54
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-54
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-7
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-7
Construction Category:	N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Description:	Flow shut-Off
Tank ID:	EG-7
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-7
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-50
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-50
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-50
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-141
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-141
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-141
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-141
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG121A
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG121A
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG121A
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-150
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-150
Construction Category:	M
Construction Description:	Spill containment bucket

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID: EG-150
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: EG-150
Construction Category: I
Construction Description: Double wall

Tank ID: EG-117
Construction Category: C
Construction Description: Steel

Tank ID: EG-117
Construction Category: M
Construction Description: Spill containment bucket

Tank ID: EG-117
Construction Category: I
Construction Description: Double wall

Tank ID: EG-119
Construction Category: C
Construction Description: Steel

Tank ID: EG-119
Construction Category: I
Construction Description: Double wall

Tank ID: EG-119
Construction Category: M
Construction Description: Spill containment bucket

Tank ID: EG-119
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: E85
Construction Category: A
Construction Description: Ball check valve

Tank ID: E85
Construction Category: M
Construction Description: Spill containment bucket

Tank ID: E85
Construction Category: N
Construction Description: Flow shut-Off

Tank ID: E85
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: E85
Construction Category: I
Construction Description: Double wall

Tank ID: EG121B

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Category:	C
Construction Description:	Steel
Tank ID:	EG121B
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG121B
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-41
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-41
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-41
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-41
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG159
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG159
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG159
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG159
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	CHP-01
Construction Category:	C
Construction Description:	Steel
Tank ID:	CHP-01
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	CHP-01
Construction Category:	N
Construction Description:	Flow shut-Off
Tank ID:	CHP-01
Construction Category:	I

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Description:	Double wall
Tank ID:	CHP-01
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG554B
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG554A
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG554A
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG554B
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG554A
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG554B
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG554A
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG554B
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-20B
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-20B
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-20B
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-20B
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-47
Construction Category:	P
Construction Description:	Level gauges/alarms

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID: EG-47
Construction Category: I
Construction Description: Double wall

Tank ID: EG-47
Construction Category: G
Construction Description: Sacrificial anode CP

Tank ID: EG-47
Construction Category: M
Construction Description: Spill containment bucket

Piping:

Tank ID: 10
Piping Category: B
Piping Description: Steel/galvanized metal

Tank ID: 10
Piping Category: G
Piping Description: Pipe trench liner

Tank ID: Not reported
Piping Category: B
Piping Description: Steel/galvanized metal

Tank ID: Not reported
Piping Category: D
Piping Description: External protective coating

Tank ID: Not reported
Piping Category: A
Piping Description: Abv, no soil contact

Tank ID: Not reported
Piping Category: A
Piping Description: Abv, no soil contact

Tank ID: Not reported
Piping Category: F
Piping Description: Double wall

Tank ID: Not reported
Piping Category: A
Piping Description: Abv, no soil contact

Tank ID: Not reported
Piping Category: A
Piping Description: Abv, no soil contact

Tank ID: Not reported
Piping Category: I
Piping Description: Suction piping system

Tank ID: Not reported
Piping Category: B
Piping Description: Steel/galvanized metal

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Piping Category:	J
Piping Description:	Pressurized piping system
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	F
Piping Description:	Double wall
Tank ID:	Not reported
Piping Category:	N
Piping Description:	Approved synthetic material
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	D

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	P
Piping Description:	Internal pipe/internal sump riser
Tank ID:	Not reported
Piping Category:	N
Piping Description:	Approved synthetic material
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	L
Piping Description:	Bulk product system
Tank ID:	Not reported
Piping Category:	L
Piping Description:	Bulk product system
Tank ID:	Not reported
Piping Category:	P
Piping Description:	Internal pipe/internal sump riser
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	N
Piping Description:	Approved synthetic material
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	Y
Piping Description:	Unknown
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Monitoring:	
Tank ID:	10
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	10
Petro Monitoring Category:	L

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Monitoring Description:	Automatic tank gauging - USTs
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	10
Petro Monitoring Category:	2
Monitoring Description:	Visual inspect pipe sumps
Tank ID:	10
Petro Monitoring Category:	4
Monitoring Description:	Visual inspect dispenser liners
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	A
Monitoring Description:	Site Suitability Plan
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	G
Monitoring Description:	Electronic line leak detector
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	Q

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	Not reported
Petro Monitoring Category:	H
Monitoring Description:	Mechanical line leak detector
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	M
Monitoring Description:	Manual tank gauging - USTs
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: Q
Monitoring Description: Visual inspection of ASTs

Tank ID: 3
Tank Capacity: 2000
Tank Location: UNDERGROUND
Tank Status: B-Removed from Site
Status Date: 10/01/1994
Install Date: 7/1/1976
Substance: B
Content Description: Unleaded Gas
Vessel Indicator: TANK
DEP Contractor: P

Owner:
Owner ID: 22666
Owner Name: UNIVERSITY OF CENTRAL FLORIDA
Owner Address: 3546 S PERSEUS LOOP
Owner Address 2: ENVIRONMENTAL HEALTH & SAFETY
Owner City,State,Zip: Orlando, FL 32816
Owner Contact: AARON YOUNG
Owner Phone: 4078230707

Construction:
Tank ID: E85
Construction Category: C
Construction Description: Steel

Tank ID: 10
Construction Category: F
Construction Description: Fiberglass clad steel

Tank ID: 10
Construction Category: A
Construction Description: Ball check valve

Tank ID: 10
Construction Category: O
Construction Description: Tight fill

Tank ID: 10
Construction Category: M
Construction Description: Spill containment bucket

Tank ID: 10
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: 10
Construction Category: L
Construction Description: Compartmented

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID: 10
Construction Category: R
Construction Description: Double wall - tank jacket

Tank ID: EG-20A
Construction Category: C
Construction Description: Steel

Tank ID: EG-20A
Construction Category: I
Construction Description: Double wall

Tank ID: EG-20A
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: EG-16
Construction Category: C
Construction Description: Steel

Tank ID: EG-16
Construction Category: I
Construction Description: Double wall

Tank ID: EG-16
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: EG-52
Construction Category: C
Construction Description: Steel

Tank ID: EG-52
Construction Category: I
Construction Description: Double wall

Tank ID: EG-52
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: EG-75
Construction Category: C
Construction Description: Steel

Tank ID: EG-75
Construction Category: I
Construction Description: Double wall

Tank ID: EG-75
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: EG-80
Construction Category: C
Construction Description: Steel

Tank ID: EG-80

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-80
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-20A
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-16
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-52
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-75
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-80
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-134
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-134
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-134
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-131
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-131
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-131
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-54
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-54
Construction Category:	N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Description:	Flow shut-Off
Tank ID:	EG-54
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-54
Construction Category:	O
Construction Description:	Tight fill
Tank ID:	EG-54
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-54
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-7
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-7
Construction Category:	N
Construction Description:	Flow shut-Off
Tank ID:	EG-7
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-7
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-50
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-50
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-50
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-141
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-141
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-141
Construction Category:	P
Construction Description:	Level gauges/alarms

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	EG-141
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG121A
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG121A
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG121A
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-150
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-150
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-150
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-150
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-117
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-117
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-117
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-119
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-119
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-119
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-119

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: E85
Construction Category: A
Construction Description: Ball check valve

Tank ID: E85
Construction Category: M
Construction Description: Spill containment bucket

Tank ID: E85
Construction Category: N
Construction Description: Flow shut-Off

Tank ID: E85
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: E85
Construction Category: I
Construction Description: Double wall

Tank ID: EG121B
Construction Category: C
Construction Description: Steel

Tank ID: EG121B
Construction Category: M
Construction Description: Spill containment bucket

Tank ID: EG121B
Construction Category: I
Construction Description: Double wall

Tank ID: EG-41
Construction Category: C
Construction Description: Steel

Tank ID: EG-41
Construction Category: M
Construction Description: Spill containment bucket

Tank ID: EG-41
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: EG-41
Construction Category: I
Construction Description: Double wall

Tank ID: EG159
Construction Category: C
Construction Description: Steel

Tank ID: EG159
Construction Category: I

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Description:	Double wall
Tank ID:	EG159
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG159
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	CHP-01
Construction Category:	C
Construction Description:	Steel
Tank ID:	CHP-01
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	CHP-01
Construction Category:	N
Construction Description:	Flow shut-Off
Tank ID:	CHP-01
Construction Category:	I
Construction Description:	Double wall
Tank ID:	CHP-01
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG554B
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG554A
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG554A
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG554B
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG554A
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG554B
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG554A
Construction Category:	P
Construction Description:	Level gauges/alarms

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID: EG554B
Construction Category: I
Construction Description: Double wall

Tank ID: EG-20B
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: EG-20B
Construction Category: I
Construction Description: Double wall

Tank ID: EG-20B
Construction Category: C
Construction Description: Steel

Tank ID: EG-20B
Construction Category: M
Construction Description: Spill containment bucket

Tank ID: EG-47
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: EG-47
Construction Category: I
Construction Description: Double wall

Tank ID: EG-47
Construction Category: G
Construction Description: Sacrificial anode CP

Tank ID: EG-47
Construction Category: M
Construction Description: Spill containment bucket

Piping:
Tank ID: 10
Piping Category: B
Piping Description: Steel/galvanized metal

Tank ID: 10
Piping Category: G
Piping Description: Pipe trench liner

Tank ID: Not reported
Piping Category: B
Piping Description: Steel/galvanized metal

Tank ID: Not reported
Piping Category: D
Piping Description: External protective coating

Tank ID: Not reported
Piping Category: A
Piping Description: Abv, no soil contact

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	F
Piping Description:	Double wall
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	I
Piping Description:	Suction piping system
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	J
Piping Description:	Pressurized piping system
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	B

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	F
Piping Description:	Double wall
Tank ID:	Not reported
Piping Category:	N
Piping Description:	Approved synthetic material
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	P
Piping Description:	Internal pipe/internal sump riser
Tank ID:	Not reported
Piping Category:	N
Piping Description:	Approved synthetic material
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	L
Piping Description:	Bulk product system
Tank ID:	Not reported
Piping Category:	L
Piping Description:	Bulk product system
Tank ID:	Not reported
Piping Category:	P
Piping Description:	Internal pipe/internal sump riser
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID: Not reported
Piping Category: N
Piping Description: Approved synthetic material

Tank ID: Not reported
Piping Category: A
Piping Description: Abv, no soil contact

Tank ID: Not reported
Piping Category: Y
Piping Description: Unknown

Tank ID: Not reported
Piping Category: B
Piping Description: Steel/galvanized metal

Monitoring:
Tank ID: 10
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: 10
Petro Monitoring Category: L
Monitoring Description: Automatic tank gauging - USTs

Tank ID: Not reported
Petro Monitoring Category: Q
Monitoring Description: Visual inspection of ASTs

Tank ID: Not reported
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: Q
Monitoring Description: Visual inspection of ASTs

Tank ID: Not reported
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: Q
Monitoring Description: Visual inspection of ASTs

Tank ID: Not reported
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: Q
Monitoring Description: Visual inspection of ASTs

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	10
Petro Monitoring Category:	2
Monitoring Description:	Visual inspect pipe sumps
Tank ID:	10
Petro Monitoring Category:	4
Monitoring Description:	Visual inspect dispenser liners
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	A
Monitoring Description:	Site Suitability Plan
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	G
Monitoring Description:	Electronic line leak detector
Tank ID:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	H
Monitoring Description:	Mechanical line leak detector
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Petro Monitoring Category: M
Monitoring Description: Manual tank gauging - USTs

Tank ID: Not reported
Petro Monitoring Category: Q
Monitoring Description: Visual inspection of ASTs

Tank ID: Not reported
Petro Monitoring Category: R
Monitoring Description: Monitor tank bottom space

Tank ID: Not reported
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: Q
Monitoring Description: Visual inspection of ASTs

Tank ID: 4
Tank Capacity: 2000
Tank Location: UNDERGROUND
Tank Status: B-Removed from Site
Status Date: 04/30/1993
Install Date: 7/1/1976
Substance: D
Content Description: Vehicular Diesel
Vessel Indicator: TANK
DEP Contractor: P

Owner:

Owner ID: 22666
Owner Name: UNIVERSITY OF CENTRAL FLORIDA
Owner Address: 3546 S PERSEUS LOOP
Owner Address 2: ENVIRONMENTAL HEALTH & SAFETY
Owner City,State,Zip: Orlando, FL 32816
Owner Contact: AARON YOUNG
Owner Phone: 4078230707

Construction:

Tank ID: E85
Construction Category: C
Construction Description: Steel

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	10
Construction Category:	F
Construction Description:	Fiberglass clad steel
Tank ID:	10
Construction Category:	A
Construction Description:	Ball check valve
Tank ID:	10
Construction Category:	O
Construction Description:	Tight fill
Tank ID:	10
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	10
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	10
Construction Category:	L
Construction Description:	Compartmented
Tank ID:	10
Construction Category:	R
Construction Description:	Double wall - tank jacket
Tank ID:	EG-20A
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-20A
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-20A
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-16
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-16
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-16
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-52
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-52

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-52
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-75
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-75
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-75
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-80
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-80
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-80
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-20A
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-16
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-52
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-75
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-80
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-134
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-134
Construction Category:	M

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Description:	Spill containment bucket
Tank ID:	EG-134
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-131
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-131
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-131
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-54
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-54
Construction Category:	N
Construction Description:	Flow shut-Off
Tank ID:	EG-54
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-54
Construction Category:	O
Construction Description:	Tight fill
Tank ID:	EG-54
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-54
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-7
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-7
Construction Category:	N
Construction Description:	Flow shut-Off
Tank ID:	EG-7
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-7
Construction Category:	I
Construction Description:	Double wall

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	EG-50
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-50
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-50
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-141
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-141
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-141
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-141
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG121A
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG121A
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG121A
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-150
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-150
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-150
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-150
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-117

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-117
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-117
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-119
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-119
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-119
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-119
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	E85
Construction Category:	A
Construction Description:	Ball check valve
Tank ID:	E85
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	E85
Construction Category:	N
Construction Description:	Flow shut-Off
Tank ID:	E85
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	E85
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG121B
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG121B
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG121B
Construction Category:	I

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Description:	Double wall
Tank ID:	EG-41
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-41
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-41
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-41
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG159
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG159
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG159
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG159
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	CHP-01
Construction Category:	C
Construction Description:	Steel
Tank ID:	CHP-01
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	CHP-01
Construction Category:	N
Construction Description:	Flow shut-Off
Tank ID:	CHP-01
Construction Category:	I
Construction Description:	Double wall
Tank ID:	CHP-01
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG554B
Construction Category:	M
Construction Description:	Spill containment bucket

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	EG554A
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG554A
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG554B
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG554A
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG554B
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG554A
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG554B
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-20B
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-20B
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-20B
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-20B
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-47
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-47
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-47
Construction Category:	G
Construction Description:	Sacrificial anode CP
Tank ID:	EG-47

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Category:	M
Construction Description:	Spill containment bucket
Piping:	
Tank ID:	10
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	10
Piping Category:	G
Piping Description:	Pipe trench liner
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	F
Piping Description:	Double wall
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	I
Piping Description:	Suction piping system
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	J
Piping Description:	Pressurized piping system
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	F
Piping Description:	Double wall
Tank ID:	Not reported
Piping Category:	N
Piping Description:	Approved synthetic material
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	P
Piping Description:	Internal pipe/internal sump riser

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	Not reported
Piping Category:	N
Piping Description:	Approved synthetic material
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	L
Piping Description:	Bulk product system
Tank ID:	Not reported
Piping Category:	L
Piping Description:	Bulk product system
Tank ID:	Not reported
Piping Category:	P
Piping Description:	Internal pipe/internal sump riser
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	N
Piping Description:	Approved synthetic material
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	Y
Piping Description:	Unknown
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Monitoring:	
Tank ID:	10
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	10
Petro Monitoring Category:	L
Monitoring Description:	Automatic tank gauging - USTs
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	10
Petro Monitoring Category:	2
Monitoring Description:	Visual inspect pipe sumps
Tank ID:	10
Petro Monitoring Category:	4
Monitoring Description:	Visual inspect dispenser liners
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	A
Monitoring Description:	Site Suitability Plan
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	G
Monitoring Description:	Electronic line leak detector
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	F

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID: Not reported
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: Q
Monitoring Description: Visual inspection of ASTs

Tank ID: Not reported
Petro Monitoring Category: R
Monitoring Description: Monitor tank bottom space

Tank ID: Not reported
Petro Monitoring Category: 6
Monitoring Description: External piping monitoring

Tank ID: Not reported
Petro Monitoring Category: R
Monitoring Description: Monitor tank bottom space

Tank ID: Not reported
Petro Monitoring Category: 6
Monitoring Description: External piping monitoring

Tank ID: Not reported
Petro Monitoring Category: Q
Monitoring Description: Visual inspection of ASTs

Tank ID: Not reported
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: 6
Monitoring Description: External piping monitoring

Tank ID: Not reported
Petro Monitoring Category: Q
Monitoring Description: Visual inspection of ASTs

Tank ID: Not reported
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: R
Monitoring Description: Monitor tank bottom space

Tank ID: Not reported
Petro Monitoring Category: H
Monitoring Description: Mechanical line leak detector

Tank ID: Not reported
Petro Monitoring Category: 6
Monitoring Description: External piping monitoring

Tank ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: Q
Monitoring Description: Visual inspection of ASTs

Tank ID: Not reported
Petro Monitoring Category: R
Monitoring Description: Monitor tank bottom space

Tank ID: Not reported
Petro Monitoring Category: 6
Monitoring Description: External piping monitoring

Tank ID: Not reported
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: M
Monitoring Description: Manual tank gauging - USTs

Tank ID: Not reported
Petro Monitoring Category: Q
Monitoring Description: Visual inspection of ASTs

Tank ID: Not reported
Petro Monitoring Category: R
Monitoring Description: Monitor tank bottom space

Tank ID: Not reported
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: Q
Monitoring Description: Visual inspection of ASTs

Tank ID: 6

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank Capacity: 1000
Tank Location: UNDERGROUND
Tank Status: A-Closed In Place
Status Date: 11/01/1993
Install Date: 7/1/1968
Substance: G
Content Description: Emerg Generator Diesel
Vessel Indicator: TANK
DEP Contractor: P

Owner:

Owner ID: 22666
Owner Name: UNIVERSITY OF CENTRAL FLORIDA
Owner Address: 3546 S PERSEUS LOOP
Owner Address 2: ENVIRONMENTAL HEALTH & SAFETY
Owner City,State,Zip: Orlando, FL 32816
Owner Contact: AARON YOUNG
Owner Phone: 4078230707

Construction:

Tank ID: E85
Construction Category: C
Construction Description: Steel

Tank ID: 10
Construction Category: F
Construction Description: Fiberglass clad steel

Tank ID: 10
Construction Category: A
Construction Description: Ball check valve

Tank ID: 10
Construction Category: O
Construction Description: Tight fill

Tank ID: 10
Construction Category: M
Construction Description: Spill containment bucket

Tank ID: 10
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: 10
Construction Category: L
Construction Description: Compartmented

Tank ID: 10
Construction Category: R
Construction Description: Double wall - tank jacket

Tank ID: EG-20A
Construction Category: C
Construction Description: Steel

Tank ID: EG-20A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-20A
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-16
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-16
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-16
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-52
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-52
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-52
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-75
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-75
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-75
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-80
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-80
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-80
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-20A
Construction Category:	M

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Description:	Spill containment bucket
Tank ID:	EG-16
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-52
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-75
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-80
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-134
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-134
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-134
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-131
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-131
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-131
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-54
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-54
Construction Category:	N
Construction Description:	Flow shut-Off
Tank ID:	EG-54
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-54
Construction Category:	O
Construction Description:	Tight fill

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	EG-54
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-54
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-7
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-7
Construction Category:	N
Construction Description:	Flow shut-Off
Tank ID:	EG-7
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-7
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-50
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-50
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-50
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-141
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-141
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-141
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-141
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG121A
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG121A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG121A
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-150
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-150
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-150
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-150
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-117
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-117
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-117
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-119
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-119
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-119
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-119
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	E85
Construction Category:	A
Construction Description:	Ball check valve
Tank ID:	E85
Construction Category:	M

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Description:	Spill containment bucket
Tank ID:	E85
Construction Category:	N
Construction Description:	Flow shut-Off
Tank ID:	E85
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	E85
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG121B
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG121B
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG121B
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-41
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-41
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-41
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-41
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG159
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG159
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG159
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG159
Construction Category:	P
Construction Description:	Level gauges/alarms

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID: CHP-01
Construction Category: C
Construction Description: Steel

Tank ID: CHP-01
Construction Category: M
Construction Description: Spill containment bucket

Tank ID: CHP-01
Construction Category: N
Construction Description: Flow shut-Off

Tank ID: CHP-01
Construction Category: I
Construction Description: Double wall

Tank ID: CHP-01
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: EG554B
Construction Category: M
Construction Description: Spill containment bucket

Tank ID: EG554A
Construction Category: I
Construction Description: Double wall

Tank ID: EG554A
Construction Category: C
Construction Description: Steel

Tank ID: EG554B
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: EG554A
Construction Category: M
Construction Description: Spill containment bucket

Tank ID: EG554B
Construction Category: C
Construction Description: Steel

Tank ID: EG554A
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: EG554B
Construction Category: I
Construction Description: Double wall

Tank ID: EG-20B
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: EG-20B

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Category: I
Construction Description: Double wall

Tank ID: EG-20B
Construction Category: C
Construction Description: Steel

Tank ID: EG-20B
Construction Category: M
Construction Description: Spill containment bucket

Tank ID: EG-47
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: EG-47
Construction Category: I
Construction Description: Double wall

Tank ID: EG-47
Construction Category: G
Construction Description: Sacrificial anode CP

Tank ID: EG-47
Construction Category: M
Construction Description: Spill containment bucket

Piping:

Tank ID: 10
Piping Category: B
Piping Description: Steel/galvanized metal

Tank ID: 10
Piping Category: G
Piping Description: Pipe trench liner

Tank ID: Not reported
Piping Category: B
Piping Description: Steel/galvanized metal

Tank ID: Not reported
Piping Category: D
Piping Description: External protective coating

Tank ID: Not reported
Piping Category: A
Piping Description: Abv, no soil contact

Tank ID: Not reported
Piping Category: A
Piping Description: Abv, no soil contact

Tank ID: Not reported
Piping Category: F
Piping Description: Double wall

Tank ID: Not reported

U003974569

[illegible]

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	J
Piping Description:	Pressurized piping system
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	Not reported
Piping Category:	F
Piping Description:	Double wall
Tank ID:	Not reported
Piping Category:	N
Piping Description:	Approved synthetic material
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	P
Piping Description:	Internal pipe/internal sump riser
Tank ID:	Not reported
Piping Category:	N
Piping Description:	Approved synthetic material
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	L
Piping Description:	Bulk product system
Tank ID:	Not reported
Piping Category:	L
Piping Description:	Bulk product system
Tank ID:	Not reported
Piping Category:	P
Piping Description:	Internal pipe/internal sump riser
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	N
Piping Description:	Approved synthetic material
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Piping Category: Y
Piping Description: Unknown

Tank ID: Not reported
Piping Category: B
Piping Description: Steel/galvanized metal

Monitoring:
Tank ID: 10
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: 10
Petro Monitoring Category: L
Monitoring Description: Automatic tank gauging - USTs

Tank ID: Not reported
Petro Monitoring Category: Q
Monitoring Description: Visual inspection of ASTs

Tank ID: Not reported
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: Q
Monitoring Description: Visual inspection of ASTs

Tank ID: Not reported
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: Q
Monitoring Description: Visual inspection of ASTs

Tank ID: Not reported
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: Q
Monitoring Description: Visual inspection of ASTs

Tank ID: Not reported
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: Q
Monitoring Description: Visual inspection of ASTs

Tank ID: 10

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Petro Monitoring Category:	2
Monitoring Description:	Visual inspect pipe sumps
Tank ID:	10
Petro Monitoring Category:	4
Monitoring Description:	Visual inspect dispenser liners
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	A
Monitoring Description:	Site Suitability Plan
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	G
Monitoring Description:	Electronic line leak detector
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	H
Monitoring Description:	Mechanical line leak detector
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	M
Monitoring Description:	Manual tank gauging - USTs
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	7
Tank Capacity:	400
Tank Location:	UNDERGROUND
Tank Status:	B-Removed from Site
Status Date:	04/01/1996
Install Date:	7/1/1980
Substance:	G
Content Description:	Emerg Generator Diesel
Vessel Indicator:	TANK
DEP Contractor:	P
Owner:	
Owner ID:	22666
Owner Name:	UNIVERSITY OF CENTRAL FLORIDA
Owner Address:	3546 S PERSEUS LOOP
Owner Address 2:	ENVIRONMENTAL HEALTH & SAFETY
Owner City,State,Zip:	Orlando, FL 32816
Owner Contact:	AARON YOUNG
Owner Phone:	4078230707
Construction:	
Tank ID:	E85
Construction Category:	C
Construction Description:	Steel
Tank ID:	10
Construction Category:	F
Construction Description:	Fiberglass clad steel
Tank ID:	10
Construction Category:	A
Construction Description:	Ball check valve
Tank ID:	10

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Category:	O
Construction Description:	Tight fill
Tank ID:	10
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	10
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	10
Construction Category:	L
Construction Description:	Compartmented
Tank ID:	10
Construction Category:	R
Construction Description:	Double wall - tank jacket
Tank ID:	EG-20A
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-20A
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-20A
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-16
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-16
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-16
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-52
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-52
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-52
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-75
Construction Category:	C

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Description:	Steel
Tank ID:	EG-75
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-75
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-80
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-80
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-80
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-20A
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-16
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-52
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-75
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-80
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-134
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-134
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-134
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-131
Construction Category:	C
Construction Description:	Steel

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID: EG-131
Construction Category: M
Construction Description: Spill containment bucket

Tank ID: EG-131
Construction Category: I
Construction Description: Double wall

Tank ID: EG-54
Construction Category: C
Construction Description: Steel

Tank ID: EG-54
Construction Category: N
Construction Description: Flow shut-Off

Tank ID: EG-54
Construction Category: M
Construction Description: Spill containment bucket

Tank ID: EG-54
Construction Category: O
Construction Description: Tight fill

Tank ID: EG-54
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: EG-54
Construction Category: I
Construction Description: Double wall

Tank ID: EG-7
Construction Category: C
Construction Description: Steel

Tank ID: EG-7
Construction Category: N
Construction Description: Flow shut-Off

Tank ID: EG-7
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: EG-7
Construction Category: I
Construction Description: Double wall

Tank ID: EG-50
Construction Category: C
Construction Description: Steel

Tank ID: EG-50
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: EG-50

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-141
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-141
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-141
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-141
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG121A
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG121A
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG121A
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-150
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-150
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-150
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-150
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-117
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-117
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-117
Construction Category:	I

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Description:	Double wall
Tank ID:	EG-119
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-119
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-119
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-119
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	E85
Construction Category:	A
Construction Description:	Ball check valve
Tank ID:	E85
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	E85
Construction Category:	N
Construction Description:	Flow shut-Off
Tank ID:	E85
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	E85
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG121B
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG121B
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG121B
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-41
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-41
Construction Category:	M
Construction Description:	Spill containment bucket

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	EG-41
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-41
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG159
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG159
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG159
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG159
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	CHP-01
Construction Category:	C
Construction Description:	Steel
Tank ID:	CHP-01
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	CHP-01
Construction Category:	N
Construction Description:	Flow shut-Off
Tank ID:	CHP-01
Construction Category:	I
Construction Description:	Double wall
Tank ID:	CHP-01
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG554B
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG554A
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG554A
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG554B

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: EG554A
Construction Category: M
Construction Description: Spill containment bucket

Tank ID: EG554B
Construction Category: C
Construction Description: Steel

Tank ID: EG554A
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: EG554B
Construction Category: I
Construction Description: Double wall

Tank ID: EG-20B
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: EG-20B
Construction Category: I
Construction Description: Double wall

Tank ID: EG-20B
Construction Category: C
Construction Description: Steel

Tank ID: EG-20B
Construction Category: M
Construction Description: Spill containment bucket

Tank ID: EG-47
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: EG-47
Construction Category: I
Construction Description: Double wall

Tank ID: EG-47
Construction Category: G
Construction Description: Sacrificial anode CP

Tank ID: EG-47
Construction Category: M
Construction Description: Spill containment bucket

Piping:
Tank ID: 10
Piping Category: B
Piping Description: Steel/galvanized metal

Tank ID: 10

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Piping Category:	G
Piping Description:	Pipe trench liner
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	F
Piping Description:	Double wall
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	I
Piping Description:	Suction piping system
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	J
Piping Description:	Pressurized piping system
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	F
Piping Description:	Double wall
Tank ID:	Not reported
Piping Category:	N
Piping Description:	Approved synthetic material
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	P
Piping Description:	Internal pipe/internal sump riser
Tank ID:	Not reported
Piping Category:	N
Piping Description:	Approved synthetic material
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Piping Category:	L
Piping Description:	Bulk product system
Tank ID:	Not reported
Piping Category:	L
Piping Description:	Bulk product system
Tank ID:	Not reported
Piping Category:	P
Piping Description:	Internal pipe/internal sump riser
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	N
Piping Description:	Approved synthetic material
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	Y
Piping Description:	Unknown
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Monitoring:	
Tank ID:	10
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	10
Petro Monitoring Category:	L
Monitoring Description:	Automatic tank gauging - USTs
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: Q
Monitoring Description: Visual inspection of ASTs

Tank ID: Not reported
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: Q
Monitoring Description: Visual inspection of ASTs

Tank ID: Not reported
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: Q
Monitoring Description: Visual inspection of ASTs

Tank ID: 10
Petro Monitoring Category: 2
Monitoring Description: Visual inspect pipe sumps

Tank ID: 10
Petro Monitoring Category: 4
Monitoring Description: Visual inspect dispenser liners

Tank ID: Not reported
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: Q
Monitoring Description: Visual inspection of ASTs

Tank ID: Not reported
Petro Monitoring Category: R
Monitoring Description: Monitor tank bottom space

Tank ID: Not reported
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: Q
Monitoring Description: Visual inspection of ASTs

Tank ID: Not reported
Petro Monitoring Category: R
Monitoring Description: Monitor tank bottom space

Tank ID: Not reported
Petro Monitoring Category: F

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	A
Monitoring Description:	Site Suitability Plan
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	G
Monitoring Description:	Electronic line leak detector
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	H
Monitoring Description:	Mechanical line leak detector
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	M
Monitoring Description:	Manual tank gauging - USTs
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	8
Tank Capacity:	400
Tank Location:	UNDERGROUND
Tank Status:	B-Removed from Site
Status Date:	08/01/1996
Install Date:	7/1/1980
Substance:	G
Content Description:	Emerg Generator Diesel
Vessel Indicator:	TANK
DEP Contractor:	P

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Owner:

Owner ID: 22666
Owner Name: UNIVERSITY OF CENTRAL FLORIDA
Owner Address: 3546 S PERSEUS LOOP
Owner Address 2: ENVIRONMENTAL HEALTH & SAFETY
Owner City,State,Zip: Orlando, FL 32816
Owner Contact: AARON YOUNG
Owner Phone: 4078230707

Construction:

Tank ID: E85
Construction Category: C
Construction Description: Steel

Tank ID: 10
Construction Category: F
Construction Description: Fiberglass clad steel

Tank ID: 10
Construction Category: A
Construction Description: Ball check valve

Tank ID: 10
Construction Category: O
Construction Description: Tight fill

Tank ID: 10
Construction Category: M
Construction Description: Spill containment bucket

Tank ID: 10
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: 10
Construction Category: L
Construction Description: Compartmented

Tank ID: 10
Construction Category: R
Construction Description: Double wall - tank jacket

Tank ID: EG-20A
Construction Category: C
Construction Description: Steel

Tank ID: EG-20A
Construction Category: I
Construction Description: Double wall

Tank ID: EG-20A
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: EG-16
Construction Category: C

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Description:	Steel
Tank ID:	EG-16
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-16
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-52
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-52
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-52
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-75
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-75
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-75
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-80
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-80
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-80
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-20A
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-16
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-52
Construction Category:	M
Construction Description:	Spill containment bucket

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	EG-75
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-80
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-134
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-134
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-134
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-131
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-131
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-131
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-54
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-54
Construction Category:	N
Construction Description:	Flow shut-Off
Tank ID:	EG-54
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-54
Construction Category:	O
Construction Description:	Tight fill
Tank ID:	EG-54
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-54
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-7

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-7
Construction Category:	N
Construction Description:	Flow shut-Off
Tank ID:	EG-7
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-7
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-50
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-50
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-50
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-141
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-141
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-141
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-141
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG121A
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG121A
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG121A
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-150
Construction Category:	C

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Description:	Steel
Tank ID:	EG-150
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-150
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-150
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-117
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-117
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-117
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-119
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-119
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-119
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-119
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	E85
Construction Category:	A
Construction Description:	Ball check valve
Tank ID:	E85
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	E85
Construction Category:	N
Construction Description:	Flow shut-Off
Tank ID:	E85
Construction Category:	P
Construction Description:	Level gauges/alarms

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	E85
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG121B
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG121B
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG121B
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-41
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-41
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-41
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-41
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG159
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG159
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG159
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG159
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	CHP-01
Construction Category:	C
Construction Description:	Steel
Tank ID:	CHP-01
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	CHP-01

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Category:	N
Construction Description:	Flow shut-Off
Tank ID:	CHP-01
Construction Category:	I
Construction Description:	Double wall
Tank ID:	CHP-01
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG554B
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG554A
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG554A
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG554B
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG554A
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG554B
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG554A
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG554B
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-20B
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-20B
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-20B
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-20B
Construction Category:	M

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Description: Spill containment bucket

Tank ID: EG-47

Construction Category: P

Construction Description: Level gauges/alarms

Tank ID: EG-47

Construction Category: I

Construction Description: Double wall

Tank ID: EG-47

Construction Category: G

Construction Description: Sacrificial anode CP

Tank ID: EG-47

Construction Category: M

Construction Description: Spill containment bucket

Piping:

Tank ID: 10

Piping Category: B

Piping Description: Steel/galvanized metal

Tank ID: 10

Piping Category: G

Piping Description: Pipe trench liner

Tank ID: Not reported

Piping Category: B

Piping Description: Steel/galvanized metal

Tank ID: Not reported

Piping Category: D

Piping Description: External protective coating

Tank ID: Not reported

Piping Category: A

Piping Description: Abv, no soil contact

Tank ID: Not reported

Piping Category: A

Piping Description: Abv, no soil contact

Tank ID: Not reported

Piping Category: F

Piping Description: Double wall

Tank ID: Not reported

Piping Category: A

Piping Description: Abv, no soil contact

Tank ID: Not reported

Piping Category: A

Piping Description: Abv, no soil contact

Tank ID: Not reported

Piping Category: I

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Piping Description:	Suction piping system
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	J
Piping Description:	Pressurized piping system
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	F
Piping Description:	Double wall
Tank ID:	Not reported
Piping Category:	N
Piping Description:	Approved synthetic material
Tank ID:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	P
Piping Description:	Internal pipe/internal sump riser
Tank ID:	Not reported
Piping Category:	N
Piping Description:	Approved synthetic material
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	L
Piping Description:	Bulk product system
Tank ID:	Not reported
Piping Category:	L
Piping Description:	Bulk product system
Tank ID:	Not reported
Piping Category:	P
Piping Description:	Internal pipe/internal sump riser
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	N
Piping Description:	Approved synthetic material
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	Y
Piping Description:	Unknown
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal

Monitoring:
Tank ID: 10

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	10
Petro Monitoring Category:	L
Monitoring Description:	Automatic tank gauging - USTs
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	10
Petro Monitoring Category:	2
Monitoring Description:	Visual inspect pipe sumps
Tank ID:	10
Petro Monitoring Category:	4
Monitoring Description:	Visual inspect dispenser liners
Tank ID:	Not reported
Petro Monitoring Category:	F

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	A
Monitoring Description:	Site Suitability Plan
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	G
Monitoring Description:	Electronic line leak detector
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	H
Monitoring Description:	Mechanical line leak detector
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	M
Monitoring Description:	Manual tank gauging - USTs
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID: Not reported
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: Q
Monitoring Description: Visual inspection of ASTs

Tank ID: 9
Tank Capacity: 600
Tank Location: UNDERGROUND
Tank Status: A-Closed In Place
Status Date: 04/01/1996
Install Date: 7/1/1977
Substance: G
Content Description: Emerg Generator Diesel
Vessel Indicator: TANK
DEP Contractor: P

Owner:

Owner ID: 22666
Owner Name: UNIVERSITY OF CENTRAL FLORIDA
Owner Address: 3546 S PERSEUS LOOP
Owner Address 2: ENVIRONMENTAL HEALTH & SAFETY
Owner City,State,Zip: Orlando, FL 32816
Owner Contact: AARON YOUNG
Owner Phone: 4078230707

Construction:

Tank ID: E85
Construction Category: C
Construction Description: Steel

Tank ID: 10
Construction Category: F
Construction Description: Fiberglass clad steel

Tank ID: 10
Construction Category: A
Construction Description: Ball check valve

Tank ID: 10
Construction Category: O
Construction Description: Tight fill

Tank ID: 10
Construction Category: M
Construction Description: Spill containment bucket

Tank ID: 10
Construction Category: P
Construction Description: Level gauges/alarms

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	10
Construction Category:	L
Construction Description:	Compartmented
Tank ID:	10
Construction Category:	R
Construction Description:	Double wall - tank jacket
Tank ID:	EG-20A
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-20A
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-20A
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-16
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-16
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-16
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-52
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-52
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-52
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-75
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-75
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-75
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-80

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-80
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-80
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-20A
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-16
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-52
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-75
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-80
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-134
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-134
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-134
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-131
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-131
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-131
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-54
Construction Category:	C

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Description:	Steel
Tank ID:	EG-54
Construction Category:	N
Construction Description:	Flow shut-Off
Tank ID:	EG-54
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-54
Construction Category:	O
Construction Description:	Tight fill
Tank ID:	EG-54
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-54
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-7
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-7
Construction Category:	N
Construction Description:	Flow shut-Off
Tank ID:	EG-7
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-7
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-50
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-50
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-50
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-141
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-141
Construction Category:	M
Construction Description:	Spill containment bucket

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID: EG-141
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: EG-141
Construction Category: I
Construction Description: Double wall

Tank ID: EG121A
Construction Category: C
Construction Description: Steel

Tank ID: EG121A
Construction Category: M
Construction Description: Spill containment bucket

Tank ID: EG121A
Construction Category: I
Construction Description: Double wall

Tank ID: EG-150
Construction Category: C
Construction Description: Steel

Tank ID: EG-150
Construction Category: M
Construction Description: Spill containment bucket

Tank ID: EG-150
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: EG-150
Construction Category: I
Construction Description: Double wall

Tank ID: EG-117
Construction Category: C
Construction Description: Steel

Tank ID: EG-117
Construction Category: M
Construction Description: Spill containment bucket

Tank ID: EG-117
Construction Category: I
Construction Description: Double wall

Tank ID: EG-119
Construction Category: C
Construction Description: Steel

Tank ID: EG-119
Construction Category: I
Construction Description: Double wall

Tank ID: EG-119

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-119
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	E85
Construction Category:	A
Construction Description:	Ball check valve
Tank ID:	E85
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	E85
Construction Category:	N
Construction Description:	Flow shut-Off
Tank ID:	E85
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	E85
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG121B
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG121B
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG121B
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-41
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-41
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-41
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-41
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG159
Construction Category:	C

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Description:	Steel
Tank ID:	EG159
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG159
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG159
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	CHP-01
Construction Category:	C
Construction Description:	Steel
Tank ID:	CHP-01
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	CHP-01
Construction Category:	N
Construction Description:	Flow shut-Off
Tank ID:	CHP-01
Construction Category:	I
Construction Description:	Double wall
Tank ID:	CHP-01
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG554B
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG554A
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG554A
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG554B
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG554A
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG554B
Construction Category:	C
Construction Description:	Steel

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID: EG554A
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: EG554B
Construction Category: I
Construction Description: Double wall

Tank ID: EG-20B
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: EG-20B
Construction Category: I
Construction Description: Double wall

Tank ID: EG-20B
Construction Category: C
Construction Description: Steel

Tank ID: EG-20B
Construction Category: M
Construction Description: Spill containment bucket

Tank ID: EG-47
Construction Category: P
Construction Description: Level gauges/alarms

Tank ID: EG-47
Construction Category: I
Construction Description: Double wall

Tank ID: EG-47
Construction Category: G
Construction Description: Sacrificial anode CP

Tank ID: EG-47
Construction Category: M
Construction Description: Spill containment bucket

Piping:
Tank ID: 10
Piping Category: B
Piping Description: Steel/galvanized metal

Tank ID: 10
Piping Category: G
Piping Description: Pipe trench liner

Tank ID: Not reported
Piping Category: B
Piping Description: Steel/galvanized metal

Tank ID: Not reported
Piping Category: D
Piping Description: External protective coating

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	F
Piping Description:	Double wall
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	I
Piping Description:	Suction piping system
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	J
Piping Description:	Pressurized piping system
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	F
Piping Description:	Double wall
Tank ID:	Not reported
Piping Category:	N
Piping Description:	Approved synthetic material
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	P
Piping Description:	Internal pipe/internal sump riser
Tank ID:	Not reported
Piping Category:	N
Piping Description:	Approved synthetic material
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	L
Piping Description:	Bulk product system
Tank ID:	Not reported
Piping Category:	L
Piping Description:	Bulk product system
Tank ID:	Not reported
Piping Category:	P
Piping Description:	Internal pipe/internal sump riser

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	N
Piping Description:	Approved synthetic material
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	Y
Piping Description:	Unknown
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal

Monitoring:	
Tank ID:	10
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	10
Petro Monitoring Category:	L
Monitoring Description:	Automatic tank gauging - USTs
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	10
Petro Monitoring Category:	2
Monitoring Description:	Visual inspect pipe sumps
Tank ID:	10
Petro Monitoring Category:	4
Monitoring Description:	Visual inspect dispenser liners
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	A
Monitoring Description:	Site Suitability Plan
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Petro Monitoring Category:	G
Monitoring Description:	Electronic line leak detector
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	H
Monitoring Description:	Mechanical line leak detector
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: M
Monitoring Description: Manual tank gauging - USTs

Tank ID: Not reported
Petro Monitoring Category: Q
Monitoring Description: Visual inspection of ASTs

Tank ID: Not reported
Petro Monitoring Category: R
Monitoring Description: Monitor tank bottom space

Tank ID: Not reported
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: Q
Monitoring Description: Visual inspection of ASTs

Tank ID: 2
Tank Capacity: 1000
Tank Location: UNDERGROUND
Tank Status: B-Removed from Site
Status Date: 09/01/1994
Install Date: 7/1/1976
Substance: A
Content Description: Leaded Gas
Vessel Indicator: TANK
DEP Contractor: P

Owner:

Owner ID: 22666
Owner Name: UNIVERSITY OF CENTRAL FLORIDA
Owner Address: 3546 S PERSEUS LOOP
Owner Address 2: ENVIRONMENTAL HEALTH & SAFETY
Owner City,State,Zip: Orlando, FL 32816
Owner Contact: AARON YOUNG
Owner Phone: 4078230707

Construction:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	E85
Construction Category:	C
Construction Description:	Steel
Tank ID:	10
Construction Category:	F
Construction Description:	Fiberglass clad steel
Tank ID:	10
Construction Category:	A
Construction Description:	Ball check valve
Tank ID:	10
Construction Category:	O
Construction Description:	Tight fill
Tank ID:	10
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	10
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	10
Construction Category:	L
Construction Description:	Compartmented
Tank ID:	10
Construction Category:	R
Construction Description:	Double wall - tank jacket
Tank ID:	EG-20A
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-20A
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-20A
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-16
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-16
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-16
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-52

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-52
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-52
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-75
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-75
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-75
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-80
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-80
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-80
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-20A
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-16
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-52
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-75
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-80
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-134
Construction Category:	C

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Description:	Steel
Tank ID:	EG-134
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-134
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-131
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-131
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-131
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-54
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-54
Construction Category:	N
Construction Description:	Flow shut-Off
Tank ID:	EG-54
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-54
Construction Category:	O
Construction Description:	Tight fill
Tank ID:	EG-54
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-54
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-7
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-7
Construction Category:	N
Construction Description:	Flow shut-Off
Tank ID:	EG-7
Construction Category:	P
Construction Description:	Level gauges/alarms

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	EG-7
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-50
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-50
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-50
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-141
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-141
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-141
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-141
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG121A
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG121A
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG121A
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-150
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-150
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-150
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-150

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-117
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-117
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-117
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-119
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-119
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-119
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-119
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	E85
Construction Category:	A
Construction Description:	Ball check valve
Tank ID:	E85
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	E85
Construction Category:	N
Construction Description:	Flow shut-Off
Tank ID:	E85
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	E85
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG121B
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG121B
Construction Category:	M

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Description:	Spill containment bucket
Tank ID:	EG121B
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-41
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-41
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-41
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-41
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG159
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG159
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG159
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG159
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	CHP-01
Construction Category:	C
Construction Description:	Steel
Tank ID:	CHP-01
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	CHP-01
Construction Category:	N
Construction Description:	Flow shut-Off
Tank ID:	CHP-01
Construction Category:	I
Construction Description:	Double wall
Tank ID:	CHP-01
Construction Category:	P
Construction Description:	Level gauges/alarms

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	EG554B
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG554A
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG554A
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG554B
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG554A
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG554B
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG554A
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG554B
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-20B
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-20B
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-20B
Construction Category:	C
Construction Description:	Steel
Tank ID:	EG-20B
Construction Category:	M
Construction Description:	Spill containment bucket
Tank ID:	EG-47
Construction Category:	P
Construction Description:	Level gauges/alarms
Tank ID:	EG-47
Construction Category:	I
Construction Description:	Double wall
Tank ID:	EG-47

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Construction Category: G
Construction Description: Sacrificial anode CP

Tank ID: EG-47
Construction Category: M
Construction Description: Spill containment bucket

Piping:
Tank ID: 10
Piping Category: B
Piping Description: Steel/galvanized metal

Tank ID: 10
Piping Category: G
Piping Description: Pipe trench liner

Tank ID: Not reported
Piping Category: B
Piping Description: Steel/galvanized metal

Tank ID: Not reported
Piping Category: D
Piping Description: External protective coating

Tank ID: Not reported
Piping Category: A
Piping Description: Abv, no soil contact

Tank ID: Not reported
Piping Category: A
Piping Description: Abv, no soil contact

Tank ID: Not reported
Piping Category: F
Piping Description: Double wall

Tank ID: Not reported
Piping Category: A
Piping Description: Abv, no soil contact

Tank ID: Not reported
Piping Category: A
Piping Description: Abv, no soil contact

Tank ID: Not reported
Piping Category: I
Piping Description: Suction piping system

Tank ID: Not reported
Piping Category: B
Piping Description: Steel/galvanized metal

Tank ID: Not reported
Piping Category: D
Piping Description: External protective coating

Tank ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	J
Piping Description:	Pressurized piping system
Tank ID:	Not reported
Piping Category:	A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	F
Piping Description:	Double wall
Tank ID:	Not reported
Piping Category:	N
Piping Description:	Approved synthetic material
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating
Tank ID:	Not reported
Piping Category:	D
Piping Description:	External protective coating

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	Not reported
Piping Category:	P
Piping Description:	Internal pipe/internal sump riser
Tank ID:	Not reported
Piping Category:	N
Piping Description:	Approved synthetic material
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	L
Piping Description:	Bulk product system
Tank ID:	Not reported
Piping Category:	L
Piping Description:	Bulk product system
Tank ID:	Not reported
Piping Category:	P
Piping Description:	Internal pipe/internal sump riser
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	N
Piping Description:	Approved synthetic material
Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact
Tank ID:	Not reported
Piping Category:	Y
Piping Description:	Unknown
Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal
Monitoring:	
Tank ID:	10
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	10
Petro Monitoring Category:	L
Monitoring Description:	Automatic tank gauging - USTs
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	10
Petro Monitoring Category:	2
Monitoring Description:	Visual inspect pipe sumps
Tank ID:	10
Petro Monitoring Category:	4
Monitoring Description:	Visual inspect dispenser liners
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	A
Monitoring Description:	Site Suitability Plan
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	G
Monitoring Description:	Electronic line leak detector
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	H
Monitoring Description:	Mechanical line leak detector
Tank ID:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	6
Monitoring Description:	External piping monitoring
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	M
Monitoring Description:	Manual tank gauging - USTs
Tank ID:	Not reported
Petro Monitoring Category:	Q
Monitoring Description:	Visual inspection of ASTs
Tank ID:	Not reported
Petro Monitoring Category:	R
Monitoring Description:	Monitor tank bottom space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	F
Monitoring Description:	Monitor dbl wall tank space
Tank ID:	Not reported
Petro Monitoring Category:	Q

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNIV OF CENTRAL FL (Continued)

U003974569

Monitoring Description:

Visual inspection of ASTs

[Click here for Florida Oculus:](#)

FL Financial Assurance 3:

Name: UNIV OF CENTRAL FL
Address: 4000 CENTRAL FLORIDA BLVD
City,State,Zip: ORLANDO, FL 32816
Region: 3
Facility ID: 8622599
Facility Phone: 4078230707
Facility Status: OPEN
Facility Type: G
Type Description: State Government
DEP CO: P
Financial Responsibility: EXEMPT-STATE OR FEDERAL GOVERNMENT ENTITY
Insurance Company: Not reported
Effective Date: 06/05/2006
Expire Date: 06/06/2050
Owner ID: 22666
Owner Name: UNIVERSITY OF CENTRAL FLORIDA
Owner Address: 3546 S PERSEUS LOOP
Owner Address2: ENVIRONMENTAL HEALTH & SAFETY
Owner City,St,Zip: Orlando, FL 32816
Contact: AARON YOUNG
Resp Party Phone: 4078230707

Name: UNIV OF CENTRAL FL
Address: 4000 CENTRAL FLORIDA BLVD
City,State,Zip: ORLANDO, FL 32816
Region: 3
Facility ID: 8622599
Facility Phone: 4078230707
Facility Status: OPEN
Facility Type: G
Type Description: State Government
DEP CO: P
Financial Responsibility: EXEMPT-STATE OR FEDERAL GOVERNMENT ENTITY
Insurance Company: Not reported
Effective Date: Not reported
Expire Date: Not reported
Owner ID: 22666
Owner Name: UNIVERSITY OF CENTRAL FLORIDA
Owner Address: 3546 S PERSEUS LOOP
Owner Address2: ENVIRONMENTAL HEALTH & SAFETY
Owner City,St,Zip: Orlando, FL 32816
Contact: AARON YOUNG
Resp Party Phone: 4078230707

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

G27
ESE
1/4-1/2
0.265 mi.
1401 ft.
UCF - CHEMISTRY BUILDING SE10540
4000 CENTRAL FLORIDA BLVD.
ORLANDO, FL 32816
Site 2 of 2 in cluster G

ASBESTOS
DWM CONTAM
S123108787
N/A

Relative:
Lower

Actual:
76 ft.

ASBESTOS:

Name:	UCF - HEAT PLANT SE10900
Address:	4000 CENTRAL FLORIDA BLVD.
City,State,Zip:	ORLANDO, FL 32816
Facility ID:	AS09505430
Notification ID:	112197
Notification Type:	ORIGINAL
Project Type:	RENOVATION
Notification Status:	REVIEWED
Site Name:	BLDG. 3 - PLANT
Ordered Demolition?:	Not reported
Annual Notification:	Not reported
Owner Name:	UNIVERSITY OF CENTRAL FLORIDA
Contractor Name:	SIMPSON ENVIRONMENTAL SERVICES, LLC
Start Date:	07/19/2021
Finish Date:	07/30/2021
Cementitious RACM:	Not reported
Cementitious SF:	0
Floor RACM:	Not reported
Floor SF:	0
Pipe RACM:	Not reported
Pipe SF:	0
CF RACM:	0
Roof RACM:	Not reported
Roof SF:	0
Surface Mat RACM:	Not reported
Surface Mat SF:	0
Waste Disposal Site:	ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)
Waste Disposal Address:	41111 ENTERPRISE ROAD
Waste Disposal City:	DADE CITY
Waste Disposal State:	FL
Waste Disposal Zip:	33525
Transporter Name:	Not reported
Contractor is Transporter:	Not reported
Waste Disp ID:	87895
Waste Disp Source:	W
Transporter Address:	Not reported
Transporter City:	Not reported
Transporter State:	Not reported
Transporter Zip:	Not reported
Date Receive:	07/01/2021
Name:	UCF
Address:	4000 CENTRAL FLORIDA BLVD
City,State,Zip:	ORLANDO, FL 32816
Facility ID:	AS09504908
Notification ID:	99843
Notification Type:	ORIGINAL
Project Type:	DEMOLITION
Notification Status:	REVIEWED
Site Name:	BUILDING 18 COULBOURN HALL
Ordered Demolition?:	N
Annual Notification:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UCF - CHEMISTRY BUILDING SE10540 (Continued)

S123108787

Owner Name:	UNIVERSITY OF CENTRAL FLORIDA
Contractor Name:	PECE OF MIND ENVIROMENTAL, INC
Start Date:	11/26/2018
Finish Date:	12/07/2018
Cementitious RACM:	Not reported
Cementitious SF:	0
Floor RACM:	Not reported
Floor SF:	0
Pipe RACM:	Not reported
Pipe SF:	0
CF RACM:	0
Roof RACM:	Not reported
Roof SF:	0
Surface Mat RACM:	Not reported
Surface Mat SF:	0
Waste Disposal Site:	ORANGE COUNTY LF
Waste Disposal Address:	12100 YOUNG PINE RD
Waste Disposal City:	ORLANDO
Waste Disposal State:	FL
Waste Disposal Zip:	32829-7501
Transporter Name:	Not reported
Contractor is Transporter:	Not reported
Waste Disp ID:	21847
Waste Disp Source:	W
Transporter Address:	Not reported
Transporter City:	Not reported
Transporter State:	Not reported
Transporter Zip:	Not reported
Date Receive:	11/08/2018
Name:	UCF - CHEMISTRY BUILDING SE10540
Address:	4000 CENTRAL FLORIDA BLVD.
City,State,Zip:	ORLANDO, FL 32816
Facility ID:	AS09505299
Notification ID:	109142
Notification Type:	ORIGINAL
Project Type:	RENOVATION
Notification Status:	REVIEWED
Site Name:	MILLICAN HALL, ROOM 229
Ordered Demolition?:	Not reported
Annual Notification:	Not reported
Owner Name:	UNIVERSITY OF CENTRAL FLORIDA
Contractor Name:	SIMPSON ENVIRONMENTAL SERVICES, LLC
Start Date:	11/18/2020
Finish Date:	11/30/2020
Cementitious RACM:	Not reported
Cementitious SF:	0
Floor RACM:	Not reported
Floor SF:	0
Pipe RACM:	Not reported
Pipe SF:	200
CF RACM:	0
Roof RACM:	Not reported
Roof SF:	0
Surface Mat RACM:	Not reported
Surface Mat SF:	0
Waste Disposal Site:	ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UCF - CHEMISTRY BUILDING SE10540 (Continued)

S123108787

Waste Disposal Address: 41111 ENTERPRISE ROAD
Waste Disposal City: DADE CITY
Waste Disposal State: FL
Waste Disposal Zip: 33525
Transporter Name: Not reported
Contractor is Transporter: Not reported
Waste Disp ID: 87895
Waste Disp Source: W
Transporter Address: Not reported
Transporter City: Not reported
Transporter State: Not reported
Transporter Zip: Not reported
Date Receive: 11/04/2020

DWM CONTAM:

Name: UNIV OF CENTRAL FL
Address: 4000 CENTRAL FLORIDA BLVD
City,State,Zip: ORLANDO, FL
Program Site Id: 8622599
Lat DD: 28
Lat MM: 35
Lat SS: 55.36
Long DD: 81
Long MM: 11
Long SS: 50.15
Office/ District: CD
Program Area: PETROLEUM
Priority Score: Not reported
Datum: 0
Method: DPHO
Facility Status: CLOSED-STCM
Facility Type: Not reported
Score Effective Date: Not reported
Score When Ranked: Not reported
Rank: Not reported
Operator: Not reported
Phone: Not reported
Name Changed: Not reported
Addr Changed: Not reported
Related Party ID: Not reported
Primary RP Role: Not reported
RP Begin Date: Not reported
RP Name: Not reported
RP Address1: Not reported
RP Address2: Not reported
RP City: Not reported
RP State: Not reported
RP Zip5: Not reported
RP Zip4: Not reported
Contact: Not reported
RP Phone: Not reported
RP Extension: Not reported
Site Manager: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

H28
NW
1/4-1/2
0.392 mi.
2071 ft.

SIEMENS ENERGY INC
11950 CORPORATE BLVD
ORLANDO, FL 0

UST FINDER RELEASE

1028960874
N/A

Site 1 of 2 in cluster H

Relative:
Lower

UST FINDER RELEASE:

Actual:
71 ft.

Object ID: 113225
Facility ID: FL9803631
Lust ID: FL127
Name: SIEMENS ENERGY INC
Address: 11950 CORPORATE BLVD
City,State,Zip: ORLANDO, FL 0
Address Match Type: Not reported
Reported Date: 1515013200000
Status: Open
Substance: Not reported
Population within 1500ft: 1145
Domestic Wells within 1500ft: 36
Land Use: Developed, Medium Intensity
Within SPA: Yes
SPA PWS Facility ID: Not reported
SPA Water Type: Not reported
SPA Facility Type: Not reported
SPA HUC12: Not reported
Within WHPA: No
WHPA PWS Facility ID: FL3590988_76797518
WHPA Water Type: GW - Ground water
WHPA Facility Type: WL - Well
WHPA HUC12: 030801011007
Within 100yr Floodplain: No
Tribe: Not reported
EPA Region: 4
NFA Letter 1: Not reported
NFA Letter 2: Not reported
NFA Letter 3: Not reported
NFA Letter 4: Not reported
Closed With Residual Contaminate: Not reported
Coordinate Source: State
X Coord: -9040534.146
Y Coord: 3325712.7927
Latitude: 28.60694
Longitude: -81.2125

H29
NW
1/4-1/2
0.392 mi.
2071 ft.

SCG 11950 CORPORATE BLVD LLC
11950 CORPORATE BLVD
ORLANDO, FL 32817

Site 2 of 2 in cluster H

Relative:
Lower

LUST:

Actual:
71 ft.

Name: SCG 11950 CORPORATE BLVD LLC
Address: 11950 CORPORATE BLVD
City,State,Zip: ORLANDO, FL 32817
Region: STATE
Facility Id: 9803631
Facility Status: OPEN
Facility Type: C - Fuel user/Non-retail

LUST
AST
SPILLS
DWM CONTAM
Financial Assurance
TIER 2
NPDES

S107936655
N/A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SCG 11950 CORPORATE BLVD LLC (Continued)

S107936655

Facility Phone: (407)257-1520
Facility Cleanup Rank: Not reported
District: Central District
Lat/Long (dms): 28 36 25 / 81 12 45
Section: Not reported
Township: Not reported
Range: Not reported
Feature: Not reported
Method: AGPS
Datum: Not reported
Score: Not reported
Score Effective Date: Not reported
Score When Ranked: Not reported
Operator: WENDY WILLIFORD
Name Update: 2025-07-14 00:00:00
Address Update: 2011-07-07 00:00:00

Petroleum Cleanup PCT Facility Score:

Facility Cleanup Status: CMPL - COMPLETED
Contact: WENDY WILLIFORD
Contact Company: SCG 11950 CORPORATE BLVD LLC
Contact Address: 200 S ORANGE AVE ,SU#2100
Contact City/State/Zip: ORLANDO, FL 32801
Phone: (407)257-1520
Bad Address Ind: N
State: FL
Zip: 32817, 1488
Score: Not reported
Score Effective Date: Not reported
Related Party ID: 86370
Primary RP Role: ACCOUNT OWNER
RP Begin Date: 2025-01-01
RP Zip: Not reported
RP Extension: Not reported

Discharge Cleanup Summary:

Discharge Date: 1/3/2018
PCT Discharge Combined: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: SRCR - SRCR COMPLETE
Disch Cleanup Status Date: 3/14/2022
Cleanup Work Status: COMPLETED
Information Source: D - DISCHARGE NOTIFICATION
Other Source Description: Not reported
Eligibility Indicator: I - INELIGIBLE
Site Manager: HEAVISIDE_C
Site Mgr End Date: 5/2/2022
Tank Office: PCLP48 - ORANGE COUNTY ENVIRONMENTAL PROTECTION DIV

Contaminated Media:

Discharge Date: 1/3/2018
Pct Discharge Combined With: Not reported
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: SRCR - SRCR COMPLETE
Disch Cleanup Status Date: 3/14/2022
Cleanup Work Status: COMPLETED
Information Source: D - DISCHARGE NOTIFICATION
Other Source Description: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SCG 11950 CORPORATE BLVD LLC (Continued)

S107936655

Elig Indicator: I - INELIGIBLE
Site Manager: HEAVISIDE_C
Site Mgr End Date: 5/2/2022
Tank Office: PCLP48 - ORANGE COUNTY ENVIRON
Contaminated Drinking Wells: Not reported
Contaminated Monitoring Well: No
Contaminated Soil: Yes
Contaminated Surface Water: No
Contaminated Ground Water: No
Pollutant: G - Emerg Generator Diesel
Pollutant Other Description: Not reported
Gallons Discharged: Not reported

Task Information:

District: CD
Facility ID: 9803631
Facility Status: OPEN
Facility Type: C - Fuel user/Non-retail -
County: ORANGE
County ID: 48
Cleanup Eligibility Status: I
Source Effective Date: Not reported
Discharge Date: 01-03-2018
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: SA - SA ONGOING
Disch Cleanup Status Date: 07-20-2018
SRC Action Type: Not reported
SRC Submit Date: Not reported
SRC Review Date: Not reported
SRC Completion Status: Not reported
SRC Issue Date: Not reported
SRC Comment: Not reported
Cleanup Work Status: ACTIVE
Site Mgr: VOLPE_NI
Site Mgr End Date: Not reported
Tank Office: PCLP48 - Orange County
SR Task ID: Not reported
SR Cleanup Responsible: Not reported
SR Funding Eligibility Type: Not reported
SR Actual Cost: Not reported
SR Completion Date: Not reported
SR Payment Date: Not reported
SR Oral Date: Not reported
SR Written Date: Not reported
SR Soil Removal: Not reported
SR Free Product Removal: Not reported
SR Soil Tonnage Removed: Not reported
SR Soil Treatment: Not reported
SR Other Treatment: Not reported
SR Alternate Proc Received Date: Not reported
SR Alternate Procedure Status: Not reported
SR Alternate Procedure Status Date: Not reported
SR Alternate Procedure Comments: Not reported
SA Task ID: 95438
SA Cleanup Responsible: Not reported
SA Funding Eligibility Type: Not reported
SA Actual Cost: Not reported
SA Completion Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SCG 11950 CORPORATE BLVD LLC (Continued)

S107936655

SA Payment Date:	Not reported
RAP Task ID:	Not reported
RAP Cleanup Responsible ID:	Not reported
RAP Funding Eligibility Type:	Not reported
RAP Actual Cost:	Not reported
RAP Completion Date:	Not reported
RAP Payment Date:	Not reported
RAP Last Order Approved:	Not reported
RA Task ID:	Not reported
RA Cleanup Responsible:	Not reported
RA Funding Eligibility Type:	Not reported
RA Years to Complete:	Not reported
RA Actual Cost:	Not reported

[Click here for Florida Oculus:](#)

AST:

Facility ID:	9803631
Name:	SCG 11950 CORPORATE BLVD LLC
Address:	11950 CORPORATE BLVD
City,State,Zip:	ORLANDO, FL 32817
Facility Phone:	4072571520
Facility Status:	OPEN
Facility Type:	C
Type Description:	Fuel user/Non-retail
Depco:	P
Region:	STATE
Positioning Method:	AGPS
Latitude/Longitude:	28 36 25 / 81 12 45

Tank:

Tank ID:	Not reported
Tank Capacity:	1600
Tank Location:	ABOVEGROUND
Tank Status:	U-In Service
Status Date:	06/01/2012
Install Date:	12/1/2000
Substance:	G
Content Description:	Emerg Generator Diesel
Vessel Indicator:	TANK
DEP Contractor:	P

Piping:

Tank ID:	Not reported
Piping Category:	A
Piping Description:	Abv, no soil contact

Tank ID:	Not reported
Piping Category:	B
Piping Description:	Steel/galvanized metal

Tank ID:	Not reported
Piping Category:	I
Piping Description:	Suction piping system

Tank ID:	Not reported
Piping Category:	M
Piping Description:	Double wall - pipe jacket

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SCG 11950 CORPORATE BLVD LLC (Continued)

S107936655

Monitoring:

Tank ID: Not reported
Petro Monitoring Category: 1
Monitoring Description: Continuous electronic sensing

Tank ID: Not reported
Petro Monitoring Category: F
Monitoring Description: Monitor dbl wall tank space

Tank ID: Not reported
Petro Monitoring Category: J
Monitoring Description: Monitor piping/liner space

Owner:

Owner ID: 86370
Owner Name: SCG 11950 CORPORATE BLVD LLC
Owner Address: 200 S ORANGE AVE ,SU#2100
Owner Address 2: C/O CBRE PRO MGMT
Owner City,State,Zip: ORLANDO, FL 32801
Owner Contact: WENDY WILLIFORD
Owner Phone: 4072571520

Construction:

Tank ID: N21629
Construction Category: C
Construction Description: Steel

Tank ID: N21629
Construction Category: K
Construction Description: AST containment

Tank ID: N21629
Construction Category: M
Construction Description: Spill containment bucket

Tank ID: N21629
Construction Category: N
Construction Description: Flow shut-Off

Tank ID: N21629
Construction Category: O
Construction Description: Tight fill

Tank ID: N21629
Construction Category: P
Construction Description: Level gauges/alarms

SPILLS:

Name: Not reported
Address: 11950 CORPORATE BLVD
City,State,Zip: ORLANDO, FL
OHMIT Incident Number: 58899
Incident Legacy: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SCG 11950 CORPORATE BLVD LLC (Continued)

S107936655

On-Scene Response: No
Criminal Indicator: No
Hurricane Indicator: No
Incident Date: 09/08/2017
Incident Status: Closed
Incident Report Date: 09/08/2017
Pollutant: Diesel fuel
Pollutants Category: Petroleum
Substance Spilled: Diesel fuel
Amount Spilled (Gallons): 8.00
Pollutant - Unit Measure: gallon

Incident Party Name: Petrotech Southeast, Inc.
Description: Inland

Incident Party Name: Petrotech Southeast, Inc.
Description: Inland

Incident Party Name: Siemens Energy
Description: Inland

Incident Party Name: Siemens Energy
Description: Inland

Incident Party Name: Siemens Energy
Description: Inland

Incident Party Name: Siemens Energy
Description: Inland

Incident Party Name: Siemens Energy
Description: Inland

Incident Party Name: Siemens Energy
Description: Inland

DWM CONTAM:

Name: SCG 11950 CORPORATE BLVD LLC
Address: 11950 CORPORATE BLVD
City,State,Zip: ORLANDO, FL 32817
Program Site Id: 9803631
Lat DD: 28
Lat MM: 36
Lat SS: 25
Long DD: 81
Long MM: 12
Long SS: 45
Office/ District: CD
Program Area: PETROLEUM
Priority Score: Not reported
Datum: Not reported
Method: AGPS
Facility Status: CLOSED-STCM
Facility Type: C - Fuel user/Non-retail
Score Effective Date: Not reported
Score When Ranked: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SCG 11950 CORPORATE BLVD LLC (Continued)

S107936655

Rank: Not reported
Operator: Not reported
Phone: Not reported
Name Changed: Not reported
Addr Changed: Not reported
Related Party ID: 47934
Primary RP Role: ACCOUNT OWNER
RP Begin Date: 2/23/2001
RP Name: SIEMENS ENERGY INC
RP Address1: 4400 ALAFAYA TRL
RP Address2: ATTN: BRAD HOFFMANN
RP City: ORLANDO
RP State: FL
RP Zip5: Not reported
RP Zip4: 32826
Contact: BRAD HOFFMANN
RP Phone: (407)736-2220
RP Extension: Not reported
Site Manager: Not reported

FL Financial Assurance 3:

Name: SCG 11950 CORPORATE BLVD LLC
Address: 11950 CORPORATE BLVD
City,State,Zip: ORLANDO, FL 32817
Region: 3
Facility ID: 9803631
Facility Phone: 4072571520
Facility Status: OPEN
Facility Type: C
Type Description: Fuel user/Non-retail
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: GERLING AMERICA
Effective Date: 10/01/2008
Expire Date: 10/01/2009
Owner ID: 86370
Owner Name: SCG 11950 CORPORATE BLVD LLC
Owner Address: 200 S ORANGE AVE ,SU#2100
Owner Address2: C/O CBRE PRO MGMT
Owner City,St,Zip: ORLANDO, FL 32801
Contact: WENDY WILLIFORD
Resp Party Phone: 4072571520

Name: SCG 11950 CORPORATE BLVD LLC
Address: 11950 CORPORATE BLVD
City,State,Zip: ORLANDO, FL 32817
Region: 3
Facility ID: 9803631
Facility Phone: 4072571520
Facility Status: OPEN
Facility Type: C
Type Description: Fuel user/Non-retail
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: GERLING AMERICA
Effective Date: 10/01/2009
Expire Date: 10/01/2010

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SCG 11950 CORPORATE BLVD LLC (Continued)

S107936655

Owner ID: 86370
Owner Name: SCG 11950 CORPORATE BLVD LLC
Owner Address: 200 S ORANGE AVE ,SU#2100
Owner Address2: C/O CBRE PRO MGMT
Owner City,St,Zip: ORLANDO, FL 32801
Contact: WENDY WILLIFORD
Resp Party Phone: 4072571520

Name: SCG 11950 CORPORATE BLVD LLC
Address: 11950 CORPORATE BLVD
City,State,Zip: ORLANDO, FL 32817
Region: 3
Facility ID: 9803631
Facility Phone: 4072571520
Facility Status: OPEN
Facility Type: C
Type Description: Fuel user/Non-retail
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: GERLING AMERICA
Effective Date: 10/01/2010
Expire Date: 10/01/2011
Owner ID: 86370
Owner Name: SCG 11950 CORPORATE BLVD LLC
Owner Address: 200 S ORANGE AVE ,SU#2100
Owner Address2: C/O CBRE PRO MGMT
Owner City,St,Zip: ORLANDO, FL 32801
Contact: WENDY WILLIFORD
Resp Party Phone: 4072571520

Name: SCG 11950 CORPORATE BLVD LLC
Address: 11950 CORPORATE BLVD
City,State,Zip: ORLANDO, FL 32817
Region: 3
Facility ID: 9803631
Facility Phone: 4072571520
Facility Status: OPEN
Facility Type: C
Type Description: Fuel user/Non-retail
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: GERLING AMERICA
Effective Date: 10/01/2011
Expire Date: 10/01/2012
Owner ID: 86370
Owner Name: SCG 11950 CORPORATE BLVD LLC
Owner Address: 200 S ORANGE AVE ,SU#2100
Owner Address2: C/O CBRE PRO MGMT
Owner City,St,Zip: ORLANDO, FL 32801
Contact: WENDY WILLIFORD
Resp Party Phone: 4072571520

Name: SCG 11950 CORPORATE BLVD LLC
Address: 11950 CORPORATE BLVD
City,State,Zip: ORLANDO, FL 32817
Region: 3
Facility ID: 9803631

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SCG 11950 CORPORATE BLVD LLC (Continued)

S107936655

Facility Phone: 4072571520
Facility Status: OPEN
Facility Type: C
Type Description: Fuel user/Non-retail
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: GERLING AMERICA
Effective Date: 10/01/2012
Expire Date: 10/01/2013
Owner ID: 86370
Owner Name: SCG 11950 CORPORATE BLVD LLC
Owner Address: 200 S ORANGE AVE ,SU#2100
Owner Address2: C/O CBRE PRO MGMT
Owner City,St,Zip: ORLANDO, FL 32801
Contact: WENDY WILLIFORD
Resp Party Phone: 4072571520

Name: SCG 11950 CORPORATE BLVD LLC
Address: 11950 CORPORATE BLVD
City,State,Zip: ORLANDO, FL 32817
Region: 3
Facility ID: 9803631
Facility Phone: 4072571520
Facility Status: OPEN
Facility Type: C
Type Description: Fuel user/Non-retail
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: GERLING AMERICA
Effective Date: 10/01/2013
Expire Date: 10/01/2014
Owner ID: 86370
Owner Name: SCG 11950 CORPORATE BLVD LLC
Owner Address: 200 S ORANGE AVE ,SU#2100
Owner Address2: C/O CBRE PRO MGMT
Owner City,St,Zip: ORLANDO, FL 32801
Contact: WENDY WILLIFORD
Resp Party Phone: 4072571520

Name: SCG 11950 CORPORATE BLVD LLC
Address: 11950 CORPORATE BLVD
City,State,Zip: ORLANDO, FL 32817
Region: 3
Facility ID: 9803631
Facility Phone: 4072571520
Facility Status: OPEN
Facility Type: C
Type Description: Fuel user/Non-retail
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: GERLING AMERICA
Effective Date: 10/01/2014
Expire Date: 10/01/2015
Owner ID: 86370
Owner Name: SCG 11950 CORPORATE BLVD LLC
Owner Address: 200 S ORANGE AVE ,SU#2100
Owner Address2: C/O CBRE PRO MGMT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SCG 11950 CORPORATE BLVD LLC (Continued)

S107936655

Owner City,St,Zip: ORLANDO, FL 32801
Contact: WENDY WILLIFORD
Resp Party Phone: 4072571520

Name: SCG 11950 CORPORATE BLVD LLC
Address: 11950 CORPORATE BLVD
City,State,Zip: ORLANDO, FL 32817
Region: 3
Facility ID: 9803631
Facility Phone: 4072571520
Facility Status: OPEN
Facility Type: C
Type Description: Fuel user/Non-retail
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: GERLING AMERICA
Effective Date: 10/01/2015
Expire Date: 10/01/2016
Owner ID: 86370
Owner Name: SCG 11950 CORPORATE BLVD LLC
Owner Address: 200 S ORANGE AVE ,SU#2100
Owner Address2: C/O CBRE PRO MGMT
Owner City,St,Zip: ORLANDO, FL 32801
Contact: WENDY WILLIFORD
Resp Party Phone: 4072571520

Name: SCG 11950 CORPORATE BLVD LLC
Address: 11950 CORPORATE BLVD
City,State,Zip: ORLANDO, FL 32817
Region: 3
Facility ID: 9803631
Facility Phone: 4072571520
Facility Status: OPEN
Facility Type: C
Type Description: Fuel user/Non-retail
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: HDI-GERLING AMERICA
Effective Date: 10/01/2016
Expire Date: 10/01/2017
Owner ID: 86370
Owner Name: SCG 11950 CORPORATE BLVD LLC
Owner Address: 200 S ORANGE AVE ,SU#2100
Owner Address2: C/O CBRE PRO MGMT
Owner City,St,Zip: ORLANDO, FL 32801
Contact: WENDY WILLIFORD
Resp Party Phone: 4072571520

Name: SCG 11950 CORPORATE BLVD LLC
Address: 11950 CORPORATE BLVD
City,State,Zip: ORLANDO, FL 32817
Region: 3
Facility ID: 9803631
Facility Phone: 4072571520
Facility Status: OPEN
Facility Type: C
Type Description: Fuel user/Non-retail

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SCG 11950 CORPORATE BLVD LLC (Continued)

S107936655

DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: HDI-GERLING AMERICA
Effective Date: 10/01/2017
Expire Date: 10/01/2018
Owner ID: 86370
Owner Name: SCG 11950 CORPORATE BLVD LLC
Owner Address: 200 S ORANGE AVE ,SU#2100
Owner Address2: C/O CBRE PRO MGMT
Owner City,St,Zip: ORLANDO, FL 32801
Contact: WENDY WILLIFORD
Resp Party Phone: 4072571520

Name: SCG 11950 CORPORATE BLVD LLC
Address: 11950 CORPORATE BLVD
City,State,Zip: ORLANDO, FL 32817
Region: 3
Facility ID: 9803631
Facility Phone: 4072571520
Facility Status: OPEN
Facility Type: C
Type Description: Fuel user/Non-retail
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: HDI-GERLING AMERICA
Effective Date: 10/01/2019
Expire Date: 10/01/2020
Owner ID: 86370
Owner Name: SCG 11950 CORPORATE BLVD LLC
Owner Address: 200 S ORANGE AVE ,SU#2100
Owner Address2: C/O CBRE PRO MGMT
Owner City,St,Zip: ORLANDO, FL 32801
Contact: WENDY WILLIFORD
Resp Party Phone: 4072571520

Name: SCG 11950 CORPORATE BLVD LLC
Address: 11950 CORPORATE BLVD
City,State,Zip: ORLANDO, FL 32817
Region: 3
Facility ID: 9803631
Facility Phone: 4072571520
Facility Status: OPEN
Facility Type: C
Type Description: Fuel user/Non-retail
DEP CO: P
Financial Responsibility: INSURANCE
Insurance Company: ILLINOIS UNION INSURANCE COMPANY
Effective Date: 09/25/2020
Expire Date: 07/06/2025
Owner ID: 86370
Owner Name: SCG 11950 CORPORATE BLVD LLC
Owner Address: 200 S ORANGE AVE ,SU#2100
Owner Address2: C/O CBRE PRO MGMT
Owner City,St,Zip: ORLANDO, FL 32801
Contact: WENDY WILLIFORD
Resp Party Phone: 4072571520

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SCG 11950 CORPORATE BLVD LLC (Continued)

S107936655

TIER 2:

Name: SIEMENS ENERGY, INC - QUAD III
Address: 11950 CORPORATE BOULEVARD
City,State,Zip: ORLANDO, FL 32817

Year: 2024(Tier2)
Facility Id: 7597345
Active Date: Not reported
Inactive Date: Not reported
Sale Pending: Not reported
Original Date: Not reported
PLOT Source: Not reported
Latitude: Not reported
Longitude: Not reported
LEPC District: Not reported
Counties: Not reported
SERC: Not reported
Program Level: Not reported
PRIME: Not reported
SIC Code: Not reported
SIC Code 2: Not reported
NAICS Code: 541330
Last Modified Date: 02/28/2025
First Submit Date: 2025-02-28(Tier2)
Data Submitted By: Steve Olson
Company Name: SIEMENS ENERGY
Comments: Not reported

Contact:

Contact ID: Not reported
Year: 2024(Tier2)
Facility Id: 7597345
Contact Type: Owner / Operator
Contact Name: Siemens Energy, Incorporated
Contact Title: Not reported
Contact Phone: 407-736-2084
Contact 24Hr Phone: Not reported
Contact Telephone 2: 407-736-2084
Contact Telephone 3: Not reported
Contact Telephone 4: Not reported
Contact Telephone 5: Not reported
Contact Telephone 6: Not reported
Contact Email: steven.olson@siemens-energy.com

Name: SIEMENS ENERGY, INC - QUAD III
Address: 11950 CORPORATE BOULEVARD
City,State,Zip: ORLANDO, FL 32817

Year: 2023(Tier2)
Facility Id: 7433126
Active Date: Not reported
Inactive Date: Not reported
Sale Pending: Not reported
Original Date: Not reported
PLOT Source: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SCG 11950 CORPORATE BLVD LLC (Continued)

S107936655

Latitude: Not reported
Longitude: Not reported
LEPC District: Not reported
Counties: Not reported
SERC: Not reported
Program Level: Not reported
PRIME: Not reported
SIC Code: Not reported
SIC Code 2: Not reported
NAICS Code: 541330
Last Modified Date: 02/28/2024
First Submit Date: 2024-02-28(Tier2)
Data Submitted By: Steve Olson
Company Name: SIEMENS ENERGY
Comments: Not reported

Contact:

Contact ID: Not reported
Year: 2023(Tier2)
Facility Id: 7433126
Contact Type: Owner / Operator
Contact Name: Siemens Energy, Incorporated
Contact Title: Not reported
Contact Phone: 407-736-2084
Contact 24Hr Phone: Not reported
Contact Telephone 2: 407-736-2084
Contact Telephone 3: Not reported
Contact Telephone 4: Not reported
Contact Telephone 5: Not reported
Contact Telephone 6: Not reported
Contact Email: steven.olson@siemens-energy.com

Name: SIEMENS ENERGY, INC - QUAD III
Address: 11950 CORPORATE BOULEVARD
City,State,Zip: ORLANDO, FL 32817

Year: 2022(Tier2)
Facility Id: 7302089
Active Date: Not reported
Inactive Date: Not reported
Sale Pending: Not reported
Original Date: Not reported
PLOT Source: Not reported
Latitude: Not reported
Longitude: Not reported
LEPC District: Not reported
Counties: Not reported
SERC: Not reported
Program Level: Not reported
PRIME: Not reported
SIC Code: Not reported
SIC Code 2: Not reported
NAICS Code: 541330
Last Modified Date: 02/28/2023
First Submit Date: 2023-02-28(Tier2)
Data Submitted By: Steve Olson

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SCG 11950 CORPORATE BLVD LLC (Continued)

S107936655

Company Name: SIEMENS ENERGY
Comments: Not reported

Contact:

Contact ID: Not reported
Year: 2022(Tier2)
Facility Id: 7302089
Contact Type: Owner / Operator
Contact Name: Siemens Energy, Incorporated
Contact Title: Not reported
Contact Phone: 407-736-2084
Contact 24Hr Phone: Not reported
Contact Telephone 2: 407-736-2084
Contact Telephone 3: Not reported
Contact Telephone 4: Not reported
Contact Telephone 5: Not reported
Contact Telephone 6: Not reported
Contact Email: Not reported

Name: SIEMENS ENERGY, INC - QUAD III
Address: 11950 CORPORATE BOULEVARD
City,State,Zip: ORLANDO, FL 32817

Year: 2021
Facility Id: 7091727
Active Date: Not reported
Inactive Date: Not reported
Sale Pending: Not reported
Original Date: Not reported
PLOT Source: Not reported
Latitude: Not reported
Longitude: Not reported
LEPC District: Not reported
Counties: Not reported
SERC: Not reported
Program Level: Not reported
PRIME: Not reported
SIC Code: Not reported
SIC Code 2: Not reported
NAICS Code: 541330
Last Modified Date: 02/28/2022
First Submit Date: 02/28/2022
Data Submitted By: Steve Olson
Company Name: SIEMENS ENERGY
Comments: Not reported

Contact:

Contact ID: Not reported
Year: 2021
Facility Id: 7091727
Contact Type: Owner / Operator
Contact Name: Siemens Energy, Incorporated
Contact Title: Not reported
Contact Phone: 407-736-2084
Contact 24Hr Phone: Not reported
Contact Telephone 2: 407-736-2084

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SCG 11950 CORPORATE BLVD LLC (Continued)

S107936655

Contact Telephone 3: Not reported
Contact Telephone 4: Not reported
Contact Telephone 5: Not reported
Contact Telephone 6: Not reported
Contact Email: Not reported

Name: SIEMENS ENERGY, INC - QUAD III
Address: 11950 CORPORATE BOULEVARD
City,State,Zip: ORLANDO, FL 32817

Year: 2020
Facility Id: 6790100
Active Date: Not reported
Inactive Date: Not reported
Sale Pending: Not reported
Original Date: Not reported
PLOT Source: Not reported
Latitude: Not reported
Longitude: Not reported
LEPC District: Not reported
Counties: Not reported
SERC: Not reported
Program Level: Not reported
PRIME: Not reported
SIC Code: Not reported
SIC Code 2: Not reported
NAICS Code: 541330
Last Modified Date: 01/29/2021
First Submit Date: 01/29/2021
Data Submitted By: Steve Olson
Company Name: SIEMENS ENERGY
Comments: Not reported

Contact:
Contact ID: Not reported
Year: 2020
Facility Id: 6790100
Contact Type: Owner / Operator
Contact Name: Siemens Energy, Incorporated
Contact Title: Not reported
Contact Phone: 407-736-2084
Contact 24Hr Phone: Not reported
Contact Telephone 2: 407-736-2084
Contact Telephone 3: Not reported
Contact Telephone 4: Not reported
Contact Telephone 5: Not reported
Contact Telephone 6: Not reported
Contact Email: Not reported

Contact ID: Not reported
Year: 2020
Facility Id: 6790100
Contact Type: Owner / Operator
Contact Name: Siemens Energy, Incorporated
Contact Title: Not reported
Contact Phone: 407-736-2084

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SCG 11950 CORPORATE BLVD LLC (Continued)

S107936655

Contact 24Hr Phone: Not reported
Contact Telephone 2: 407-736-2084
Contact Telephone 3: Not reported
Contact Telephone 4: Not reported
Contact Telephone 5: Not reported
Contact Telephone 6: Not reported
Contact Email: Not reported

Name: SIEMENS ENERGY, INC - QUAD III
Address: 11950 CORPORATE BOULEVARD
City,State,Zip: ORLANDO, FL 32817

Year: 2019
Facility Id: 6675851
Active Date: Not reported
Inactive Date: Not reported
Sale Pending: Not reported
Original Date: Not reported
PLOT Source: Not reported
Latitude: Not reported
Longitude: Not reported
LEPC District: Not reported
Counties: Not reported
SERC: Not reported
Program Level: Not reported
PRIME: Not reported
SIC Code: Not reported
SIC Code 2: Not reported
NAICS Code: 541330
Last Modified Date: 02/21/2020
First Submit Date: 02/21/2020
Data Submitted By: Steve Olson
Company Name: SIEMENS ENERGY
Comments: Not reported

Contact:
Contact ID: Not reported
Year: 2019
Facility Id: 6675851
Contact Type: Owner / Operator
Contact Name: Siemens Energy, Incorporated
Contact Title: Not reported
Contact Phone: 407-736-2084
Contact 24Hr Phone: Not reported
Contact Telephone 2: 407-736-2084
Contact Telephone 3: Not reported
Contact Telephone 4: Not reported
Contact Telephone 5: Not reported
Contact Telephone 6: Not reported
Contact Email: Not reported

Contact ID: Not reported
Year: 2019
Facility Id: 6675851
Contact Type: Owner / Operator
Contact Name: Siemens Energy, Incorporated

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SCG 11950 CORPORATE BLVD LLC (Continued)

S107936655

Contact Title: Not reported
Contact Phone: 407-736-2084
Contact 24Hr Phone: Not reported
Contact Telephone 2: 407-736-2084
Contact Telephone 3: Not reported
Contact Telephone 4: Not reported
Contact Telephone 5: Not reported
Contact Telephone 6: Not reported
Contact Email: Not reported

Name: SIEMENS ENERGY, INC - QUAD III
Address: 11950 CORPORATE BOULEVARD
City,State,Zip: ORLANDO, FL 32817

Year: 2018
Facility Id: 6373211
Active Date: Not reported
Inactive Date: Not reported
Sale Pending: Not reported
Original Date: Not reported
PLOT Source: Not reported
Latitude: Not reported
Longitude: Not reported
LEPC District: Not reported
Counties: Not reported
SERC: Not reported
Program Level: Not reported
PRIME: Not reported
SIC Code: Not reported
SIC Code 2: Not reported
NAICS Code: 541330
Last Modified Date: 01/23/2019
First Submit Date: 01/23/2019
Data Submitted By: Steve Olson
Company Name: SIEMENS ENERGY
Comments: Not reported

Contact:
Contact ID: Not reported
Year: 2018
Facility Id: 6373211
Contact Type: Owner / Operator
Contact Name: Siemens Energy, Incorporated
Contact Title: Not reported
Contact Phone: 407-736-2084
Contact 24Hr Phone: Not reported
Contact Telephone 2: 407-736-2084
Contact Telephone 3: Not reported
Contact Telephone 4: Not reported
Contact Telephone 5: Not reported
Contact Telephone 6: Not reported
Contact Email: Not reported

Contact ID: Not reported
Year: 2018
Facility Id: 6373211

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SCG 11950 CORPORATE BLVD LLC (Continued)

S107936655

Contact Type: Owner / Operator
Contact Name: Siemens Energy, Incorporated
Contact Title: Not reported
Contact Phone: 407-736-2084
Contact 24Hr Phone: Not reported
Contact Telephone 2: 407-736-2084
Contact Telephone 3: Not reported
Contact Telephone 4: Not reported
Contact Telephone 5: Not reported
Contact Telephone 6: Not reported
Contact Email: Not reported

Name: SIEMENS ENERGY, INC - QUAD III
Address: 11950 CORPORATE BOULEVARD
City,State,Zip: ORLANDO, FL 32817

Year: 2017
Facility Id: 6075673
Active Date: Not reported
Inactive Date: Not reported
Sale Pending: Not reported
Original Date: Not reported
PLOT Source: Not reported
Latitude: Not reported
Longitude: Not reported
LEPC District: Not reported
Counties: Not reported
SERC: Not reported
Program Level: Not reported
PRIME: Not reported
SIC Code: Not reported
SIC Code 2: Not reported
NAICS Code: 541330
Last Modified Date: 02/23/2018
First Submit Date: 02/02/2018
Data Submitted By: Steve Olson
Company Name: SIEMENS ENERGY
Comments: Not reported

Contact:
Contact ID: Not reported
Year: 2017
Facility Id: 6075673
Contact Type: Emergency Contact
Contact Name: Mark Bickel
Contact Title: Not reported
Contact Phone: 407-967-8358
Contact 24Hr Phone: Not reported
Contact Telephone 2: 407-736-3886
Contact Telephone 3: 407-619-1084
Contact Telephone 4: Not reported
Contact Telephone 5: 407-736-2084
Contact Telephone 6: 407-736-2084
Contact Email: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SCG 11950 CORPORATE BLVD LLC (Continued)

S107936655

Name: SIEMENS ENERGY, INC - QUAD III
Address: 11950 CORPORATE BOULEVARD
City,State,Zip: ORLANDO, FL 32817

Year: 2016
Facility Id: 5809100
Active Date: Not reported
Inactive Date: Not reported
Sale Pending: Not reported
Original Date: Not reported
PLOT Source: Not reported
Latitude: Not reported
Longitude: Not reported
LEPC District: Not reported
Counties: Not reported
SERC: Not reported
Program Level: Not reported
PRIME: Not reported
SIC Code: Not reported
SIC Code 2: Not reported
NAICS Code: 541330
Last Modified Date: 02/02/2017
First Submit Date: 02/02/2017
Data Submitted By: Steve Olson
Company Name: SIEMENS ENERGY
Comments: Not reported

Contact:

Contact ID: Not reported
Year: 2016
Facility Id: 5809100
Contact Type: Emergency Contact
Contact Name: Mark Bickel
Contact Title: Not reported
Contact Phone: 407-967-8358
Contact 24Hr Phone: Not reported
Contact Telephone 2: 407-736-3886
Contact Telephone 3: 407-619-1084
Contact Telephone 4: Not reported
Contact Telephone 5: 407-736-2084
Contact Telephone 6: 407-736-2084
Contact Email: Not reported

Name: SIEMENS ENERGY, INC - QUAD III
Address: 11950 CORPORATE BOULEVARD
City,State,Zip: ORLANDO, FL 32817

Year: 2015
Facility Id: 5369844
Active Date: Not reported
Inactive Date: Not reported
Sale Pending: Not reported
Original Date: Not reported
PLOT Source: Not reported
Latitude: 28.60553
Longitude: -81.213748

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SCG 11950 CORPORATE BLVD LLC (Continued)

S107936655

LEPC District: Not reported
Counties: Not reported
SERC: Not reported
Program Level: Not reported
PRIME: Not reported
SIC Code: Not reported
SIC Code 2: Not reported
NAICS Code: 541330
Last Modified Date: 02/02/2016
First Submit Date: 01/12/2016
Data Submitted By: Steve Olson
Company Name: SIEMENS ENERGY
Comments: Not reported

Contact:

Contact ID: Not reported
Year: 2015
Facility Id: 5369844
Contact Type: Emergency Contact
Contact Name: Mark Bickel
Contact Title: Not reported
Contact Phone: 407-967-8358
Contact 24Hr Phone: Not reported
Contact Telephone 2: 407-736-3886
Contact Telephone 3: 407-619-1084
Contact Telephone 4: Not reported
Contact Telephone 5: 407-736-2084
Contact Telephone 6: 407-736-2084
Contact Email: Not reported

[Click this hyperlink](#) while viewing on your computer to access
5 additional FL_TIER2: record(s) in the EDR Site Report.

WASTEWATER:

Name: AVT SIMULATION
Address: 11950 CORPORATE BLVD
City,State,Zip: ORLANDO, FL
Facility ID: FLR10TE58
Facility Type: Construction Stormwater GP
Status: Active - Existing, permitted facility/site for which effluent,
reclaimed water or wastewater residual discharge into the environment
and/or monitoring is taking place.

District Office: TLST
NPDES Permitted Site: Not reported
Environmental Interest: Not reported
Owner Type: Private
Permit Capacity: Not reported
Party Name: Robert Abascal
Company Name: Data Court Property, LLC
RP Address: 281 Hillcrest Dr
RP Address 2: Not reported
RP City,Stat,Zip: Oviedo, FL 32765 6778
Telephone: 4073815311
Email: RAbascal@avtsim.com

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SCG 11950 CORPORATE BLVD LLC (Continued)

S107936655

Issue Date: 12/02/2019
Effective Date: Not reported
Expiration Date: 12/01/2024
DOC Description: Not reported
Latitude Degrees: 28
Latitude Minutes: 36
Latitude Seconds: 29.36
Longitude Degrees: 81
Longitude Minutes: 12
Longitude Seconds: 46.44
Treatment: Not reported
Decode For Fstatus: Active
Cell Phone: Not reported
Permit Type: Not reported
Major Minor Discharge: Not reported
Nature of Business: Not reported

**30
East
1/4-1/2
0.435 mi.
2296 ft.**

**UCF BIOLOGY BUILDING 20 - SANITARY SEWER DISCHARGE
LIBRA DRIVE
ORLANDO, FL**

**RESP PARTY S118741921
N/A**

**Relative:
Lower
Actual:
70 ft.**

RESP PARTY:
Name: UCF BIOLOGY BUILDING 20 - SANITARY SEWER DISCHARGE
Address: LIBRA DRIVE
City,State,Zip: ORLANDO, FL
District: Central District
Site Id: 343095
Project Id: 350927
Site Status: INACTIVE
Project Manager: MELTON_D
OGC Case Number: Not reported
Initial Date Received: 08/21/2015
Contaminants: suspected analytes, Nitrate, Nitrite, chlorine, ammonia, fecal coliform, phosphorus,
Offsite Cont Impact: Not reported
Priority Score: Not reported
Datum: NAD83
Method ID: DPHO
Feature: at location of sewer line
Object Of Interest: CAP_RAP SITE
Proximity To Object: EXACT
Collect Username: MELTON_D
Collect Affiliation: Florida Department of Environmental Protection
Collect Program Id: CR
Collect Date: 04/08/2016
Map Series Used: Not reported
Map Source Scale: Not reported
Interpolation Scale: Not reported
Coordinate Accuracy Id: 3
Verify Method Id: Not reported
Verifier Username: Not reported
Verifier Affiliation: Not reported
Verifying Program Id: Not reported
Verification Date: 01/01/1970
Decode for District: Central District
Decode for Datum: North American Datum of 1983

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UCF BIOLOGY BUILDING 20 - SANITARY SEWER DISCHARGE (Continued)

S118741921

Decode for Method: Digital Aerial Photography With Ground Control
Decode for Off Site COC: Not reported
Decode for V_Method: Not reported
Latitude/Longitude (deg/min/sec): 28 36 / 81 11
Source Facility Name: Not reported
Source Facility ID: Not reported
Program: Not reported
Program Type: Not reported
Program Status: Not reported
WMD: Not reported
ICR Indicator: Not reported
Discharge Date: Not reported
GIS ALBX: Not reported
GIS ALBY: Not reported
Site Manager: Not reported
Site Phase Description: Not reported
Offsite Contamination Key: Not reported
Documents: Not reported
Objectid: Not reported

31
ESE
1/4-1/2
0.455 mi.
2400 ft.

UCF BIOLOGY BUILDING 20 HYDRALIC DISCHARGE ELEVATO
UCF CAMPUS
ORLANDO, FL

RESP PARTY
ERIC WASTE CLEANUP

S117861591
N/A

Relative:
Lower
Actual:
70 ft.

RESP PARTY:
Name: UCF BIOLOGY BUILDING 20 HYDRALIC DISCHARGE ELEVATOR
Address: UCF CAMPUS
City,State,Zip: ORLANDO, FL
District: Central District
Site Id: ERIC_12800
Project Id: Not reported
Site Status: CLOSEDWCOND
Project Manager: Not reported
OGC Case Number: Not reported
Initial Date Received: Not reported
Contaminants: Not reported
Offsite Cont Impact: Not reported
Priority Score: Not reported
Datum: NAD83
Method ID: Not reported
Feature: Not reported
Object Of Interest: CAP_R
Proximity To Object: EXACT
Collect Username: MELTON_D
Collect Affiliation: Not reported
Collect Program Id: Not reported
Collect Date: Not reported
Map Series Used: Not reported
Map Source Scale: Not reported
Interpolation Scale: Not reported
Coordinate Accuracy Id: 3
Verify Method Id: Not reported
Verifier Username: Not reported
Verifier Affiliation: Not reported
Verifying Program Id: Not reported
Verification Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UCF BIOLOGY BUILDING 20 HYDRALIC DISCHARGE ELEVATOR (Continued)

S117861591

Decode for District: Central District
Decode for Datum: North American Datum of 1983
Decode for Method: Not reported
Decode for Off Site COC: Not reported
Decode for V_Method: Not reported
Latitude/Longitude (deg/min/sec): 28 36 0.56160002 / 81 11 55.1111983
Source Facility Name: UCF BIOLOGY BUILDING 20
Source Facility ID: 136319
Program: Responsible Party Cleanup
Program Type: RESPONSPARTY
Program Status: COMPLETEWITHCOND
WMD: SFWMD
ICR Indicator: N
Discharge Date: Not reported
GIS ALBX: 673423.71136299998
GIS ALBY: 513552.65896500001
Site Manager: Not reported
Site Phase Description: Phase 2 - Full Assessment
Offsite Contamination Key: CONTAMUNKNOWN

Documents:

Objectid: 6004

Name: UCF BIOLOGY BUILDING 20 HYDRALIC DISCHARGE ELEVATOR
Address: UCF CAMPUS
City,State,Zip: ORLANDO, FL
District: Central District
Site Id: ERIC_12800
Project Id: Not reported
Site Status: CLOSEDWCOND
Project Manager: Not reported
OGC Case Number: Not reported
Initial Date Received: Not reported
Contaminants: Not reported
Offsite Cont Impact: Not reported
Priority Score: Not reported
Datum: NAD83
Method ID: Not reported
Feature: Not reported
Object Of Interest: CAP_R
Proximity To Object: EXACT
Collect Username: MELTON_D
Collect Affiliation: Not reported
Collect Program Id: Not reported
Collect Date: Not reported
Map Series Used: Not reported
Map Source Scale: Not reported
Interpolation Scale: Not reported
Coordinate Accuracy Id: 3
Verify Method Id: Not reported
Verifier Username: Not reported
Verifier Affiliation: Not reported
Verifying Program Id: Not reported
Verification Date: Not reported
Decode for District: Central District
Decode for Datum: North American Datum of 1983
Decode for Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UCF BIOLOGY BUILDING 20 HYDRALIC DISCHARGE ELEVATOR (Continued)

S117861591

Decode for Off Site COC: Not reported
Decode for V_Method: Not reported
Latitude/Longitude (deg/min/sec): 28 36 / 81 11
Source Facility Name: UCF BIOLOGY BUILDING 20
Source Facility ID: 136319
Program: Responsible Party Cleanup
Program Type: RESPONSPARTY
Program Status: COMPLETEWITHCOND
WMD: SFWMD
ICR Indicator: N
Discharge Date: Not reported
GIS ALBX: 673423.71136299998
GIS ALBY: 513552.65896500001
Site Manager: Not reported
Site Phase Description: Phase 2 - Full Assessment
Offsite Contamination Key: CONTAMUNKNOWN

[Documents:](#)

Objectid: 5949

Name: UCF BIOLOGY BUILDING 20 HYDRALIC DISCHARGE ELEVATOR
Address: UCF CAMPUS
City,State,Zip: ORLANDO, FL
District: Central District
Site Id: 334555
Project Id: 346345
Site Status: INACTIVE
Project Manager: MELTON_D
OGC Case Number: Not reported
Initial Date Received: 05/15/2015
Contaminants: Meeting set up - performed on 5 27 2015
Offsite Cont Impact: Not reported
Priority Score: Not reported
Datum: NAD83
Method ID: DPHO
Feature: at elevator spill site
Object Of Interest: CAP_RAP SITE
Proximity To Object: EXACT
Collect Username: MELTON_D
Collect Affiliation: Florida Department of Environmental Protection
Collect Program Id: CR
Collect Date: 04/30/2015
Map Series Used: Not reported
Map Source Scale: Not reported
Interpolation Scale: Not reported
Coordinate Accuracy Id: 3
Verify Method Id: Not reported
Verifier Username: Not reported
Verifier Affiliation: Not reported
Verifying Program Id: Not reported
Verification Date: 01/01/1970
Decode for District: Central District
Decode for Datum: North American Datum of 1983
Decode for Method: Digital Aerial Photography With Ground Control
Decode for Off Site COC: Not reported
Decode for V_Method: Not reported
Latitude/Longitude (deg/min/sec): 28 36 / 81 11

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UCF BIOLOGY BUILDING 20 HYDRALIC DISCHARGE ELEVATOR (Continued)

S117861591

Source Facility Name: Not reported
Source Facility ID: Not reported
Program: Not reported
Program Type: Not reported
Program Status: Not reported
WMD: Not reported
ICR Indicator: Not reported
Discharge Date: Not reported
GIS ALBX: Not reported
GIS ALBY: Not reported
Site Manager: Not reported
Site Phase Description: Not reported
Offsite Contamination Key: Not reported
Documents: Not reported
Objectid: Not reported

ERIC WASTE CLEANUP:

ERIC ID: ERIC_12800
Name: Ucf Biology Building 20 Hydralic Discharge Elevator
Address: UCF CAMPUS
City,State,Zip: ORLANDO, FL
County: ORANGE
Status: CLOSEDWCOND
Source Facility Name: UCF BIOLOGY BUILDING 20
Source Facility ID: 136319
Program: Responsible Party Cleanup
Program Type: RESPONSPARTY
Program Status: COMPLETEWITHCOND
District: CD - Central District
WMD: SFWMD - South Florida Water Management District
ICR Indicator: N
Discharge Date: Not reported
Method ID: Not reported
Object of Interest: CAP_R
Proximity to Object: EXACT
Lat DD: 28
Lat MM: 36
Lat SS: 0.56160002
Long DD: 81
Long MM: 11
Long SS: 55.1111984
X Coord: 673423.70906
Y Coord: 513552.65368
GIS ALB X: 673423.71136
GIS ALB Y: 513552.65897
Collector Username: MELTON_D
Collection Date: Not reported
Map Source: Not reported
Map Source Scale: Not reported
Interpolation Scale: Not reported
Coordinate Accuracy ID: 3
Site Manager: Not reported
Site Phase Description: Phase 2 - Full Assessment
Offsite Contamination Key: CONTAMUNKNOWN
DATUM ID: NAD83

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UCF BIOLOGY BUILDING 20 HYDRALIC DISCHARGE ELEVATOR (Continued)

S117861591

[Documents:](#)

Object ID: 6004

32
ESE
1/4-1/2
0.494 mi.
2609 ft.

UCF - ORANGE HALL BLDG 31 ELEVATOR
UCF CAMPUS
ORLANDO, FL 32816

RESP PARTY
ERIC WASTE CLEANUP

S113721693
N/A

Relative:
Lower

Actual:
72 ft.

RESP PARTY:

Name: UCF - ORANGE HALL BLDG 31 ELEVATOR
Address: UCF CAMPUS
City,State,Zip: ORLANDO, FL 32816
District: Central District
Site Id: ERIC_12699
Project Id: Not reported
Site Status: CLOSED
Project Manager: Not reported
OGC Case Number: Not reported
Initial Date Received: Not reported
Contaminants: Not reported
Offsite Cont Impact: Not reported
Priority Score: Not reported
Datum: NAD83
Method ID: Not reported
Feature: Not reported
Object Of Interest: CAP_R
Proximity To Object: EXACT
Collect Username: MELTON_D
Collect Affiliation: Not reported
Collect Program Id: Not reported
Collect Date: Not reported
Map Series Used: Not reported
Map Source Scale: Not reported
Interpolation Scale: Not reported
Coordinate Accuracy Id: 3
Verify Method Id: Not reported
Verifier Username: Not reported
Verifier Affiliation: Not reported
Verifying Program Id: Not reported
Verification Date: Not reported
Decode for District: Central District
Decode for Datum: North American Datum of 1983
Decode for Method: Not reported
Decode for Off Site COC: Not reported
Decode for V_Method: Not reported
Latitude/Longitude (deg/min/sec): 28 35 54.1199988 / 81 11 55.5400009
Source Facility Name: UCF - ORANGE HALL BLDG 31 ELEVATOR
Source Facility ID: 137166
Program: Responsible Party Cleanup
Program Type: RESPONSPARTY
Program Status: COMPLETE
WMD: SFWMD
ICR Indicator: N
Discharge Date: Not reported
GIS ALBX: 673416.60131000006
GIS ALBY: 513353.73116800003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UCF - ORANGE HALL BLDG 31 ELEVATOR (Continued)

S113721693

Site Manager: Not reported
Site Phase Description: Phase 5 - Cleanup Complete
Offsite Contamination Key: NOCONTAM

Documents:

Objectid: 5890

Name: UCF - ORANGE HALL BLDG 31 ELEVATOR
Address: UCF CAMPUS
City,State,Zip: ORLANDO, FL 32816
District: Central District
Site Id: ERIC_12699
Project Id: Not reported
Site Status: CLOSED
Project Manager: Not reported
OGC Case Number: Not reported
Initial Date Received: Not reported
Contaminants: Not reported
Offsite Cont Impact: Not reported
Priority Score: Not reported
Datum: NAD83
Method ID: Not reported
Feature: Not reported
Object Of Interest: CAP_R
Proximity To Object: EXACT
Collect Username: MELTON_D
Collect Affiliation: Not reported
Collect Program Id: Not reported
Collect Date: Not reported
Map Series Used: Not reported
Map Source Scale: Not reported
Interpolation Scale: Not reported
Coordinate Accuracy Id: 3
Verify Method Id: Not reported
Verifier Username: Not reported
Verifier Affiliation: Not reported
Verifying Program Id: Not reported
Verification Date: Not reported
Decode for District: Central District
Decode for Datum: North American Datum of 1983
Decode for Method: Not reported
Decode for Off Site COC: Not reported
Decode for V_Method: Not reported
Latitude/Longitude (deg/min/sec): 28 35 / 81 11
Source Facility Name: UCF - ORANGE HALL BLDG 31 ELEVATOR
Source Facility ID: 137166
Program: Responsible Party Cleanup
Program Type: RESPONSAPARTY
Program Status: COMPLETE
WMD: SFWMD
ICR Indicator: N
Discharge Date: Not reported
GIS ALBX: 673416.60131000006
GIS ALBY: 513353.73116800003
Site Manager: Not reported
Site Phase Description: Phase 5 - Cleanup Complete
Offsite Contamination Key: NOCONTAM

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UCF - ORANGE HALL BLDG 31 ELEVATOR (Continued)

S113721693

[Documents:](#)

Objectid: 5835

Name: UCF - ORANGE HALL BLDG 31 ELEVATOR
Address: UCF CAMPUS
City,State,Zip: ORLANDO, FL 32816
District: Central District
Site Id: 293489
Project Id: 308583
Site Status: INACTIVE
Project Manager: MELTON_D
OGC Case Number: Not reported
Initial Date Received: 12/30/2008
Contaminants: Not reported
Offsite Cont Impact: N
Priority Score: Not reported
Datum: NAD83
Method ID: DPHO
Feature: at loc of hyd fluid spill
Object Of Interest: CAP_RAP SITE
Proximity To Object: EXACT
Collect Username: MELTON_D
Collect Affiliation: Florida Department of Environmental Protection
Collect Program Id: CR
Collect Date: 12/30/2008
Map Series Used: Not reported
Map Source Scale: Not reported
Interpolation Scale: Not reported
Coordinate Accuracy Id: 3
Verify Method Id: Not reported
Verifier Username: Not reported
Verifier Affiliation: Not reported
Verifying Program Id: Not reported
Verification Date: 01/01/1970
Decode for District: Central District
Decode for Datum: North American Datum of 1983
Decode for Method: Digital Aerial Photography With Ground Control
Decode for Off Site COC: No, the best available evidence (such as completed SAR) demonstrates that contamination above applicable standards or criteria DOES NOT extend offsite.
Decode for V_Method: Not reported
Latitude/Longitude (deg/min/sec): 28 35 / 81 11
Source Facility Name: Not reported
Source Facility ID: Not reported
Program: Not reported
Program Type: Not reported
Program Status: Not reported
WMD: Not reported
ICR Indicator: Not reported
Discharge Date: Not reported
GIS ALBX: Not reported
GIS ALBY: Not reported
Site Manager: Not reported
Site Phase Description: Not reported
Offsite Contamination Key: Not reported
Documents: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UCF - ORANGE HALL BLDG 31 ELEVATOR (Continued)

S113721693

Objectid: Not reported

ERIC WASTE CLEANUP:

ERIC ID: ERIC_12699
Name: Ucf - Orange Hall Bldg 31 Elevator
Address: UCF CAMPUS
City,State,Zip: ORLANDO, FL 32816
County: ORANGE
Status: CLOSED
Source Facility Name: UCF - ORANGE HALL BLDG 31 ELEVATOR
Source Facility ID: 137166
Program: Responsible Party Cleanup
Program Type: RESPONSPARTY
Program Status: COMPLETE
District: CD - Central District
WMD: SFWMD - South Florida Water Management District
ICR Indicator: N
Discharge Date: Not reported
Method ID: Not reported
Object of Interest: CAP_R
Proximity to Object: EXACT
Lat DD: 28
Lat MM: 35
Lat SS: 54.1199989
Long DD: 81
Long MM: 11
Long SS: 55.5400009
X Coord: 673416.59896
Y Coord: 513353.72588
GIS ALB X: 673416.60131
GIS ALB Y: 513353.73117
Collector Username: MELTON_D
Collection Date: Not reported
Map Source: Not reported
Map Source Scale: Not reported
Interpolation Scale: Not reported
Coordinate Accuracy ID: 3
Site Manager: Not reported
Site Phase Description: Phase 5 - Cleanup Complete
Offsite Contamination Key: NOCONTAM
DATUM ID: NAD83

[Documents:](#)

Object ID: 5890

Count: 0 records.

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
NO SITES FOUND					

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Lists of Federal NPL (Superfund) sites

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 06/29/2026	Source: EPA
Date Data Arrived at EDR: 07/01/2026	Telephone: N/A
Date Made Active in Reports: 07/27/2026	Last EDR Contact: 08/03/2026
Number of Days to Update: 26	Next Scheduled EDR Contact: 10/05/2026
	Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 06/29/2026	Source: EPA
Date Data Arrived at EDR: 07/01/2026	Telephone: N/A
Date Made Active in Reports: 07/27/2026	Last EDR Contact: 08/03/2026
Number of Days to Update: 26	Next Scheduled EDR Contact: 10/05/2026
	Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/15/1991
Date Data Arrived at EDR: 02/02/1994
Date Made Active in Reports: 03/30/1994
Number of Days to Update: 56

Source: EPA
Telephone: 202-564-4267
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

Lists of Federal Delisted NPL sites

Delisted NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 06/29/2026
Date Data Arrived at EDR: 07/01/2026
Date Made Active in Reports: 07/27/2026
Number of Days to Update: 26

Source: EPA
Telephone: N/A
Last EDR Contact: 08/03/2026
Next Scheduled EDR Contact: 10/05/2026
Data Release Frequency: Quarterly

Lists of Federal sites subject to CERCLA removals and CERCLA orders

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 06/22/2026
Date Data Arrived at EDR: 06/23/2026
Date Made Active in Reports: 06/23/2026
Number of Days to Update: 0

Source: Environmental Protection Agency
Telephone: 703-603-8704
Last EDR Contact: 06/23/2026
Next Scheduled EDR Contact: 10/05/2026
Data Release Frequency: Varies

SEMS: Superfund Enterprise Management System

SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly known as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 06/29/2026
Date Data Arrived at EDR: 07/01/2026
Date Made Active in Reports: 07/27/2026
Number of Days to Update: 26

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 08/03/2026
Next Scheduled EDR Contact: 10/19/2026
Data Release Frequency: Quarterly

Lists of Federal CERCLA sites with NFRAP

SEMS-ARCHIVE: Superfund Enterprise Management System Archive

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be potential NPL site.

Date of Government Version: 06/29/2026	Source: EPA
Date Data Arrived at EDR: 07/01/2026	Telephone: 800-424-9346
Date Made Active in Reports: 07/27/2026	Last EDR Contact: 08/03/2026
Number of Days to Update: 26	Next Scheduled EDR Contact: 10/19/2026
	Data Release Frequency: Quarterly

Lists of Federal RCRA facilities undergoing Corrective Action

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 06/07/2026	Source: EPA
Date Data Arrived at EDR: 06/08/2026	Telephone: 800-424-9346
Date Made Active in Reports: 06/15/2026	Last EDR Contact: 06/08/2026
Number of Days to Update: 7	Next Scheduled EDR Contact: 09/28/2026
	Data Release Frequency: Quarterly

Lists of Federal RCRA TSD facilities

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 06/07/2026	Source: Environmental Protection Agency
Date Data Arrived at EDR: 06/08/2026	Telephone: (404) 562-8651
Date Made Active in Reports: 06/15/2026	Last EDR Contact: 06/08/2026
Number of Days to Update: 7	Next Scheduled EDR Contact: 09/28/2026
	Data Release Frequency: Quarterly

Lists of Federal RCRA generators

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 06/07/2026	Source: Environmental Protection Agency
Date Data Arrived at EDR: 06/08/2026	Telephone: (404) 562-8651
Date Made Active in Reports: 06/15/2026	Last EDR Contact: 06/08/2026
Number of Days to Update: 7	Next Scheduled EDR Contact: 09/28/2026
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 06/07/2026	Source: Environmental Protection Agency
Date Data Arrived at EDR: 06/08/2026	Telephone: (404) 562-8651
Date Made Active in Reports: 06/15/2026	Last EDR Contact: 06/08/2026
Number of Days to Update: 7	Next Scheduled EDR Contact: 09/28/2026
	Data Release Frequency: Quarterly

RCRA-VSQG: RCRA - Very Small Quantity Generators (Formerly Conditionally Exempt Small Quantity Generators)

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Very small quantity generators (VSQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 06/07/2026	Source: Environmental Protection Agency
Date Data Arrived at EDR: 06/08/2026	Telephone: (404) 562-8651
Date Made Active in Reports: 06/15/2026	Last EDR Contact: 06/08/2026
Number of Days to Update: 7	Next Scheduled EDR Contact: 09/28/2026
	Data Release Frequency: Quarterly

RCRA CONTROLS: RCRA Sites with Controls in Place

The controls summary provides a listing of all RCRA sites with Institutional and/or Engineering Controls in place.

Date of Government Version: 04/27/2026	Source: Environmental Protection Agency
Date Data Arrived at EDR: 04/30/2026	Telephone: 703-348-5070
Date Made Active in Reports: 06/15/2026	Last EDR Contact: 08/17/2026
Number of Days to Update: 46	Next Scheduled EDR Contact: 11/30/2026
	Data Release Frequency: Quarterly

Federal institutional controls / engineering controls registries

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 03/11/2025	Source: Department of the Navy
Date Data Arrived at EDR: 04/02/2025	Telephone: 843-820-7326
Date Made Active in Reports: 06/24/2025	Last EDR Contact: 08/05/2026
Number of Days to Update: 83	Next Scheduled EDR Contact: 11/16/2026
	Data Release Frequency: Varies

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 04/24/2026	Source: Environmental Protection Agency
Date Data Arrived at EDR: 05/13/2026	Telephone: 703-603-0695
Date Made Active in Reports: 06/15/2026	Last EDR Contact: 08/03/2026
Number of Days to Update: 33	Next Scheduled EDR Contact: 08/31/2026
	Data Release Frequency: Varies

US INST CONTROLS: Institutional Controls Sites List

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 04/24/2026
Date Data Arrived at EDR: 05/13/2026
Date Made Active in Reports: 06/15/2026
Number of Days to Update: 33

Source: Environmental Protection Agency
Telephone: 703-603-0695
Last EDR Contact: 08/03/2026
Next Scheduled EDR Contact: 08/31/2026
Data Release Frequency: Varies

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 03/11/2026
Date Data Arrived at EDR: 03/17/2026
Date Made Active in Reports: 05/14/2026
Number of Days to Update: 58

Source: National Response Center, United States Coast Guard
Telephone: 202-267-2180
Last EDR Contact: 06/15/2026
Next Scheduled EDR Contact: 09/28/2026
Data Release Frequency: Quarterly

Lists of state- and tribal hazardous waste facilities

SHWS: Florida's State-Funded Action Sites

State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: 02/27/2026
Date Data Arrived at EDR: 05/12/2026
Date Made Active in Reports: 08/05/2026
Number of Days to Update: 85

Source: Department of Environmental Protection
Telephone: 850-488-0190
Last EDR Contact: 08/07/2026
Next Scheduled EDR Contact: 11/23/2026
Data Release Frequency: Semi-Annually

Lists of state and tribal landfills and solid waste disposal facilities

SWF/LF: Solid Waste Facility Database

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 07/02/2026
Date Data Arrived at EDR: 07/02/2026
Date Made Active in Reports: 07/06/2026
Number of Days to Update: 4

Source: Department of Environmental Protection
Telephone: 850-922-7121
Last EDR Contact: 07/02/2026
Next Scheduled EDR Contact: 10/19/2026
Data Release Frequency: Quarterly

Lists of state and tribal leaking storage tanks

LUST: Petroleum Contamination Detail Report

Leaking Underground Storage Tank Incident Reports. LUST records contain an inventory of reported leaking underground storage tank incidents. Not all states maintain these records, and the information stored varies by state.

Date of Government Version: 04/20/2026
Date Data Arrived at EDR: 04/21/2026
Date Made Active in Reports: 07/15/2026
Number of Days to Update: 85

Source: Department of Environmental Protection
Telephone: 850-245-8839
Last EDR Contact: 07/20/2026
Next Scheduled EDR Contact: 11/02/2026
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

LAST: Leaking Aboveground Storage Tank Listing

The file for Leaking Aboveground Storage Tanks. Please remember STCM does not track the source of the discharge so the agency provides a list of facilities with an aboveground tank and an open discharge split by facilities with aboveground tanks only and facilities with aboveground and underground tanks.

Date of Government Version: 04/20/2026	Source: Department of Environmental Protection
Date Data Arrived at EDR: 04/21/2026	Telephone: 850-245-8799
Date Made Active in Reports: 07/15/2026	Last EDR Contact: 07/16/2026
Number of Days to Update: 85	Next Scheduled EDR Contact: 11/02/2026
	Data Release Frequency: Varies

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 11/21/2025	Source: EPA Region 6
Date Data Arrived at EDR: 12/11/2025	Telephone: 214-665-6597
Date Made Active in Reports: 02/19/2026	Last EDR Contact: 07/08/2026
Number of Days to Update: 70	Next Scheduled EDR Contact: 10/26/2026
	Data Release Frequency: Varies

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 11/21/2025	Source: EPA Region 10
Date Data Arrived at EDR: 12/11/2025	Telephone: 206-553-2857
Date Made Active in Reports: 02/19/2026	Last EDR Contact: 07/08/2026
Number of Days to Update: 70	Next Scheduled EDR Contact: 10/26/2026
	Data Release Frequency: Varies

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land

A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 11/21/2025	Source: EPA Region 1
Date Data Arrived at EDR: 12/11/2025	Telephone: 617-918-1313
Date Made Active in Reports: 02/19/2026	Last EDR Contact: 07/08/2026
Number of Days to Update: 70	Next Scheduled EDR Contact: 10/26/2026
	Data Release Frequency: Varies

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land

Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 11/21/2025	Source: EPA, Region 5
Date Data Arrived at EDR: 12/11/2025	Telephone: 312-886-7439
Date Made Active in Reports: 02/19/2026	Last EDR Contact: 07/08/2026
Number of Days to Update: 70	Next Scheduled EDR Contact: 10/26/2026
	Data Release Frequency: Varies

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 11/21/2025	Source: Environmental Protection Agency
Date Data Arrived at EDR: 12/11/2025	Telephone: 415-972-3372
Date Made Active in Reports: 02/19/2026	Last EDR Contact: 07/08/2026
Number of Days to Update: 70	Next Scheduled EDR Contact: 10/26/2026
	Data Release Frequency: Varies

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 11/21/2025	Source: EPA Region 7
Date Data Arrived at EDR: 12/12/2025	Telephone: 913-551-7003
Date Made Active in Reports: 02/19/2026	Last EDR Contact: 07/08/2026
Number of Days to Update: 69	Next Scheduled EDR Contact: 10/26/2026
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 11/21/2025	Source: EPA Region 4
Date Data Arrived at EDR: 12/11/2025	Telephone: 404-562-8677
Date Made Active in Reports: 02/19/2026	Last EDR Contact: 07/08/2026
Number of Days to Update: 70	Next Scheduled EDR Contact: 10/19/2026
	Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 11/21/2025	Source: EPA Region 8
Date Data Arrived at EDR: 12/11/2025	Telephone: 303-312-6271
Date Made Active in Reports: 02/19/2026	Last EDR Contact: 07/08/2026
Number of Days to Update: 70	Next Scheduled EDR Contact: 10/26/2026
	Data Release Frequency: Varies

Lists of state and tribal registered storage tanks

FEMA UST: Underground Storage Tank Listing
A listing of all FEMA owned underground storage tanks.

Date of Government Version: 06/06/2025	Source: FEMA
Date Data Arrived at EDR: 08/26/2025	Telephone: 202-646-5797
Date Made Active in Reports: 11/12/2025	Last EDR Contact: 06/23/2026
Number of Days to Update: 78	Next Scheduled EDR Contact: 10/12/2026
	Data Release Frequency: Varies

FF TANKS: Federal Facilities Listing
A listing of federal facilities with storage tanks.

Date of Government Version: 03/16/2026	Source: Department of Environmental Protection
Date Data Arrived at EDR: 03/17/2026	Telephone: 850-245-8250
Date Made Active in Reports: 06/08/2026	Last EDR Contact: 06/15/2026
Number of Days to Update: 83	Next Scheduled EDR Contact: 09/28/2026
	Data Release Frequency: Quarterly

UST: Storage Tank Facility Information
Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 04/15/2026	Source: Department of Environmental Protection
Date Data Arrived at EDR: 04/17/2026	Telephone: 850-245-8839
Date Made Active in Reports: 05/04/2026	Last EDR Contact: 07/20/2026
Number of Days to Update: 17	Next Scheduled EDR Contact: 11/02/2026
	Data Release Frequency: Quarterly

AST: Storage Tank Facility Information
Registered Aboveground Storage Tanks.

Date of Government Version: 04/15/2026	Source: Department of Environmental Protection
Date Data Arrived at EDR: 04/17/2026	Telephone: 850-245-8839
Date Made Active in Reports: 05/04/2026	Last EDR Contact: 07/20/2026
Number of Days to Update: 17	Next Scheduled EDR Contact: 11/02/2026
	Data Release Frequency: Quarterly

INDIAN UST R9: Underground Storage Tanks on Indian Land
The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 11/21/2025
Date Data Arrived at EDR: 12/11/2025
Date Made Active in Reports: 02/19/2026
Number of Days to Update: 70

Source: EPA Region 9
Telephone: 415-972-3368
Last EDR Contact: 07/08/2026
Next Scheduled EDR Contact: 10/26/2026
Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 11/21/2025
Date Data Arrived at EDR: 12/11/2025
Date Made Active in Reports: 02/19/2026
Number of Days to Update: 70

Source: EPA Region 4
Telephone: 404-562-9424
Last EDR Contact: 07/08/2026
Next Scheduled EDR Contact: 10/26/2026
Data Release Frequency: Varies

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 11/21/2025
Date Data Arrived at EDR: 12/11/2025
Date Made Active in Reports: 02/19/2026
Number of Days to Update: 70

Source: EPA Region 5
Telephone: 312-886-6136
Last EDR Contact: 07/08/2026
Next Scheduled EDR Contact: 10/26/2026
Data Release Frequency: Varies

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 11/21/2025
Date Data Arrived at EDR: 12/11/2025
Date Made Active in Reports: 02/19/2026
Number of Days to Update: 70

Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 07/08/2026
Next Scheduled EDR Contact: 10/26/2026
Data Release Frequency: Varies

INDIAN UST R2: Underground Storage Tanks on Indian Land

A listing of underground storage tanks located on Indian Land in Region 2

Date of Government Version: 04/06/2016
Date Data Arrived at EDR: 03/02/2017
Date Made Active in Reports: 04/07/2017
Number of Days to Update: 36

Source: Environmental Protection Agency,
Telephone: 212-637-3668
Last EDR Contact: 07/08/2026
Next Scheduled EDR Contact: 10/26/2026
Data Release Frequency: Varies

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 11/21/2025
Date Data Arrived at EDR: 12/11/2025
Date Made Active in Reports: 02/19/2026
Number of Days to Update: 70

Source: EPA Region 8
Telephone: 303-312-6137
Last EDR Contact: 07/08/2026
Next Scheduled EDR Contact: 10/26/2026
Data Release Frequency: Varies

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 11/21/2025
Date Data Arrived at EDR: 12/11/2025
Date Made Active in Reports: 02/19/2026
Number of Days to Update: 70

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 07/08/2026
Next Scheduled EDR Contact: 10/26/2026
Data Release Frequency: Varies

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 11/21/2025
Date Data Arrived at EDR: 12/11/2025
Date Made Active in Reports: 02/19/2026
Number of Days to Update: 70

Source: EPA, Region 1
Telephone: 617-918-1313
Last EDR Contact: 07/08/2026
Next Scheduled EDR Contact: 10/26/2026
Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 11/21/2025
Date Data Arrived at EDR: 12/11/2025
Date Made Active in Reports: 02/19/2026
Number of Days to Update: 70

Source: EPA Region 6
Telephone: 214-665-7591
Last EDR Contact: 07/08/2026
Next Scheduled EDR Contact: 10/26/2026
Data Release Frequency: Varies

TANKS: Storage Tank Facility List

This listing includes storage tank facilities that do not have tank information. The tanks have either be closed or removed from the site, but the facilities were still registered at some point in history.

Date of Government Version: 04/15/2026
Date Data Arrived at EDR: 04/17/2026
Date Made Active in Reports: 05/04/2026
Number of Days to Update: 17

Source: Department of Environmental Protection
Telephone: 850-245-8841
Last EDR Contact: 07/20/2026
Next Scheduled EDR Contact: 11/02/2026
Data Release Frequency: Quarterly

State and tribal institutional control / engineering control registries

ENG CONTROLS: Institutional Controls Registry

The registry is a database of all contaminated sites in the state of Florida which are subject to engineering controls. Engineering Controls encompass a variety of engineered remedies to contain and/or reduce contamination, and/or physical barriers intended to limit access to property. ECs include fences, signs, guards, landfill caps, provision of potable water, slurry walls, sheet pile (vertical caps), pumping and treatment of groundwater, monitoring wells, and vapor extraction systems.

Date of Government Version: 03/23/2026
Date Data Arrived at EDR: 03/24/2026
Date Made Active in Reports: 06/17/2026
Number of Days to Update: 85

Source: Department of Environmental Protection
Telephone: 850-245-8927
Last EDR Contact: 06/25/2026
Next Scheduled EDR Contact: 10/05/2026
Data Release Frequency: Semi-Annually

Inst Control: Institutional Controls Registry

The registry is a database of all contaminated sites in the state of Florida which are subject to institutional and engineering controls.

Date of Government Version: 03/23/2026
Date Data Arrived at EDR: 03/24/2026
Date Made Active in Reports: 06/17/2026
Number of Days to Update: 85

Source: Department of Environmental Protection
Telephone: 850-245-8927
Last EDR Contact: 06/25/2026
Next Scheduled EDR Contact: 10/05/2026
Data Release Frequency: Semi-Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Lists of state and tribal voluntary cleanup sites

INDIAN VCP R7: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008	Source: EPA, Region 7
Date Data Arrived at EDR: 04/22/2008	Telephone: 913-551-7365
Date Made Active in Reports: 05/19/2008	Last EDR Contact: 07/08/2021
Number of Days to Update: 27	Next Scheduled EDR Contact: 07/20/2009
	Data Release Frequency: Varies

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 07/27/2015	Source: EPA, Region 1
Date Data Arrived at EDR: 09/29/2015	Telephone: 617-918-1102
Date Made Active in Reports: 02/18/2016	Last EDR Contact: 12/03/2025
Number of Days to Update: 142	Next Scheduled EDR Contact: 03/30/2026
	Data Release Frequency: Varies

VCP: Voluntary Cleanup Sites

Listing of closed and active voluntary cleanup sites.

Date of Government Version: 05/11/2026	Source: Department of Environmental Protection
Date Data Arrived at EDR: 05/12/2026	Telephone: 850-245-8705
Date Made Active in Reports: 08/06/2026	Last EDR Contact: 08/04/2026
Number of Days to Update: 86	Next Scheduled EDR Contact: 11/23/2026
	Data Release Frequency: Varies

Lists of state and tribal brownfield sites

BROWNFIELDS: Brownfields Sites Database

Brownfields are defined by the Florida Department of Environmental Protection (FDEP) as abandoned, idled, or underused industrial and commercial facilities where expansion or redevelopment is complicated by real or perceived environmental contamination.

Date of Government Version: 02/04/2026	Source: Department of Environmental Protection
Date Data Arrived at EDR: 03/24/2026	Telephone: 850-245-8927
Date Made Active in Reports: 06/17/2026	Last EDR Contact: 06/23/2026
Number of Days to Update: 85	Next Scheduled EDR Contact: 10/05/2026
	Data Release Frequency: Semi-Annually

BROWNFIELDS AREAS: Brownfields Areas Database

A "brownfield area" means a contiguous area of one or more brownfield sites, some of which may not be contaminated, that has been designated as such by a local government resolution. Such areas may include all or portions of community redevelopment areas, enterprise zones, empowerment zones, other such designated economically deprived communities and areas, and Environmental Protection Agency (EPA) designated brownfield pilot projects. This layer provides a polygon representation of the boundaries of these designated Brownfield Areas in Florida.

Date of Government Version: 01/21/2026	Source: Department of Environmental Protection
Date Data Arrived at EDR: 03/24/2026	Telephone: 850-245-8934
Date Made Active in Reports: 06/17/2026	Last EDR Contact: 06/23/2026
Number of Days to Update: 85	Next Scheduled EDR Contact: 10/05/2026
	Data Release Frequency: Quarterly

BSRA: Brownfield Site Rehabilitation Agreements Listing

The BSRA provides DEP and the public assurance that site rehabilitation will be conducted in accordance with Florida Statutes and DEP's Contaminated Site Cleanup Criteria rule. In addition, the BSRA provides limited liability protection for the voluntary responsible party. The BSRA contains various commitments by the voluntary responsible party, including milestones for completion of site rehabilitation tasks and submittal of technical reports and plans. It also contains a commitment by DEP to review technical reports according to an agreed upon schedule. Only those brownfield sites with an executed BSRA are eligible to apply for a voluntary cleanup tax credit incentive pursuant to Section 376.30781, Florida Statutes.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 09/02/2025
Date Data Arrived at EDR: 09/23/2025
Date Made Active in Reports: 12/10/2025
Number of Days to Update: 78

Source: Department of Environmental Protection
Telephone: 850-245-8934
Last EDR Contact: 06/23/2026
Next Scheduled EDR Contact: 10/05/2026
Data Release Frequency: Varies

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 03/09/2026
Date Data Arrived at EDR: 03/10/2026
Date Made Active in Reports: 05/04/2026
Number of Days to Update: 55

Source: Environmental Protection Agency
Telephone: 202-566-2777
Last EDR Contact: 06/09/2026
Next Scheduled EDR Contact: 09/21/2026
Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

SWRCY: Recycling Centers

A listing of recycling centers located in the state of Florida.

Date of Government Version: 01/06/2026
Date Data Arrived at EDR: 01/07/2026
Date Made Active in Reports: 03/20/2026
Number of Days to Update: 72

Source: Department of Environmental Protection
Telephone: 850-245-8718
Last EDR Contact: 07/06/2026
Next Scheduled EDR Contact: 10/19/2026
Data Release Frequency: Varies

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998
Date Data Arrived at EDR: 12/03/2007
Date Made Active in Reports: 01/24/2008
Number of Days to Update: 52

Source: Environmental Protection Agency
Telephone: 703-308-8245
Last EDR Contact: 07/14/2026
Next Scheduled EDR Contact: 11/02/2026
Data Release Frequency: Varies

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985
Date Data Arrived at EDR: 08/09/2004
Date Made Active in Reports: 09/17/2004
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 800-424-9346
Last EDR Contact: 06/09/2004
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 01/12/2009
Date Data Arrived at EDR: 05/07/2009
Date Made Active in Reports: 09/21/2009
Number of Days to Update: 137

Source: EPA, Region 9
Telephone: 415-947-4219
Last EDR Contact: 07/07/2026
Next Scheduled EDR Contact: 10/26/2026
Data Release Frequency: No Update Planned

IHS OPEN DUMPS: Open Dumps on Indian Land

A listing of all open dumps located on Indian Land in the United States.

Date of Government Version: 02/07/2024
Date Data Arrived at EDR: 11/13/2024
Date Made Active in Reports: 11/19/2024
Number of Days to Update: 6

Source: Department of Health & Human Services, Indian Health Service
Telephone: 301-443-1452
Last EDR Contact: 07/14/2026
Next Scheduled EDR Contact: 11/02/2026
Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations that have been removed from the DEAs National Clandestine Laboratory Register.

Date of Government Version: 04/04/2025
Date Data Arrived at EDR: 06/02/2025
Date Made Active in Reports: 08/12/2025
Number of Days to Update: 71

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 05/21/2026
Next Scheduled EDR Contact: 08/31/2026
Data Release Frequency: No Update Planned

PRIORITYCLEANERS: Priority Ranking List

The Florida Legislature has established a state-funded program to cleanup properties that are contaminated as a result of the operations of a drycleaning facility.

Date of Government Version: 02/27/2026
Date Data Arrived at EDR: 05/05/2026
Date Made Active in Reports: 07/23/2026
Number of Days to Update: 79

Source: Department of Environmental Protection
Telephone: 850-245-8927
Last EDR Contact: 11/03/2025
Next Scheduled EDR Contact: 11/16/2026
Data Release Frequency: Varies

FL SITES: Sites List

This summary status report was developed from a number of lists including the Eckhardt list, the Moffit list, the EPA Hazardous Waste Sites list, EPA's Emergency & Remedial Response information System list (RCRA Section 3012) & existing department lists such as the obsolete uncontrolled Hazardous Waste Sites list. This list is no longer updated.

Date of Government Version: 12/31/1989
Date Data Arrived at EDR: 05/09/1994
Date Made Active in Reports: 08/04/1994
Number of Days to Update: 87

Source: Department of Environmental Protection
Telephone: 850-245-8705
Last EDR Contact: 03/24/1994
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 04/04/2025
Date Data Arrived at EDR: 06/02/2025
Date Made Active in Reports: 08/12/2025
Number of Days to Update: 71

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 05/21/2026
Next Scheduled EDR Contact: 08/31/2026
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Local Land Records

LIENS 2: CERCLA Lien Information

A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 06/29/2026	Source: Environmental Protection Agency
Date Data Arrived at EDR: 07/01/2026	Telephone: 202-564-6023
Date Made Active in Reports: 07/27/2026	Last EDR Contact: 08/03/2026
Number of Days to Update: 26	Next Scheduled EDR Contact: 10/05/2026
	Data Release Frequency: Semi-Annually

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 12/07/2025	Source: U.S. Department of Transportation
Date Data Arrived at EDR: 12/08/2025	Telephone: 202-366-4555
Date Made Active in Reports: 02/12/2026	Last EDR Contact: 06/09/2026
Number of Days to Update: 66	Next Scheduled EDR Contact: 09/28/2026
	Data Release Frequency: Quarterly

SPILLS: Oil and Hazardous Materials Incidents

Statewide oil and hazardous materials inland incidents.

Date of Government Version: 03/25/2026	Source: Department of Environmental Protection
Date Data Arrived at EDR: 03/26/2026	Telephone: 850-245-2010
Date Made Active in Reports: 06/18/2026	Last EDR Contact: 06/23/2026
Number of Days to Update: 84	Next Scheduled EDR Contact: 10/12/2026
	Data Release Frequency: Semi-Annually

SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 12/10/2012	Source: FirstSearch
Date Data Arrived at EDR: 01/03/2013	Telephone: N/A
Date Made Active in Reports: 03/04/2013	Last EDR Contact: 01/03/2013
Number of Days to Update: 60	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

SPILLS 80: SPILLS80 data from FirstSearch

Spills 80 includes those spill and release records available from FirstSearch databases prior to 1990. Typically, they may include chemical, oil and/or hazardous substance spills recorded before 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 80.

Date of Government Version: 09/01/2001	Source: FirstSearch
Date Data Arrived at EDR: 01/03/2013	Telephone: N/A
Date Made Active in Reports: 03/06/2013	Last EDR Contact: 01/03/2013
Number of Days to Update: 62	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

Other Ascertainable Records

RCRA NonGen / NLR: RCRA - Non Generators / No Longer Regulated

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 06/07/2026
Date Data Arrived at EDR: 06/08/2026
Date Made Active in Reports: 06/15/2026
Number of Days to Update: 7

Source: Environmental Protection Agency
Telephone: (404) 562-8651
Last EDR Contact: 06/08/2026
Next Scheduled EDR Contact: 09/28/2026
Data Release Frequency: Quarterly

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 04/30/2026
Date Data Arrived at EDR: 05/12/2026
Date Made Active in Reports: 08/03/2026
Number of Days to Update: 83

Source: U.S. Army Corps of Engineers
Telephone: 202-528-4285
Last EDR Contact: 08/10/2026
Next Scheduled EDR Contact: 11/23/2026
Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 06/07/2021
Date Data Arrived at EDR: 07/13/2021
Date Made Active in Reports: 03/09/2022
Number of Days to Update: 239

Source: USGS
Telephone: 888-275-8747
Last EDR Contact: 07/09/2026
Next Scheduled EDR Contact: 10/19/2026
Data Release Frequency: Varies

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 04/02/2018
Date Data Arrived at EDR: 04/11/2018
Date Made Active in Reports: 11/06/2019
Number of Days to Update: 574

Source: U.S. Geological Survey
Telephone: 888-275-8747
Last EDR Contact: 06/25/2026
Next Scheduled EDR Contact: 10/12/2026
Data Release Frequency: N/A

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 07/30/2021
Date Data Arrived at EDR: 02/03/2023
Date Made Active in Reports: 02/10/2023
Number of Days to Update: 7

Source: Environmental Protection Agency
Telephone: 615-532-8599
Last EDR Contact: 07/28/2026
Next Scheduled EDR Contact: 11/16/2026
Data Release Frequency: Varies

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 06/07/2026
Date Data Arrived at EDR: 06/08/2026
Date Made Active in Reports: 06/15/2026
Number of Days to Update: 7

Source: Environmental Protection Agency
Telephone: 202-566-1917
Last EDR Contact: 06/08/2026
Next Scheduled EDR Contact: 09/28/2026
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

EPA WATCH LIST: EPA Watch List

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 08/30/2013
Date Data Arrived at EDR: 03/21/2014
Date Made Active in Reports: 06/17/2014
Number of Days to Update: 88

Source: Environmental Protection Agency
Telephone: 617-520-3000
Last EDR Contact: 07/23/2026
Next Scheduled EDR Contact: 11/09/2026
Data Release Frequency: No Update Planned

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 09/30/2017
Date Data Arrived at EDR: 05/08/2018
Date Made Active in Reports: 07/20/2018
Number of Days to Update: 73

Source: Environmental Protection Agency
Telephone: 703-308-4044
Last EDR Contact: 08/10/2026
Next Scheduled EDR Contact: 11/09/2026
Data Release Frequency: Varies

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2020
Date Data Arrived at EDR: 06/14/2022
Date Made Active in Reports: 03/24/2023
Number of Days to Update: 283

Source: EPA
Telephone: 202-260-5521
Last EDR Contact: 06/11/2026
Next Scheduled EDR Contact: 09/21/2026
Data Release Frequency: Every 4 Years

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2024
Date Data Arrived at EDR: 02/12/2026
Date Made Active in Reports: 05/04/2026
Number of Days to Update: 81

Source: EPA
Telephone: 202-566-0250
Last EDR Contact: 08/13/2026
Next Scheduled EDR Contact: 11/23/2026
Data Release Frequency: Annually

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 04/13/2026
Date Data Arrived at EDR: 04/14/2026
Date Made Active in Reports: 07/09/2026
Number of Days to Update: 86

Source: EPA
Telephone: 202-564-4203
Last EDR Contact: 07/13/2026
Next Scheduled EDR Contact: 10/26/2026
Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 04/24/2026	Source: EPA
Date Data Arrived at EDR: 05/01/2026	Telephone: 703-416-0223
Date Made Active in Reports: 05/14/2026	Last EDR Contact: 08/03/2026
Number of Days to Update: 13	Next Scheduled EDR Contact: 09/07/2026
	Data Release Frequency: Annually

RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 04/01/2026	Source: Environmental Protection Agency
Date Data Arrived at EDR: 04/16/2026	Telephone: 202-564-8600
Date Made Active in Reports: 07/09/2026	Last EDR Contact: 07/08/2026
Number of Days to Update: 84	Next Scheduled EDR Contact: 10/26/2026
	Data Release Frequency: Varies

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995	Source: EPA
Date Data Arrived at EDR: 07/03/1995	Telephone: 202-564-4104
Date Made Active in Reports: 08/07/1995	Last EDR Contact: 06/02/2008
Number of Days to Update: 35	Next Scheduled EDR Contact: 09/01/2008
	Data Release Frequency: No Update Planned

PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 06/26/2025	Source: EPA
Date Data Arrived at EDR: 07/01/2025	Telephone: 202-564-6023
Date Made Active in Reports: 07/29/2025	Last EDR Contact: 08/03/2026
Number of Days to Update: 28	Next Scheduled EDR Contact: 11/09/2026
	Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 08/12/2025	Source: EPA
Date Data Arrived at EDR: 09/30/2025	Telephone: 202-566-0500
Date Made Active in Reports: 11/24/2025	Last EDR Contact: 07/02/2026
Number of Days to Update: 55	Next Scheduled EDR Contact: 10/12/2026
	Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 11/18/2016	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/23/2016	Telephone: 202-564-2501
Date Made Active in Reports: 02/10/2017	Last EDR Contact: 09/23/2025
Number of Days to Update: 79	Next Scheduled EDR Contact: 01/12/2026
	Data Release Frequency: Quarterly

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009	Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 08/18/2017
Number of Days to Update: 25	Next Scheduled EDR Contact: 12/04/2017
	Data Release Frequency: No Update Planned

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009	Source: EPA
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 08/18/2017
Number of Days to Update: 25	Next Scheduled EDR Contact: 12/04/2017
	Data Release Frequency: No Update Planned

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/23/2026	Source: Nuclear Regulatory Commission
Date Data Arrived at EDR: 04/24/2026	Telephone: 301-415-0717
Date Made Active in Reports: 07/23/2026	Last EDR Contact: 07/07/2026
Number of Days to Update: 90	Next Scheduled EDR Contact: 10/26/2026
	Data Release Frequency: Quarterly

COAL ASH DOE: Steam-Electric Plant Operation Data

A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2024	Source: Department of Energy
Date Data Arrived at EDR: 11/19/2025	Telephone: 202-586-8719
Date Made Active in Reports: 01/29/2026	Last EDR Contact: 05/21/2026
Number of Days to Update: 71	Next Scheduled EDR Contact: 09/07/2026
	Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 01/12/2017	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/05/2019	Telephone: N/A
Date Made Active in Reports: 11/11/2019	Last EDR Contact: 08/18/2026
Number of Days to Update: 251	Next Scheduled EDR Contact: 12/07/2026
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 09/13/2019	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/06/2019	Telephone: 202-566-0517
Date Made Active in Reports: 02/10/2020	Last EDR Contact: 07/30/2026
Number of Days to Update: 96	Next Scheduled EDR Contact: 11/09/2026
	Data Release Frequency: Varies

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 07/01/2019	Source: Environmental Protection Agency
Date Data Arrived at EDR: 07/01/2019	Telephone: 202-343-9775
Date Made Active in Reports: 09/23/2019	Last EDR Contact: 06/16/2026
Number of Days to Update: 84	Next Scheduled EDR Contact: 10/05/2026
	Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 12/17/2007
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008
	Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 12/17/2008
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008
	Data Release Frequency: No Update Planned

DOT OPS: Incident and Accident Data

Department of Transportation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 06/30/2026	Source: Department of Transportation, Office of Pipeline Safety
Date Data Arrived at EDR: 07/16/2026	Telephone: 202-366-4595
Date Made Active in Reports: 07/23/2026	Last EDR Contact: 07/16/2026
Number of Days to Update: 7	Next Scheduled EDR Contact: 11/02/2026
	Data Release Frequency: Quarterly

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/2025
Date Data Arrived at EDR: 03/12/2026
Date Made Active in Reports: 05/14/2026
Number of Days to Update: 63

Source: Department of Justice, Consent Decree Library
Telephone: Varies
Last EDR Contact: 07/14/2026
Next Scheduled EDR Contact: 10/12/2026
Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2023
Date Data Arrived at EDR: 02/19/2025
Date Made Active in Reports: 03/07/2025
Number of Days to Update: 16

Source: EPA/NTIS
Telephone: 800-424-9346
Last EDR Contact: 06/08/2026
Next Scheduled EDR Contact: 09/28/2026
Data Release Frequency: Biennially

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 07/14/2015
Date Made Active in Reports: 01/10/2017
Number of Days to Update: 546

Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 06/25/2026
Next Scheduled EDR Contact: 10/12/2026
Data Release Frequency: Semi-Annually

FUSRAP: Formerly Utilized Sites Remedial Action Program

DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

Date of Government Version: 03/03/2023
Date Data Arrived at EDR: 03/03/2023
Date Made Active in Reports: 06/09/2023
Number of Days to Update: 98

Source: Department of Energy
Telephone: 202-586-3559
Last EDR Contact: 07/29/2026
Next Scheduled EDR Contact: 11/09/2026
Data Release Frequency: Varies

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 05/15/2025
Date Data Arrived at EDR: 05/15/2025
Date Made Active in Reports: 07/29/2025
Number of Days to Update: 75

Source: Department of Energy
Telephone: 505-845-0011
Last EDR Contact: 08/10/2026
Next Scheduled EDR Contact: 11/23/2026
Data Release Frequency: Varies

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 06/29/2026
Date Data Arrived at EDR: 07/01/2026
Date Made Active in Reports: 07/27/2026
Number of Days to Update: 26

Source: Environmental Protection Agency
Telephone: 703-603-8787
Last EDR Contact: 08/03/2026
Next Scheduled EDR Contact: 10/05/2026
Data Release Frequency: Varies

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931 and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 04/05/2001
Date Data Arrived at EDR: 10/27/2010
Date Made Active in Reports: 12/02/2010
Number of Days to Update: 36

Source: American Journal of Public Health
Telephone: 703-305-6451
Last EDR Contact: 12/02/2009
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

US AIRS MINOR: Air Facility System Data

A listing of minor source facilities.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 04/03/2026
Date Data Arrived at EDR: 04/28/2026
Date Made Active in Reports: 05/04/2026
Number of Days to Update: 6

Source: Department of Labor, Mine Safety and Health Administration
Telephone: 303-231-5959
Last EDR Contact: 08/11/2026
Next Scheduled EDR Contact: 11/30/2026
Data Release Frequency: Semi-Annually

MINES VIOLATIONS: MSHA Violation Assessment Data

Mines violation and assessment information. Department of Labor, Mine Safety & Health Administration.

Date of Government Version: 04/01/2026
Date Data Arrived at EDR: 04/01/2026
Date Made Active in Reports: 06/30/2026
Number of Days to Update: 90

Source: DOL, Mine Safety & Health Admini
Telephone: 202-693-9424
Last EDR Contact: 07/01/2026
Next Scheduled EDR Contact: 10/26/2026
Data Release Frequency: Quarterly

US MINES 2: Ferrous and Nonferrous Metal Mines Database Listing

This map layer includes ferrous (ferrous metal mines are facilities that extract ferrous metals, such as iron ore or molybdenum) and nonferrous (Nonferrous metal mines are facilities that extract nonferrous metals, such as gold, silver, copper, zinc, and lead) metal mines in the United States.

Date of Government Version: 04/08/2025
Date Data Arrived at EDR: 05/20/2025
Date Made Active in Reports: 08/12/2025
Number of Days to Update: 84

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 08/11/2026
Next Scheduled EDR Contact: 11/30/2026
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

US MINES 3: Active Mines & Mineral Plants Database Listing

Active Mines and Mineral Processing Plant operations for commodities monitored by the Minerals Information Team of the USGS.

Date of Government Version: 04/14/2011	Source: USGS
Date Data Arrived at EDR: 06/08/2011	Telephone: 703-648-7709
Date Made Active in Reports: 09/13/2011	Last EDR Contact: 08/11/2026
Number of Days to Update: 97	Next Scheduled EDR Contact: 11/30/2026
	Data Release Frequency: Varies

ABANDONED MINES: Abandoned Mines

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by OSMRE to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type, and extent of AML impacts, as well as, information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.

Date of Government Version: 03/11/2026	Source: Department of Interior
Date Data Arrived at EDR: 03/12/2026	Telephone: 202-208-2609
Date Made Active in Reports: 05/04/2026	Last EDR Contact: 06/10/2026
Number of Days to Update: 53	Next Scheduled EDR Contact: 09/14/2026
	Data Release Frequency: Quarterly

MINES MRDS: Mineral Resources Data System Mineral Resources Data System

Date of Government Version: 06/04/2024	Source: USGS
Date Data Arrived at EDR: 11/22/2024	Telephone: 703-648-6533
Date Made Active in Reports: 02/18/2025	Last EDR Contact: 08/11/2026
Number of Days to Update: 88	Next Scheduled EDR Contact: 11/30/2026
	Data Release Frequency: Varies

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 05/13/2026	Source: EPA
Date Data Arrived at EDR: 05/22/2026	Telephone: (404) 562-9900
Date Made Active in Reports: 08/18/2026	Last EDR Contact: 05/22/2026
Number of Days to Update: 88	Next Scheduled EDR Contact: 09/07/2026
	Data Release Frequency: Quarterly

UXO: Unexploded Ordnance Sites

A listing of unexploded ordnance site locations

Date of Government Version: 07/31/2025	Source: Department of Defense
Date Data Arrived at EDR: 02/11/2026	Telephone: 703-704-1564
Date Made Active in Reports: 04/27/2026	Last EDR Contact: 07/07/2026
Number of Days to Update: 75	Next Scheduled EDR Contact: 10/19/2026
	Data Release Frequency: Varies

DOCKET HWC: Hazardous Waste Compliance Docket Listing

A complete list of the Federal Agency Hazardous Waste Compliance Docket Facilities.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 05/06/2021
Date Data Arrived at EDR: 05/21/2021
Date Made Active in Reports: 08/11/2021
Number of Days to Update: 82

Source: Environmental Protection Agency
Telephone: 202-564-0527
Last EDR Contact: 05/13/2026
Next Scheduled EDR Contact: 08/31/2026
Data Release Frequency: Varies

ECHO: Enforcement & Compliance History Information

ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

Date of Government Version: 03/28/2026
Date Data Arrived at EDR: 03/31/2026
Date Made Active in Reports: 06/30/2026
Number of Days to Update: 91

Source: Environmental Protection Agency
Telephone: 202-564-2280
Last EDR Contact: 06/25/2026
Next Scheduled EDR Contact: 10/12/2026
Data Release Frequency: Quarterly

FUELS PROGRAM: EPA Fuels Program Registered Listing

This listing includes facilities that are registered under the Part 80 (Code of Federal Regulations) EPA Fuels Programs. All companies now are required to submit new and updated registrations.

Date of Government Version: 05/11/2026
Date Data Arrived at EDR: 05/12/2026
Date Made Active in Reports: 08/03/2026
Number of Days to Update: 83

Source: EPA
Telephone: 800-385-6164
Last EDR Contact: 08/10/2026
Next Scheduled EDR Contact: 11/23/2026
Data Release Frequency: Quarterly

PFAS NPL: Superfund Sites with PFAS Detections Information

EPA's Office of Land and Emergency Management and EPA Regional Offices maintain data describing what is known about site investigations, contamination, and remedial actions under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) where PFAS is present in the environment.

Date of Government Version: 06/24/2026
Date Data Arrived at EDR: 06/25/2026
Date Made Active in Reports: 06/30/2026
Number of Days to Update: 5

Source: Environmental Protection Agency
Telephone: 703-603-8895
Last EDR Contact: 06/25/2026
Next Scheduled EDR Contact: 10/12/2026
Data Release Frequency: Varies

PFAS FEDERAL SITES: Federal Sites PFAS Information

Several federal entities, such as the federal Superfund program, Department of Defense, National Aeronautics and Space Administration, Department of Transportation, and Department of Energy provided information for sites with known or suspected detections at federal facilities.

Date of Government Version: 06/24/2026
Date Data Arrived at EDR: 06/25/2026
Date Made Active in Reports: 06/30/2026
Number of Days to Update: 5

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 06/25/2026
Next Scheduled EDR Contact: 10/12/2026
Data Release Frequency: Varies

PFAS TRIS: List of PFAS Added to the TRI

Section 7321 of the National Defense Authorization Act for Fiscal Year 2020 (NDAA) immediately added certain per- and polyfluoroalkyl substances (PFAS) to the list of chemicals covered by the Toxics Release Inventory (TRI) under Section 313 of the Emergency Planning and Community Right-to-Know Act (EPCRA) and provided a framework for additional PFAS to be added to TRI on an annual basis.

Date of Government Version: 06/24/2026
Date Data Arrived at EDR: 06/25/2026
Date Made Active in Reports: 06/30/2026
Number of Days to Update: 5

Source: Environmental Protection Agency
Telephone: 202-566-0250
Last EDR Contact: 06/25/2026
Next Scheduled EDR Contact: 10/12/2026
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

PFAS TSCA: PFAS Manufacture and Imports Information

EPA issued the Chemical Data Reporting (CDR) Rule under the Toxic Substances Control Act (TSCA) and requires chemical manufacturers and facilities that manufacture or import chemical substances to report data to EPA. EPA publishes non-confidential business information (non-CBI) and includes descriptive information about each site, corporate parent, production volume, other manufacturing information, and processing and use information.

Date of Government Version: 06/24/2026	Source: Environmental Protection Agency
Date Data Arrived at EDR: 06/25/2026	Telephone: 202-272-0167
Date Made Active in Reports: 06/30/2026	Last EDR Contact: 06/25/2026
Number of Days to Update: 5	Next Scheduled EDR Contact: 10/12/2026
	Data Release Frequency: Varies

PFAS RCRA MANIFEST: PFAS Transfers Identified In the RCRA Database Listing

To work around the lack of PFAS waste codes in the RCRA database, EPA developed the PFAS Transfers dataset by mining e-Manifest records containing at least one of these common PFAS keywords: PFAS, PFOA, PFOS, PERFL, AFFF, GENX, GEN-X (plus the VT waste codes). These keywords were searched for in the following text fields: Manifest handling instructions (MANIFEST_HANDLING_INSTR), Non-hazardous waste description (NON_HAZ_WASTE_DESCRIPTION), DOT printed information (DOT_PRINTED_INFORMATION), Waste line handling instructions (WASTE_LINE_HANDLING_INSTR), Waste residue comments (WASTE_RESIDUE_COMMENTS).

Date of Government Version: 06/24/2026	Source: Environmental Protection Agency
Date Data Arrived at EDR: 06/25/2026	Telephone: 202-272-0167
Date Made Active in Reports: 06/30/2026	Last EDR Contact: 06/25/2026
Number of Days to Update: 5	Next Scheduled EDR Contact: 10/12/2026
	Data Release Frequency: Varies

PFAS ATSDR: PFAS Contamination Site Location Listing

PFAS contamination site locations from the Department of Health & Human Services, Center for Disease Control & Prevention. ATSDR is involved at a number of PFAS-related sites, either directly or through assisting state and federal partners. As of now, most sites are related to drinking water contamination connected with PFAS production facilities or fire training areas where aqueous film-forming firefighting foam (AFFF) was regularly used.

Date of Government Version: 11/12/2024	Source: Department of Health & Human Services
Date Data Arrived at EDR: 07/21/2025	Telephone: 202-741-5770
Date Made Active in Reports: 10/13/2025	Last EDR Contact: 07/20/2026
Number of Days to Update: 84	Next Scheduled EDR Contact: 11/02/2026
	Data Release Frequency: Varies

PFAS WQP: Ambient Environmental Sampling for PFAS

The Water Quality Portal (WQP) is a part of a modernized repository storing ambient sampling data for all environmental media and tissue samples. A wide range of federal, state, tribal and local governments, academic and non-governmental organizations and individuals submit project details and sampling results to this public repository. The information is commonly used for research and assessments of environmental quality.

Date of Government Version: 06/24/2026	Source: Environmental Protection Agency
Date Data Arrived at EDR: 06/25/2026	Telephone: 202-272-0167
Date Made Active in Reports: 07/23/2026	Last EDR Contact: 06/25/2026
Number of Days to Update: 28	Next Scheduled EDR Contact: 10/12/2026
	Data Release Frequency: Varies

PFAS NPDES: Clean Water Act Discharge Monitoring Information

Any discharger of pollutants to waters of the United States from a point source must have a National Pollutant Discharge Elimination System (NPDES) permit. The process for obtaining limits involves the regulated entity (permittee) disclosing releases in a NPDES permit application and the permitting authority (typically the state but sometimes EPA) deciding whether to require monitoring or monitoring with limits. Caveats and Limitations: Less than half of states have required PFAS monitoring for at least one of their permittees and fewer states have established PFAS effluent limits for permittees. New rulemakings have been initiated that may increase the number of facilities monitoring for PFAS in the future.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 06/24/2026
Date Data Arrived at EDR: 06/25/2026
Date Made Active in Reports: 07/23/2026
Number of Days to Update: 28

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 06/25/2026
Next Scheduled EDR Contact: 10/12/2026
Data Release Frequency: Varies

PFAS PROJECT: NORTHEASTERN UNIVERSITY PFAS PROJECT

The PFAS Contamination Site Tracker records qualitative and quantitative data from each site in a chart, specifically examining discovery, contamination levels, government response, litigation, health impacts, media coverage, and community characteristics. All data presented in the chart were extracted from government websites, such as state health departments or the Environmental Protection Agency, and news articles.

Date of Government Version: 08/21/2025
Date Data Arrived at EDR: 12/04/2025
Date Made Active in Reports: 02/12/2026
Number of Days to Update: 70

Source: Social Science Environmental Health Research Institute
Telephone: N/A
Last EDR Contact: 06/04/2026
Next Scheduled EDR Contact: 09/14/2026
Data Release Frequency: Varies

PFAS ECHO: Facilities in Industries that May Be Handling PFAS Listing

Regulators and the public have expressed interest in knowing which regulated entities may be using PFAS. EPA has developed a dataset from various sources that show which industries may be handling PFAS. Approximately 120,000 facilities subject to federal environmental programs have operated or currently operate in industry sectors with processes that may involve handling and/or release of PFAS.

Date of Government Version: 06/24/2026
Date Data Arrived at EDR: 06/25/2026
Date Made Active in Reports: 06/30/2026
Number of Days to Update: 5

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 06/25/2026
Next Scheduled EDR Contact: 10/12/2026
Data Release Frequency: Varies

PFAS ECHO FIRE TRAIN: Facilities in Industries that May Be Handling PFAS Listing

A list of fire training sites was added to the Industry Sectors dataset using a keyword search on the permitted facilities name to identify sites where fire-fighting foam may have been used in training exercises. Additionally, you may view an example spreadsheet of the subset of fire training facility data, as well as the keywords used in selecting or deselecting a facility for the subset. as well as the keywords used in selecting or deselecting a facility for the subset. These keywords were tested to maximize accuracy in selecting facilities that may use fire-fighting foam in training exercises, however, due to the lack of a required reporting field in the data systems for designating fire training sites, this methodology may not identify all fire training sites or may potentially misidentify them.

Date of Government Version: 06/24/2026
Date Data Arrived at EDR: 06/25/2026
Date Made Active in Reports: 06/30/2026
Number of Days to Update: 5

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 06/25/2026
Next Scheduled EDR Contact: 10/12/2026
Data Release Frequency: Varies

PFAS PT 139 AIRPORT: All Certified Part 139 Airports PFAS Information Listing

Since July 1, 2006, all certified part 139 airports are required to have fire-fighting foam onsite that meet military specifications (MIL-F-24385) (14 CFR 139.317). To date, these military specification fire-fighting foams are fluorinated and have been historically used for training and extinguishing. The 2018 FAA Reauthorization Act has a provision stating that no later than October 2021, FAA shall not require the use of fluorinated AFFF. This provision does not prohibit the use of fluorinated AFFF at Part 139 civilian airports; it only prohibits FAA from mandating its use. The Federal Aviation Administration's document AC 150/5210-6D - Aircraft Fire Extinguishing Agents provides guidance on Aircraft Fire Extinguishing Agents, which includes Aqueous Film Forming Foam (AFFF).

Date of Government Version: 06/24/2026
Date Data Arrived at EDR: 06/25/2026
Date Made Active in Reports: 06/30/2026
Number of Days to Update: 5

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 06/25/2026
Next Scheduled EDR Contact: 10/12/2026
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

AQUEOUS FOAM NRC: Aqueous Foam Related Incidents Listing

The National Response Center (NRC) serves as an emergency call center that fields initial reports for pollution and railroad incidents and forwards that information to appropriate federal/state agencies for response. The spreadsheets posted to the NRC website contain initial incident data that has not been validated or investigated by a federal/state response agency. Response center calls from 1990 to the most recent complete calendar year where there was indication of Aqueous Film Forming Foam (AFFF) usage are included in this dataset. NRC calls may reference AFFF usage in the ?Material Involved? or ?Incident Description? fields.

Date of Government Version: 06/24/2026	Source: Environmental Protection Agency
Date Data Arrived at EDR: 06/25/2026	Telephone: 202-267-2675
Date Made Active in Reports: 06/30/2026	Last EDR Contact: 06/25/2026
Number of Days to Update: 5	Next Scheduled EDR Contact: 10/12/2026
	Data Release Frequency: Varies

PCS ENF: Enforcement data

No description is available for this data

Date of Government Version: 12/31/2014	Source: EPA
Date Data Arrived at EDR: 02/05/2015	Telephone: 202-564-2497
Date Made Active in Reports: 03/06/2015	Last EDR Contact: 09/24/2025
Number of Days to Update: 29	Next Scheduled EDR Contact: 01/12/2026
	Data Release Frequency: Varies

PCS: Permit Compliance System

PCS is a computerized management information system that contains data on National Pollutant Discharge Elimination System (NPDES) permit holding facilities. PCS tracks the permit, compliance, and enforcement status of NPDES facilities.

Date of Government Version: 12/16/2016	Source: EPA, Office of Water
Date Data Arrived at EDR: 01/06/2017	Telephone: 202-564-2496
Date Made Active in Reports: 03/10/2017	Last EDR Contact: 09/24/2025
Number of Days to Update: 63	Next Scheduled EDR Contact: 01/12/2026
	Data Release Frequency: No Update Planned

BIOSOLIDS: ICIS-NPDES Biosolids Facility Data

The data reflects compliance information about facilities in the biosolids program.

Date of Government Version: 04/12/2026	Source: Environmental Protection Agency
Date Data Arrived at EDR: 04/14/2026	Telephone: 202-564-4700
Date Made Active in Reports: 07/09/2026	Last EDR Contact: 07/09/2026
Number of Days to Update: 86	Next Scheduled EDR Contact: 10/26/2026
	Data Release Frequency: Varies

UST FINDER: UST Finder Database

EPA developed UST Finder, a web map application containing a comprehensive, state-sourced national map of underground storage tank (UST) and leaking UST (LUST) data. It provides the attributes and locations of active and closed USTs, UST facilities, and LUST sites from states and from Tribal lands and US territories. UST Finder contains information about proximity of UST facilities and LUST sites to: surface and groundwater public drinking water protection areas; estimated number of private domestic wells and number of people living nearby; and flooding and wildfires.

Date of Government Version: 11/21/2025	Source: Environmental Protection Agency
Date Data Arrived at EDR: 05/28/2026	Telephone: 202-564-0394
Date Made Active in Reports: 06/15/2026	Last EDR Contact: 08/06/2026
Number of Days to Update: 18	Next Scheduled EDR Contact: 11/16/2026
	Data Release Frequency: Varies

UST FINDER RELEASE: UST Finder Releases Database

US EPA's UST Finder data is a national composite of leaking underground storage tanks. This data contains information about, and locations of, leaking underground storage tanks. Data was collected from state sources and standardized into a national profile by EPA's Office of Underground Storage Tanks, Office of Research and Development, and the Association of State and Territorial Solid Waste Management Officials.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 11/21/2025
Date Data Arrived at EDR: 05/28/2026
Date Made Active in Reports: 06/15/2026
Number of Days to Update: 18

Source: Environmental Protection Agency
Telephone: 202-564-0394
Last EDR Contact: 08/06/2026
Next Scheduled EDR Contact: 11/16/2026
Data Release Frequency: Semi-Annually

E MANIFEST: Hazardous Waste Electronic Manifest System

EPA established a national system for tracking hazardous waste shipments electronically. This system, known as "e-Manifest," will modernize the nations cradle-to-grave hazardous waste tracking process while saving valuable time, resources, and dollars for industry and states.

Date of Government Version: 06/07/2026
Date Data Arrived at EDR: 06/08/2026
Date Made Active in Reports: 06/30/2026
Number of Days to Update: 22

Source: Environmental Protection Agency
Telephone: 833-501-6826
Last EDR Contact: 06/08/2026
Next Scheduled EDR Contact: 09/28/2026
Data Release Frequency: Varies

PFAS: PFOS and PFOA stand for perfluorooctane sulfonate and perfluorooctanoic acid

A list of the sites that have been reported to the Department of Environmental Protection with PFAS concentrations above the Department's Provisional Groundwater Cleanup Target Level.

Date of Government Version: 04/10/2026
Date Data Arrived at EDR: 04/21/2026
Date Made Active in Reports: 07/15/2026
Number of Days to Update: 85

Source: Department of Environmental Protection
Telephone: 850-245-8690
Last EDR Contact: 07/14/2026
Next Scheduled EDR Contact: 11/02/2026
Data Release Frequency: Varies

AQUEOUS FOAM: Former Fire Training Facility Assessments Listing

DEP has conducted initial environmental assessments related to the historic and current use of chemicals found in aqueous film forming foam (AFFF) at fire training facilities throughout Florida

Date of Government Version: 02/27/2026
Date Data Arrived at EDR: 02/27/2026
Date Made Active in Reports: 05/20/2026
Number of Days to Update: 82

Source: Department of Environmental Protection
Telephone: 850-245-8690
Last EDR Contact: 05/27/2026
Next Scheduled EDR Contact: 09/14/2026
Data Release Frequency: Varies

DRYCLEANERS: Drycleaner Facility Listing

A listing of list of ALL Dry cleaner facilities from the Integrated Compliance Information System (ICIS).

Date of Government Version: 03/28/2026
Date Data Arrived at EDR: 03/31/2026
Date Made Active in Reports: 06/30/2026
Number of Days to Update: 91

Source: Environmental Protection Agency
Telephone: 202-254-2501
Last EDR Contact: 06/25/2026
Next Scheduled EDR Contact: 10/12/2026
Data Release Frequency: Varies

ABAND AIRFIELDS: Abandoned & Little-Known Airfields Listing

Abandoned and little known airfield locations, in the United States.

Date of Government Version: 03/04/2026
Date Data Arrived at EDR: 03/05/2026
Date Made Active in Reports: 03/12/2026
Number of Days to Update: 7

Source: Airfields-Freeman
Telephone: N/A
Last EDR Contact: 05/29/2026
Next Scheduled EDR Contact: 09/14/2026
Data Release Frequency: Varies

AIRS: Permitted Facilities Listing

A listing of Air Resources Management permits.

Date of Government Version: 04/30/2026
Date Data Arrived at EDR: 05/01/2026
Date Made Active in Reports: 07/23/2026
Number of Days to Update: 83

Source: Department of Environmental Protection
Telephone: 850-921-9558
Last EDR Contact: 07/22/2026
Next Scheduled EDR Contact: 11/16/2026
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

ASBESTOS: Asbestos Notification Listing Asbestos sites

Date of Government Version: 02/04/2026
Date Data Arrived at EDR: 02/05/2026
Date Made Active in Reports: 04/22/2026
Number of Days to Update: 76

Source: Department of Environmental Protection
Telephone: 850-717-9086
Last EDR Contact: 08/04/2026
Next Scheduled EDR Contact: 11/23/2026
Data Release Frequency: Varies

CLEANUP SITES: DEP Cleanup Sites - Contamination Locator Map Listing

This listing includes the locations of waste cleanup sites from various programs. The source of the cleanup site data includes Hazardous Waste programs, Site Investigation Section, Compliance and Enforcement Tracking, Drycleaning State Funded Cleanup Program (possibly other state funded cleanup), Storage Tank Contamination Monitoring.

Date of Government Version: 05/18/2026
Date Data Arrived at EDR: 05/19/2026
Date Made Active in Reports: 08/12/2026
Number of Days to Update: 85

Source: Department of Environmental Protection
Telephone: 866-282-0787
Last EDR Contact: 08/17/2026
Next Scheduled EDR Contact: 11/30/2026
Data Release Frequency: Quarterly

DEDB: Ethylene Dibromide Database Results

Ethylene dibromide (EDB), a soil fumigant, that has been detected in drinking water wells. The amount found exceeds the maximum contaminant level as stated in Chapter 62-550 or 520. It is a potential threat to public health when present in drinking water.

Date of Government Version: 06/04/2026
Date Data Arrived at EDR: 06/04/2026
Date Made Active in Reports: 06/22/2026
Number of Days to Update: 18

Source: Department of Environmental Protection
Telephone: 850-245-8335
Last EDR Contact: 06/03/2026
Next Scheduled EDR Contact: 09/21/2026
Data Release Frequency: Varies

DRYCLEANERS: Drycleaning Facilities

The Drycleaners database, maintained by the Department of Environmental Protection, provides information about permitted dry cleaner facilities.

Date of Government Version: 07/08/2026
Date Data Arrived at EDR: 07/09/2026
Date Made Active in Reports: 07/20/2026
Number of Days to Update: 11

Source: Department of Environmental Protection
Telephone: 850-245-8927
Last EDR Contact: 07/07/2026
Next Scheduled EDR Contact: 10/26/2026
Data Release Frequency: Semi-Annually

DWM CONTAM: DWM CONTAMINATED SITES

A listing of active or known sites. The listing includes sites that need cleanup but are not actively being working on because the agency currently does not have funding (primarily petroleum and drycleaning).

Date of Government Version: 03/10/2026
Date Data Arrived at EDR: 03/10/2026
Date Made Active in Reports: 05/06/2026
Number of Days to Update: 57

Source: Department of Environmental Protection
Telephone: 850-245-7503
Last EDR Contact: 07/02/2026
Next Scheduled EDR Contact: 10/12/2026
Data Release Frequency: Varies

FIN ASSURANCE 1: Financial Assurance Information Listing

A list of hazardous waste facilities required to provide financial assurance under RCRA.

Date of Government Version: 04/06/2026
Date Data Arrived at EDR: 04/21/2026
Date Made Active in Reports: 07/15/2026
Number of Days to Update: 85

Source: Department of Environmental Protection
Telephone: 850-245-8793
Last EDR Contact: 07/16/2026
Next Scheduled EDR Contact: 11/02/2026
Data Release Frequency: Semi-Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FIN ASSURANCE 2: Financial Assurance Information Listing

A listing of financial assurance information for solid waste facilities.

Date of Government Version: 04/06/2026
Date Data Arrived at EDR: 04/21/2026
Date Made Active in Reports: 07/15/2026
Number of Days to Update: 85

Source: Department of Environmental Protection
Telephone: 850-245-8743
Last EDR Contact: 07/16/2026
Next Scheduled EDR Contact: 11/02/2026
Data Release Frequency: Semi-Annually

FIN ASSURANCE 3: Financial Assurance Information Listing

A listing of financial assurance information for storage tanks sites.

Date of Government Version: 04/15/2026
Date Data Arrived at EDR: 04/17/2026
Date Made Active in Reports: 04/28/2026
Number of Days to Update: 11

Source: Department of Environmental Protection
Telephone: 850-245-8853
Last EDR Contact: 07/20/2026
Next Scheduled EDR Contact: 11/02/2026
Data Release Frequency: Quarterly

FL Cattle Dip. Vats: Cattle Dipping Vats

From the 1910's through the 1950's, these vats were filled with an arsenic solution for the control and eradication of the cattle fever tick. Other pesticides, such as DDT, were also widely used. By State law, all cattle, horses, mules, goats, and other susceptible animals were required to be dipped every 14 days. Under certain circumstances, the arsenic and other pesticides remaining at the site may present an environmental or public health hazard.

Date of Government Version: 09/27/2019
Date Data Arrived at EDR: 01/10/2020
Date Made Active in Reports: 02/11/2020
Number of Days to Update: 32

Source: Department of Environmental Protection
Telephone: 850-245-4444
Last EDR Contact: 07/02/2026
Next Scheduled EDR Contact: 10/12/2026
Data Release Frequency: No Update Planned

HAZ WASTE: Hazardous Waste Information Listing

The records in this data set are generated by county SQG Assessment, Notification and Verification Programs on-site surveys (see 403.7225 FS). The waste records are wastes observed during county inspections. Even though this state program targets SQGs and VSQGs for outreach, some counties choose to additionally look at their LQGs.

Date of Government Version: 05/11/2026
Date Data Arrived at EDR: 05/12/2026
Date Made Active in Reports: 08/06/2026
Number of Days to Update: 86

Source: Department of Environmental Protection
Telephone: 850-245-8705
Last EDR Contact: 08/10/2026
Next Scheduled EDR Contact: 11/23/2026
Data Release Frequency: Quarterly

HW GEN: Hazardous Waste Generators

Small Quantity Hazardous Waste Generators are regulated under the federal Resource Conservation and Recovery Act (RCRA) and applicable state regulations as generators of hazardous wastes in quantities greater than 100 Kg but less than 1,000 Kg in any one calendar month. Large Quantity Generators of Hazardous Waste are tracked in this coverage based on their notification to the Department of Environmental Protection as to their handler status, or based on inspections conducted at their facilities. These facilities are regulated under the federal Resource Conservation and Recovery Act (RCRA) and applicable state regulations as generators of hazardous wastes in quantities equal to or greater than 1,000 Kg in any one calendar month.

Date of Government Version: 06/15/2026
Date Data Arrived at EDR: 06/15/2026
Date Made Active in Reports: 06/17/2026
Number of Days to Update: 2

Source: Department of Environmental Protection
Telephone: 850-245-8758
Last EDR Contact: 06/15/2026
Next Scheduled EDR Contact: 09/28/2026
Data Release Frequency: Quarterly

RESP PARTY: Responsible Party Sites Listing

Open, inactive and closed responsible party sites

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 03/23/2026
Date Data Arrived at EDR: 03/24/2026
Date Made Active in Reports: 06/18/2026
Number of Days to Update: 86

Source: Department of Environmental Protection
Telephone: 850-245-8758
Last EDR Contact: 06/23/2026
Next Scheduled EDR Contact: 10/05/2026
Data Release Frequency: Quarterly

SOLCP: State-Owned Lands Cleanup Program Listing

The State-Owned Lands Cleanup Program (SOLCP) was created by the legislature in 2001 as a mechanism to identify and reduce the states possible risk and liability associated with potentially contaminated sites on state-owned property.

Date of Government Version: 05/04/2026
Date Data Arrived at EDR: 05/05/2026
Date Made Active in Reports: 07/23/2026
Number of Days to Update: 79

Source: Department of Environmental Protection
Telephone: 850-245-8952
Last EDR Contact: 08/03/2026
Next Scheduled EDR Contact: 11/16/2026
Data Release Frequency: Varies

SITE INV SITES: Site Investigation Section Sites Listing

Statewide coverage of Site Investigation Section (SIS) sites. Site Investigation is a Section within the Bureau of Waste Cleanup, Division of Waste Management. SIS provides technical support to FDEP District Waste Cleanup Programs and conducts contamination assessments throughout the state.

Date of Government Version: 05/11/2026
Date Data Arrived at EDR: 05/12/2026
Date Made Active in Reports: 08/06/2026
Number of Days to Update: 86

Source: Department of Environmental Protection
Telephone: 850-245-8953
Last EDR Contact: 08/07/2026
Next Scheduled EDR Contact: 11/23/2026
Data Release Frequency: Quarterly

TIER 2: Tier 2 Facility Listing

A listing of facilities which store or manufacture hazardous materials that submit a chemical inventory report.

Date of Government Version: 12/31/2024
Date Data Arrived at EDR: 05/28/2025
Date Made Active in Reports: 06/04/2025
Number of Days to Update: 7

Source: Department of Environmental Protection
Telephone: 850-413-9970
Last EDR Contact: 05/27/2026
Next Scheduled EDR Contact: 09/14/2026
Data Release Frequency: Varies

UIC: Underground Injection Wells Database Listing

A listing of Class I wells. Class I wells are used to inject hazardous waste, nonhazardous waste, or municipal waste below the lowermost USDW.

Date of Government Version: 04/08/2026
Date Data Arrived at EDR: 04/09/2026
Date Made Active in Reports: 07/07/2026
Number of Days to Update: 89

Source: Department of Environmental Protection
Telephone: 850-245-8655
Last EDR Contact: 07/07/2026
Next Scheduled EDR Contact: 10/26/2026
Data Release Frequency: Varies

WASTEWATER: Wastewater Facility Regulation Database

Domestic and industrial wastewater facilities.

Date of Government Version: 07/27/2026
Date Data Arrived at EDR: 07/28/2026
Date Made Active in Reports: 07/30/2026
Number of Days to Update: 2

Source: Department of Environmental Protection
Telephone: 850-245-8600
Last EDR Contact: 07/28/2026
Next Scheduled EDR Contact: 11/09/2026
Data Release Frequency: Quarterly

ERIC WASTE CLEANUP: Environmental Restoration Integrated Cleanup Listing

ERIC (Environmental Restoration Integrated Cleanup) is a single database for tracking all of the contaminated site cleanup activities in the Division of Waste Management (DWM). It was developed to bring together 11 different data systems to a single location that would allow tracking of a contaminated site throughout the course of cleanup regardless of which program area took the lead.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 03/23/2026
Date Data Arrived at EDR: 03/24/2026
Date Made Active in Reports: 06/17/2026
Number of Days to Update: 85

Source: Department of Environmental Protection
Telephone: 850-245-8270
Last EDR Contact: 06/23/2026
Next Scheduled EDR Contact: 10/05/2026
Data Release Frequency: Varies

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

EDR Hist Auto: EDR Exclusive Historical Auto Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR Hist Cleaner: EDR Exclusive Historical Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

RGA HWS: Recovered Government Archive State Hazardous Waste Facilities List

The EDR Recovered Government Archive State Hazardous Waste database provides a list of SHWS incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environmental Protection in Florida.

Date of Government Version: N/A	Source: Department of Environmental Protection
Date Data Arrived at EDR: 07/01/2013	Telephone: N/A
Date Made Active in Reports: 12/30/2013	Last EDR Contact: 06/01/2012
Number of Days to Update: 182	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environmental Protection in Florida.

Date of Government Version: N/A	Source: Department of Environmental Protection
Date Data Arrived at EDR: 07/01/2013	Telephone: N/A
Date Made Active in Reports: 01/10/2014	Last EDR Contact: 06/01/2012
Number of Days to Update: 193	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

RGA LUST: Recovered Government Archive Leaking Underground Storage Tank

The EDR Recovered Government Archive Leaking Underground Storage Tank database provides a list of LUST incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environmental Protection in Florida.

Date of Government Version: N/A	Source: Department of Environmental Protection
Date Data Arrived at EDR: 07/01/2013	Telephone: N/A
Date Made Active in Reports: 12/30/2013	Last EDR Contact: 06/01/2012
Number of Days to Update: 182	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

COUNTY RECORDS

ALACHUA COUNTY:

FACILITY LIST ALACHUA: Facility List

List of all regulated facilities in Alachua County.

Date of Government Version: 03/12/2026	Source: Alachua County Environmental Protection Department
Date Data Arrived at EDR: 03/12/2026	Telephone: 352-264-6800
Date Made Active in Reports: 06/04/2026	Last EDR Contact: 06/10/2026
Number of Days to Update: 84	Next Scheduled EDR Contact: 09/14/2026
	Data Release Frequency: Annually

BROWARD COUNTY:

AST BROWARD: Aboveground Storage Tanks

Aboveground storage tank locations in Broward County.

Date of Government Version: 09/15/2021	Source: Broward County Environmental Protection Department
Date Data Arrived at EDR: 09/16/2021	Telephone: 954-818-7509
Date Made Active in Reports: 12/03/2021	Last EDR Contact: 08/11/2026
Number of Days to Update: 78	Next Scheduled EDR Contact: 11/30/2026
	Data Release Frequency: Varies

UST BROWARD: Underground Storage Tanks

All known regulated storage tanks within Broward County, including those tanks that have been closed

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 09/15/2021
Date Data Arrived at EDR: 09/16/2021
Date Made Active in Reports: 12/03/2021
Number of Days to Update: 78

Source: Broward County Environmental Protection Department
Telephone: 954-818-7509
Last EDR Contact: 08/11/2026
Next Scheduled EDR Contact: 11/30/2026
Data Release Frequency: Varies

HILLSBOROUGH COUNTY:

LF HILLSBOROUGH: Hillsborough County LF Hillsborough county landfill sites.

Date of Government Version: 09/26/2025
Date Data Arrived at EDR: 09/26/2025
Date Made Active in Reports: 12/18/2025
Number of Days to Update: 83

Source: Hillsborough County Environmental Protection Commission
Telephone: 813-627-2600
Last EDR Contact: 06/23/2026
Next Scheduled EDR Contact: 10/12/2026
Data Release Frequency: Varies

MIAMI-DADE COUNTY:

DADE CO AP: Air Permit Sites

Facilities that release or have a potential to release pollutants.

Date of Government Version: 05/18/2026
Date Data Arrived at EDR: 05/19/2026
Date Made Active in Reports: 08/12/2026
Number of Days to Update: 85

Source: Department of Environmental Resources Management
Telephone: 305-372-6755
Last EDR Contact: 08/13/2026
Next Scheduled EDR Contact: 11/30/2026
Data Release Frequency: Semi-Annually

DADE CO AW: Agricultural Waste Listing

A listing of agricultural waste sites

Date of Government Version: 05/18/2026
Date Data Arrived at EDR: 05/19/2026
Date Made Active in Reports: 08/12/2026
Number of Days to Update: 85

Source: Miami-Dade County Division of Environmental Resources Management
Telephone: 305-372-6715
Last EDR Contact: 08/13/2026
Next Scheduled EDR Contact: 11/30/2026
Data Release Frequency: Varies

DADE CO LF: Miami Dade County Landfill Solid Waste Sites listing.

Miami Dade County Landfill Solid Waste Sites listing.

Date of Government Version: 02/24/2026
Date Data Arrived at EDR: 02/25/2026
Date Made Active in Reports: 05/05/2026
Number of Days to Update: 69

Source: Miami Dade County Environmental Resources Management
Telephone: 305-372-6789
Last EDR Contact: 08/11/2026
Next Scheduled EDR Contact: 11/30/2026
Data Release Frequency: Varies

DADE CO LW: Liquid Waste Transporter List

The Liquid Waste Transporter permit regulates the transportation of various types of liquid and solid waste, including hazardous waste, waste oil and oily waste waters, septic and grease trap waste, biomedical waste, spent radiator fluid, photo chemical waste, dry sewage sludge, and other types of non-hazardous industrial waste. The Liquid Waste Transporter permits needed to protect the environment and the public from improperly handled and transported waste.

Date of Government Version: 05/18/2026
Date Data Arrived at EDR: 05/19/2026
Date Made Active in Reports: 08/12/2026
Number of Days to Update: 85

Source: DERM
Telephone: 305-372-6755
Last EDR Contact: 08/13/2026
Next Scheduled EDR Contact: 11/30/2026
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

DADE GTO: Grease Trap Sites

Any non-residential facility that discharges waste to a sanitary sewer.

Date of Government Version: 05/18/2026
Date Data Arrived at EDR: 05/19/2026
Date Made Active in Reports: 08/12/2026
Number of Days to Update: 85

Source: Dade County Dept. of Env. Resources Mgmt.
Telephone: 305-372-6508
Last EDR Contact: 08/13/2026
Next Scheduled EDR Contact: 11/30/2026
Data Release Frequency: Semi-Annually

DADE MOP: Marine Facilities Operating Permit

What is this permit used for? Miami-Dade County Ordinance 89-104 and Section 24-18 of the Code of Miami-Dade County require the following types of marine facilities to obtain annual operating permits from DERM: All recreational boat docking facilities with ten (10) or more boat slips, moorings, davit spaces, and vessel tie-up spaces. All boat storage facilities contiguous to tidal waters in Miami-Dade County with ten (10) or more dry storage spaces including boatyards and boat manufacturing facilities.

Date of Government Version: 05/18/2026
Date Data Arrived at EDR: 05/19/2026
Date Made Active in Reports: 08/12/2026
Number of Days to Update: 85

Source: DERM
Telephone: 305-372-3576
Last EDR Contact: 08/13/2026
Next Scheduled EDR Contact: 11/30/2026
Data Release Frequency: Quarterly

DADE MRE: Maimi River Enforcement

The Miami River Enforcement database files were created for facilities and in some instances vessels that were inspected by a workgroup within the Department that was identified as the Miami River Enforcement Group. The files do not all necessarily reflect enforcement cases and some were created for locations that were permitted by other Sections within the Department.

Date of Government Version: 02/19/2026
Date Data Arrived at EDR: 02/24/2026
Date Made Active in Reports: 05/06/2026
Number of Days to Update: 71

Source: DERM
Telephone: 305-372-3576
Last EDR Contact: 08/13/2026
Next Scheduled EDR Contact: 11/30/2026
Data Release Frequency: No Update Planned

DADE_IWP: Industrial Waste Permit Sites

Facilities that either generate more than 25,000 of wastewater per day to sanitary sewers or are pre-defined by EPA.

Date of Government Version: 05/18/2026
Date Data Arrived at EDR: 05/19/2026
Date Made Active in Reports: 08/12/2026
Number of Days to Update: 85

Source: Department of Environmental Resources Management
Telephone: 305-372-6700
Last EDR Contact: 08/31/2026
Next Scheduled EDR Contact: 11/30/2026
Data Release Frequency: Semi-Annually

ENF: Enforcement Case Tracking System Sites

Enforcement cases monitored by the Dade County Department of Environmental Resources Management.

Date of Government Version: 05/18/2026
Date Data Arrived at EDR: 05/19/2026
Date Made Active in Reports: 08/12/2026
Number of Days to Update: 85

Source: Department of Environmental Resources Management
Telephone: 305-372-6755
Last EDR Contact: 08/13/2026
Next Scheduled EDR Contact: 11/30/2026
Data Release Frequency: Semi-Annually

SPILLS DADE: Fuel Spills Cases

DERM documents fuel spills of sites that are not in a state program.

Date of Government Version: 01/08/2009
Date Data Arrived at EDR: 01/13/2009
Date Made Active in Reports: 02/05/2009
Number of Days to Update: 23

Source: Department of Environmental Resources Management
Telephone: 305-372-6755
Last EDR Contact: 08/13/2026
Next Scheduled EDR Contact: 11/30/2026
Data Release Frequency: Semi-Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

UST DADE: Storage Tanks

A listing of aboveground and underground storage tank site locations.

Date of Government Version: 06/02/2025

Date Data Arrived at EDR: 08/18/2025

Date Made Active in Reports: 11/05/2025

Number of Days to Update: 79

Source: Department of Environmental Resource Management

Telephone: 305-372-6700

Last EDR Contact: 05/21/2026

Next Scheduled EDR Contact: 08/31/2026

Data Release Frequency: Semi-Annually

PALM BEACH COUNTY:

LF PALM BEACH: Palm Beach County LF

Palm Beach County Inventory of Solid Waste Sites.

Date of Government Version: 09/01/2011

Date Data Arrived at EDR: 09/20/2011

Date Made Active in Reports: 10/10/2011

Number of Days to Update: 20

Source: Palm Beach County Solid Waste Authority

Telephone: 561-640-4000

Last EDR Contact: 06/02/2026

Next Scheduled EDR Contact: 09/14/2026

Data Release Frequency: Varies

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 05/04/2026

Date Data Arrived at EDR: 05/05/2026

Date Made Active in Reports: 07/22/2026

Number of Days to Update: 78

Source: Department of Energy & Environmental Protection

Telephone: 860-424-3375

Last EDR Contact: 08/03/2026

Next Scheduled EDR Contact: 11/16/2026

Data Release Frequency: No Update Planned

NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2018

Date Data Arrived at EDR: 04/10/2019

Date Made Active in Reports: 05/16/2019

Number of Days to Update: 36

Source: Department of Environmental Protection

Telephone: N/A

Last EDR Contact: 06/24/2026

Next Scheduled EDR Contact: 10/12/2026

Data Release Frequency: Annually

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 01/01/2019

Date Data Arrived at EDR: 04/21/2026

Date Made Active in Reports: 07/17/2026

Number of Days to Update: 87

Source: Department of Environmental Conservation

Telephone: 518-402-8651

Last EDR Contact: 07/23/2026

Next Scheduled EDR Contact: 11/02/2026

Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

PA MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 06/30/2018
Date Data Arrived at EDR: 07/19/2019
Date Made Active in Reports: 09/10/2019
Number of Days to Update: 53

Source: Department of Environmental Protection
Telephone: 717-783-8990
Last EDR Contact: 06/30/2026
Next Scheduled EDR Contact: 10/19/2026
Data Release Frequency: Annually

RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 12/31/2020
Date Data Arrived at EDR: 11/30/2021
Date Made Active in Reports: 02/18/2022
Number of Days to Update: 80

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 08/04/2026
Next Scheduled EDR Contact: 11/23/2026
Data Release Frequency: Annually

WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 05/31/2018
Date Data Arrived at EDR: 06/19/2019
Date Made Active in Reports: 09/03/2019
Number of Days to Update: 76

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 06/04/2026
Next Scheduled EDR Contact: 09/14/2026
Data Release Frequency: Annually

Oil/Gas Pipelines

Source: Endeavor Business Media

Petroleum Bundle (Crude Oil, Refined Products, Petrochemicals, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)) N = Natural Gas Bundle (Natural Gas, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)). This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

Electric Power Transmission Line Data

Source: Endeavor Business Media

This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.
Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services
Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes

Source: National Institutes of Health
Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics
Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Department of Children & Families

Source: Provider Information

Telephone: 850-488-4900

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005, 2010 and 2015 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetlands Inventory

Source: Department of Environmental Protection

Telephone: 850-245-8238

Current USGS 7.5 Minute Topographic Map

Source: U.S. Geological Survey

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK[®] - PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

SITE 3 - CENTRAL SITE
N ALAFAYA TRAIL
ORLANDO, FL 32816

TARGET PROPERTY COORDINATES

Latitude (North):	28.602361 - 28° 36' 8.50"
Longitude (West):	81.206617 - 81° 12' 23.82"
Universal Transverse Mercator:	Zone 17
UTM X (Meters):	479798.6
UTM Y (Meters):	3163775.0
Elevation:	82 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	50050712 OVIEDO SW, FL
Version Date:	2024

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General NNW

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

<u>Flood Plain Panel at Target Property</u>	<u>FEMA Source Type</u>
12095C0280F	FEMA FIRM Flood data
<u>Additional Panels in search area:</u>	<u>FEMA Source Type</u>
Not Reported	

NATIONAL WETLAND INVENTORY

<u>NWI Quad at Target Property</u>	<u>NWI Electronic Data Coverage</u>
OVIEDO SW	YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:

Search Radius:	1.25 miles
Status:	Not found

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
28	1/4 - 1/2 Mile NNW	W
1G	1/4 - 1/2 Mile NNW	W

For additional site information, refer to Physical Setting Source Map Findings.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT


Era:	Cenozoic
System:	Tertiary
Series:	Miocene
Code:	Tm (decoded above as Era, System & Series)

GEOLOGIC AGE IDENTIFICATION

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

SSURGO SOIL MAP - 8439657.1s



- ★ Target Property
- SSURGO Soil
- Water

0 1/16 1/8 1/4 Miles



SITE NAME: Site 3 - Central Site
ADDRESS: N Alafaya Trail
Orlando FL 32816
LAT/LONG: 28.602361 / 81.206617

CLIENT: Onterris
CONTACT: Shannon Boyle
INQUIRY #: 8439657.1s
DATE: August 19, 2026 11:32 am

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. The following information is based on Soil Conservation Service SSURGO data.

Soil Map ID: 1

Soil Component Name: Archbold

Soil Surface Texture: fine sand

Hydrologic Group: Class A - High infiltration rates. Soils are deep, well drained to excessively drained sands and gravels.

Soil Drainage Class: Moderately well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 145 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	1 inches	fine sand	Not reported	Not reported	Max: 141 Min: 141	Max: 6.5 Min: 3.6
2	1 inches	79 inches	fine sand	Not reported	Not reported	Max: 141 Min: 141	Max: 6.5 Min: 3.6

Soil Map ID: 2

Soil Component Name: St. Lucie

Soil Surface Texture: fine sand

Hydrologic Group: Class A - High infiltration rates. Soils are deep, well drained to excessively drained sands and gravels.

Soil Drainage Class: Excessively drained

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	3 inches	fine sand	Granular materials (35 pct. or less passing No. 200), Fine Sand.	COARSE-GRAINED SOILS, Sands, Clean Sands, Poorly graded sand.	Max: 141 Min: 141	Max: 7.3 Min: 3.6
2	3 inches	79 inches	fine sand	Granular materials (35 pct. or less passing No. 200), Fine Sand.	COARSE-GRAINED SOILS, Sands, Clean Sands, Poorly graded sand.	Max: 141 Min: 141	Max: 7.3 Min: 3.6

Soil Map ID: 3

Soil Component Name: Pomello

Soil Surface Texture: fine sand

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Moderately well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 84 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	40 inches	fine sand	Granular materials (35 pct. or less passing No. 200), Fine Sand.	Not reported	Max: 141 Min: 42	Max: 8.4 Min: 5.1
2	40 inches	55 inches	fine sand	Granular materials (35 pct. or less passing No. 200), Fine Sand.	Not reported	Max: 141 Min: 42	Max: 8.4 Min: 5.1
3	55 inches	79 inches	fine sand	Granular materials (35 pct. or less passing No. 200), Fine Sand.	Not reported	Max: 141 Min: 42	Max: 8.4 Min: 5.1

Soil Map ID: 4

Soil Component Name: Tavares

Soil Surface Texture: fine sand

Hydrologic Group: Class A - High infiltration rates. Soils are deep, well drained to excessively drained sands and gravels.

Soil Drainage Class: Moderately well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 145 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	5 inches	fine sand	Granular materials (35 pct. or less passing No. 200), Fine Sand.	Not reported	Max: 141 Min: 42	Max: 6 Min: 3.6
2	5 inches	79 inches	fine sand	Granular materials (35 pct. or less passing No. 200), Fine Sand.	Not reported	Max: 141 Min: 42	Max: 6 Min: 3.6

Soil Map ID: 5

Soil Component Name: Zolfo

Soil Surface Texture: fine sand

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Somewhat poorly drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 84 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	5 inches	fine sand	Not reported	Not reported	Max: 14 Min: 4	Max: 6.5 Min: 3.6
2	5 inches	55 inches	fine sand	Not reported	Not reported	Max: 14 Min: 4	Max: 6.5 Min: 3.6

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
3	55 inches	79 inches	fine sand	Not reported	Not reported	Max: 14 Min: 4	Max: 6.5 Min: 3.6

Soil Map ID: 6

Soil Component Name: Smyrna

Soil Surface Texture: fine sand

Hydrologic Group: Class B/D - Drained/undrained hydrology class of soils that can be drained and are classified.

Soil Drainage Class: Poorly drained

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 31 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	16 inches	fine sand	Not reported	Not reported	Max: 141 Min: 42	Max: 5.5 Min: 4.5
2	16 inches	27 inches	fine sand	Not reported	Not reported	Max: 141 Min: 42	Max: 5.5 Min: 4.5
3	27 inches	79 inches	fine sand	Not reported	Not reported	Max: 141 Min: 42	Max: 5.5 Min: 4.5

Soil Map ID: 7

Soil Component Name: Water

Soil Surface Texture: fine sand

Hydrologic Group: Class B/D - Drained/undrained hydrology class of soils that can be drained and are classified.

Soil Drainage Class:

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

No Layer Information available.

Soil Map ID: 8

Soil Component Name: Smyrna

Soil Surface Texture: fine sand

Hydrologic Group: Class B/D - Drained/undrained hydrology class of soils that can be drained and are classified.

Soil Drainage Class:
Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 31 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	18 inches	fine sand	Not reported	Not reported	Max: 141 Min: 42	Max: 5.5 Min: 4.5
2	18 inches	27 inches	fine sand	Not reported	Not reported	Max: 141 Min: 42	Max: 5.5 Min: 4.5
3	27 inches	79 inches	fine sand	Not reported	Not reported	Max: 141 Min: 42	Max: 5.5 Min: 4.5

Soil Map ID: 9

Soil Component Name: St. Johns

Soil Surface Texture: fine sand

Hydrologic Group: Class B/D - Drained/undrained hydrology class of soils that can be drained and are classified.

Soil Drainage Class: Poorly drained

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 20 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	11 inches	fine sand	Not reported	Not reported	Max: 141 Min: 42	Max: 5.5 Min: 3.6
2	11 inches	24 inches	fine sand	Not reported	Not reported	Max: 141 Min: 42	Max: 5.5 Min: 3.6
3	24 inches	44 inches	fine sand	Not reported	Not reported	Max: 141 Min: 42	Max: 5.5 Min: 3.6
4	44 inches	79 inches	fine sand	Not reported	Not reported	Max: 141 Min: 42	Max: 5.5 Min: 3.6

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
127	USGS40000249009	1/2 - 1 Mile South

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
29	FL3480409	1/4 - 1/2 Mile SE

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
--------	---------	---------------------

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
A1	FLSJ13001299345	0 - 1/8 Mile SE
A2	FLSJ13000056591	0 - 1/8 Mile SE
A3	FLSJ13001577137	0 - 1/8 Mile SE
A4	FLSJ13000042050	0 - 1/8 Mile SSE
A5	FLSJ13000028896	0 - 1/8 Mile SSE
A6	FLSJ13000035261	0 - 1/8 Mile SSE
A7	FLSJ13000053412	0 - 1/8 Mile SSE
A8	FLSJ13000061800	0 - 1/8 Mile SSE
B9	FLSJ13000050942	1/8 - 1/4 Mile ESE
B10	FLSJ13000033039	1/8 - 1/4 Mile ESE
B11	FLSJ13000033038	1/8 - 1/4 Mile ESE
B12	FLSJ13000058665	1/8 - 1/4 Mile ESE
C13	FLSJ13000015965	1/4 - 1/2 Mile WNW
C14	FLSJ13000019132	1/4 - 1/2 Mile WNW
C15	FLSJ13000008051	1/4 - 1/2 Mile WNW
C16	FLSJ13000009274	1/4 - 1/2 Mile WNW
C17	FLSJ13000020287	1/4 - 1/2 Mile WNW
C18	FLSJ13001423201	1/4 - 1/2 Mile WNW
C19	FLSJ13000032661	1/4 - 1/2 Mile WNW
C20	FLSJ13000034221	1/4 - 1/2 Mile WNW
C21	FLSJ13000044235	1/4 - 1/2 Mile WNW
C22	FLSJ13000018903	1/4 - 1/2 Mile WNW
C23	FLSJ13000001778	1/4 - 1/2 Mile WNW
C24	FLSJ13000018902	1/4 - 1/2 Mile WNW
C25	FLSJ13001423185	1/4 - 1/2 Mile WNW
C26	FLSJ13000060732	1/4 - 1/2 Mile WNW
C27	FLSJ13000045952	1/4 - 1/2 Mile WNW
D30	FLSJ13000045317	1/4 - 1/2 Mile NE
D31	FLSJ13000053648	1/4 - 1/2 Mile NE
D32	FLSJ13000043670	1/4 - 1/2 Mile NE
D33	FLSJ13000013057	1/4 - 1/2 Mile NE
D34	FLSJ13000043639	1/4 - 1/2 Mile NE
D35	FLSJ13001577249	1/4 - 1/2 Mile NE
D36	FLSJ13001299505	1/4 - 1/2 Mile NE
D37	FLSJ13000057843	1/4 - 1/2 Mile NE
E38	FLSJ13000023635	1/2 - 1 Mile East
E39	FLSJ13000011448	1/2 - 1 Mile East
E40	FLSJ13000005504	1/2 - 1 Mile East
E41	FLSJ13000039072	1/2 - 1 Mile East
E42	FLSJ13000039268	1/2 - 1 Mile East
E43	FLSJ13001299521	1/2 - 1 Mile East
E44	FLSJ13000058192	1/2 - 1 Mile East
E45	FLSJ13001577121	1/2 - 1 Mile East
F46	FLPUB1100006518	1/2 - 1 Mile ESE

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
F47	FLSA13000018555	1/2 - 1 Mile ESE
F48	FLSJ13000022523	1/2 - 1 Mile ESE
F49	FLSJ13000022547	1/2 - 1 Mile ESE
F50	FLSJ13000022548	1/2 - 1 Mile ESE
F51	FLSJ13000004764	1/2 - 1 Mile ESE
F52	FLSJ13000014741	1/2 - 1 Mile ESE
F53	FLSJ13000057840	1/2 - 1 Mile ESE
F54	FLSJ13001577265	1/2 - 1 Mile ESE
F55	FLSJ13001299537	1/2 - 1 Mile ESE
F56	FLSA13000018554	1/2 - 1 Mile ESE
F57	FLSJ13000036218	1/2 - 1 Mile ESE
F58	FLSJ13000014742	1/2 - 1 Mile ESE
F59	FLSJ13000050145	1/2 - 1 Mile ESE
F60	FLSJ13000056097	1/2 - 1 Mile ESE
F61	FLSJ13000051644	1/2 - 1 Mile ESE
F62	FLPUB1100006520	1/2 - 1 Mile ESE
G3	FLSJ13000008309	1/2 - 1 Mile NNE
G64	FLSJ13000057841	1/2 - 1 Mile ESE
G65	FLSJ13001299553	1/2 - 1 Mile ESE
G66	FLSJ13001577281	1/2 - 1 Mile ESE
F67	FLSA13000018556	1/2 - 1 Mile ESE
F68	FLSJ13000007656	1/2 - 1 Mile ESE
F69	FLSJ13000028684	1/2 - 1 Mile ESE
F70	FLSJ13000029987	1/2 - 1 Mile ESE
F71	FLSJ13000043194	1/2 - 1 Mile ESE
F72	FLSJ13000028685	1/2 - 1 Mile ESE
F73	FLPUB1100006519	1/2 - 1 Mile ESE
G74	FLSA13000018553	1/2 - 1 Mile ESE
G75	FLSJ13000051974	1/2 - 1 Mile ESE
G76	FLSJ13000025688	1/2 - 1 Mile ESE
G77	FLSJ13000025687	1/2 - 1 Mile ESE
G78	FLSJ13001577201	1/2 - 1 Mile ESE
G79	FLSJ13001299425	1/2 - 1 Mile ESE
G80	FLSJ13000057844	1/2 - 1 Mile ESE
G81	FLSJ13000006920	1/2 - 1 Mile ESE
G82	FLSJ13000023241	1/2 - 1 Mile ESE
G83	FLPUB1100006521	1/2 - 1 Mile ESE
F84	FLSJ13000057838	1/2 - 1 Mile ESE
F85	FLSJ13001577169	1/2 - 1 Mile ESE
F86	FLSJ13001299393	1/2 - 1 Mile ESE
H87	FLSJ13001429569	1/2 - 1 Mile NW
H88	FLSJ13001429585	1/2 - 1 Mile NW
I89	FLSJ13000056707	1/2 - 1 Mile SE
I90	FLSJ13000184106	1/2 - 1 Mile SE
I91	FLSJ13001577313	1/2 - 1 Mile SE
I92	FLSJ13001299473	1/2 - 1 Mile SE
J93	FLSJ13001577185	1/2 - 1 Mile SSE
J94	FLSJ13001299409	1/2 - 1 Mile SSE
J95	FLSJ13000058219	1/2 - 1 Mile SSE
I96	FLSJ13000184107	1/2 - 1 Mile SE
I97	FLSJ13000056730	1/2 - 1 Mile SE
I98	FLSJ13001577089	1/2 - 1 Mile SE

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
I99	FLSJ13001299377	1/2 - 1 Mile SE
J100	FLSJ13000022392	1/2 - 1 Mile SSE
J101	FLSJ13000041497	1/2 - 1 Mile SSE
J102	FLSJ13000022193	1/2 - 1 Mile SSE
J103	FLSJ13000014740	1/2 - 1 Mile SSE
J104	FLSJ13000019401	1/2 - 1 Mile SSE
K105	FLSJ13000019678	1/2 - 1 Mile NE
K106	FLSJ13000003554	1/2 - 1 Mile NE
K107	FLSJ13000014743	1/2 - 1 Mile NE
K108	FLSJ13000046516	1/2 - 1 Mile NE
K109	FLSJ13000061099	1/2 - 1 Mile NE
K110	FLSJ13001299441	1/2 - 1 Mile NE
K111	FLSJ13000057842	1/2 - 1 Mile NE
K112	FLSJ13001577105	1/2 - 1 Mile NE
L113	FLSJ13001577153	1/2 - 1 Mile South
L114	FLSJ13000058194	1/2 - 1 Mile South
L115	FLSJ13001299361	1/2 - 1 Mile South
M116	FLSJ13000035399	1/2 - 1 Mile SE
M117	FLSJ13001556273	1/2 - 1 Mile SE
L118	FLSJ13000042144	1/2 - 1 Mile South
L119	FLSJ13000048998	1/2 - 1 Mile South
L120	FLSJ13000042143	1/2 - 1 Mile South
L121	FLSJ13000014793	1/2 - 1 Mile South
L122	FLSJ13000027106	1/2 - 1 Mile South
N123	FLSJ13001556289	1/2 - 1 Mile SE
N124	FLSJ13000057971	1/2 - 1 Mile SE
N125	FLSJ13001560753	1/2 - 1 Mile SE
126	FLSJ13000050912	1/2 - 1 Mile ESE

[illegible]

-  Groundwater Flow Direction
-  Sink holes
-  Indeterminate Groundwater Flow at Location
-  Groundwater Flow Varies at Location
-  Closest Hydrogeological Data
-  Oil, gas or related wells

CLIENT: Onterris
CONTACT: Shannon Boyle
INQUIRY #: 8439657.1s
DATE: August 19, 2026 11:32 am

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

A1
SE
0 - 1/8 Mile
Higher

FL WELLS FLSJ13001299345

WELLS - SJ:

Permit ID:	180805	Official Permit ID:	3202
Permit Seq #:	12	Permit Type:	Modification
Permit App Process Status:	COMP	Station Name:	6EDUCATION COMPLEX
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Compliance
FL Statute:	40C-2	Statute Description:	CUP Individual - Board Issued
Permit Project Name:	University of Central Florida		
Date Received:	04-FEB-22	Decision Made:	17-JUN-22
Permit Expiration:	13-MAY-34	Recommendation:	Approval
Permit Status:	Issued	Project Acres:	1420
Casing Diameter (in):	6	Casing Depth (ft):	126
Total Well Depth (ft):	250	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	125
Compliance Status:	Undetermined	Project Use:	Commercial/Industrial/Institutional

A2
SE
0 - 1/8 Mile
Higher

FL WELLS FLSJ13000056591

WELLS - SJ:

Permit ID:	135860	Official Permit ID:	3202
Permit Seq #:	11	Permit Type:	Renewal
Permit App Process Status:	CLOS	Station Name:	6EDUCATION COMPLEX
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	14-OCT-13	Decision Made:	15-MAY-14
Permit Expiration:	13-MAY-34	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	6	Casing Depth (ft):	126
Total Well Depth (ft):	250	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	125
Compliance Status:	Out Of Compliance	Project Use:	Commercial/Industrial/Institutional

A3
SE
0 - 1/8 Mile
Higher

FL WELLS FLSJ13001577137

WELLS - SJ:

Permit ID:	207306	Official Permit ID:	3202
Permit Seq #:	13	Permit Type:	District Letter Modification
Permit App Process Status:	ROUT	Station Name:	6EDUCATION COMPLEX
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	In Routing (Emily DeLozier)
FL Statute:	40C-2	Statute Description:	CUP Individual - Board Issued
Permit Project Name:	University of Central Florida		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Date Received:	17-AUG-23	Decision Made:	Not Reported
Permit Expiration:	13-MAY-34	Recommendation:	Approval
Permit Status:	Pending	Project Acres:	1420
Casing Diameter (in):	6	Casing Depth (ft):	126
Total Well Depth (ft):	250	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	125
Compliance Status:	In Compliance	Project Use:	Commercial/Industrial/Institutional

A4
SSE
0 - 1/8 Mile
Higher

FL WELLS FLSJ13000042050

WELLS - SJ:

Permit ID:	83212	Official Permit ID:	3202
Permit Seq #:	7	Permit Type:	Renewal
Permit App Process Status:	CLOS	Station Name:	6EDUCATION COMPLEX
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	09-APR-02	Decision Made:	12-NOV-02
Permit Expiration:	12-NOV-07	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	6	Casing Depth (ft):	126
Total Well Depth (ft):	250	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	125
Compliance Status:	Out Of Compliance	Project Use:	Public Supply

A5
SSE
0 - 1/8 Mile
Higher

FL WELLS FLSJ13000028896

WELLS - SJ:

Permit ID:	97315	Official Permit ID:	3202
Permit Seq #:	8	Permit Type:	Modification
Permit App Process Status:	CLOS	Station Name:	6EDUCATION COMPLEX
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	31-JAN-05	Decision Made:	13-SEP-05
Permit Expiration:	12-NOV-07	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	6	Casing Depth (ft):	126
Total Well Depth (ft):	250	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	125
Compliance Status:	In Compliance	Project Use:	Public Supply

A6
SSE
0 - 1/8 Mile
Higher

FL WELLS FLSJ13000035261

WELLS - SJ:

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Permit ID: 108497
Permit Seq #: 9
Permit App Process Status: CLOS
Station Type: Production Well
Monitoring: N
FL Statute: 40C-2
Permit Project Name: University of Central Florida
Date Received: 10-NOV-06
Permit Expiration: 14-OCT-13
Permit Status: Closed
Casing Diameter (in): 6
Total Well Depth (ft): 250
Station Status: Active
Compliance Status: Out Of Compliance

Official Permit ID: 3202
Permit Type: Modification
Station Name: 6EDUCATION COMPLEX
Site Name: University of Central Florida
Permit Stage: Closed
Statute Description: CUP Individual (40C-2)

Decision Made: 14-OCT-08
Recommendation: Approval
Project Acres: 1227
Casing Depth (ft): 126
Water Source: FAS - Upper Floridan Aquifer
Pump Capacity: 125
Project Use: Public Supply

**A7
SSE
0 - 1/8 Mile
Higher**

FL WELLS FLSJ13000053412

WELLS - SJ:

Permit ID: 119657
Permit Seq #: 10
Permit App Process Status: CLOS
Station Type: Production Well
Monitoring: N
FL Statute: 40C-2
Permit Project Name: University of Central Florida
Date Received: 16-JAN-09
Permit Expiration: 14-OCT-13
Permit Status: Closed
Casing Diameter (in): 6
Total Well Depth (ft): 250
Station Status: Active
Compliance Status: In Compliance

Official Permit ID: 3202
Permit Type: Letter Modification
Station Name: 6EDUCATION COMPLEX
Site Name: University of Central Florida
Permit Stage: Closed
Statute Description: CUP Individual (40C-2)

Decision Made: 18-FEB-09
Recommendation: Approval
Project Acres: 1227
Casing Depth (ft): 126
Water Source: FAS - Upper Floridan Aquifer
Pump Capacity: 125
Project Use: Commercial/Industrial/Institutional

**A8
SSE
0 - 1/8 Mile
Higher**

FL WELLS FLSJ13000061800

WELLS - SJ:

Permit ID: 7257
Permit Seq #: 4
Permit App Process Status: CLOS
Station Type: Production Well
Monitoring: N
FL Statute: 40C-2
Permit Project Name: University of Central Florida
Date Received: 03-JUN-94
Permit Expiration: 11-APR-02
Permit Status: Closed
Casing Diameter (in): 6
Total Well Depth (ft): 250
Station Status: Active
Compliance Status: In Compliance

Official Permit ID: 3202
Permit Type: Renewal
Station Name: 6EDUCATION COMPLEX
Site Name: UNIVERSITY OF CENTRAL FLORIDA
Permit Stage: Closed
Statute Description: CUP Individual (40C-2)

Decision Made: 11-APR-95
Recommendation: Approval
Project Acres: 1227
Casing Depth (ft): 126
Water Source: FAS - Upper Floridan Aquifer
Pump Capacity: 125
Project Use: Commercial/Industrial/Institutional

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

B9
ESE
1/8 - 1/4 Mile
Lower

FL WELLS FLSJ13000050942

WELLS - SJ:

Permit ID:	108497	Official Permit ID:	3202
Permit Seq #:	9	Permit Type:	Modification
Permit App Process Status:	CLOS	Station Name:	7EDUCAT. SUBMERSIBLE
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	10-NOV-06	Decision Made:	14-OCT-08
Permit Expiration:	14-OCT-13	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	10	Casing Depth (ft):	106
Total Well Depth (ft):	305	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Abandoned	Pump Capacity:	330
Compliance Status:	Out Of Compliance	Project Use:	Public Supply

B10
ESE
1/8 - 1/4 Mile
Lower

FL WELLS FLSJ13000033039

WELLS - SJ:

Permit ID:	97315	Official Permit ID:	3202
Permit Seq #:	8	Permit Type:	Modification
Permit App Process Status:	CLOS	Station Name:	7EDUCAT. SUBMERSIBLE
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	31-JAN-05	Decision Made:	13-SEP-05
Permit Expiration:	12-NOV-07	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	10	Casing Depth (ft):	106
Total Well Depth (ft):	305	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Abandoned	Pump Capacity:	330
Compliance Status:	In Compliance	Project Use:	Public Supply

B11
ESE
1/8 - 1/4 Mile
Lower

FL WELLS FLSJ13000033038

WELLS - SJ:

Permit ID:	83212	Official Permit ID:	3202
Permit Seq #:	7	Permit Type:	Renewal
Permit App Process Status:	CLOS	Station Name:	7EDUCAT. SUBMERSIBLE
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Date Received:	09-APR-02	Decision Made:	12-NOV-02
Permit Expiration:	12-NOV-07	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	10	Casing Depth (ft):	106
Total Well Depth (ft):	305	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Abandoned	Pump Capacity:	330
Compliance Status:	Out Of Compliance	Project Use:	Public Supply

B12
ESE
1/8 - 1/4 Mile
Lower

FL WELLS FLSJ13000058665

WELLS - SJ:

Permit ID:	7257	Official Permit ID:	3202
Permit Seq #:	4	Permit Type:	Renewal
Permit App Process Status:	CLOS	Station Name:	7EDUCAT. SUBMERSIBLE
Station Type:	Production Well	Site Name:	UNIVERSITY OF CENTRAL FLORIDA
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	03-JUN-94	Decision Made:	11-APR-95
Permit Expiration:	11-APR-02	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	10	Casing Depth (ft):	106
Total Well Depth (ft):	305	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Abandoned	Pump Capacity:	330
Compliance Status:	In Compliance	Project Use:	Commercial/Industrial/Institutional

C13
WNW
1/4 - 1/2 Mile
Lower

FL WELLS FLSJ13000015965

WELLS - SJ:

Permit ID:	50784	Official Permit ID:	3346
Permit Seq #:	5	Permit Type:	Transfer of Ownership
Permit App Process Status:	CLOS	Station Name:	2
Station Type:	Production Well	Site Name:	Westinghouse Electric Corp.
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	Westinghouse Electric Corp.		
Date Received:	31-AUG-95	Decision Made:	24-SEP-98
Permit Expiration:	12-DEC-02	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	.4
Casing Diameter (in):	8	Casing Depth (ft):	25
Total Well Depth (ft):	45	Water Source:	Surficial Aquifer
Station Status:	Active	Pump Capacity:	25
Compliance Status:	In Compliance	Project Use:	Mining/Dewatering

C14
WNW
1/4 - 1/2 Mile
Lower

FL WELLS FLSJ13000019132

WELLS - SJ:

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Permit ID: 7595
Permit Seq #: 2
Permit App Process Status: CLOS
Station Type: Production Well
Monitoring: N
FL Statute: 40C-2
Permit Project Name: Westinghouse Electric Corp.
Date Received: 08-AUG-86
Permit Expiration: 07-OCT-88
Permit Status: Closed
Casing Diameter (in): 8
Total Well Depth (ft): 45
Station Status: Active
Compliance Status: In Compliance

Official Permit ID: 3346
Permit Type: Modification
Station Name: 2
Site Name: Westinghouse Electric Corp.
Permit Stage: Closed
Statute Description: CUP Individual (40C-2)

Decision Made: 07-OCT-86
Recommendation: Approval
Project Acres: 97
Casing Depth (ft): 25
Water Source: Surficial Aquifer
Pump Capacity: 25
Project Use: Mining/Dewatering

C15
WNW
1/4 - 1/2 Mile
Lower

FL WELLS **FLSJ13000008051**

WELLS - SJ:

Permit ID: 7597
Permit Seq #: 4
Permit App Process Status: CLOS
Station Type: Production Well
Monitoring: N
FL Statute: 40C-2
Permit Project Name: Westinghouse Electric Corp
Date Received: 31-AUG-95
Permit Expiration: 12-DEC-02
Permit Status: Closed
Casing Diameter (in): 8
Total Well Depth (ft): 45
Station Status: Active
Compliance Status: In Compliance

Official Permit ID: 3346
Permit Type: Renewal
Station Name: 2
Site Name: Westinghouse Electric Corp.
Permit Stage: Closed
Statute Description: CUP Individual (40C-2)

Decision Made: 12-DEC-95
Recommendation: Approval
Project Acres: 97
Casing Depth (ft): 25
Water Source: Surficial Aquifer
Pump Capacity: 25
Project Use: Mining/Dewatering

C16
WNW
1/4 - 1/2 Mile
Lower

FL WELLS **FLSJ13000009274**

WELLS - SJ:

Permit ID: 86450
Permit Seq #: 6
Permit App Process Status: CLOS
Station Type: Production Well
Monitoring: N
FL Statute: 40C-20
Permit Project Name: Westinghouse Power Corp
Decision Made: 16-DEC-02
Recommendation: Approval
Project Acres: .4
Casing Depth (ft): 25
Water Source: Surficial Aquifer
Pump Capacity: 25
Project Use: Mining/Dewatering

Official Permit ID: 3346
Permit Type: Renewal
Station Name: 2
Site Name: Westinghouse Electric Corp
Permit Stage: Closed
Statute Description: CUP General (40C-20)
Date Received: 04-NOV-02
Permit Expiration: 22-NOV-22
Permit Status: Closed
Casing Diameter (in): 8
Total Well Depth (ft): 45
Station Status: Active
Compliance Status: In Compliance

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

C17
WNW
1/4 - 1/2 Mile
Lower

FL WELLS FLSJ13000020287

WELLS - SJ:

Permit ID:	7596	Official Permit ID:	3346
Permit Seq #:	3	Permit Type:	Renewal
Permit App Process Status:	CLOS	Station Name:	2
Station Type:	Production Well	Site Name:	The Quadrangle
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	The Quadrangle	Date Received:	05-AUG-88
Decision Made:	11-OCT-88	Permit Expiration:	11-OCT-95
Recommendation:	Approval	Permit Status:	Closed
Project Acres:	94	Casing Diameter (in):	8
Casing Depth (ft):	25	Total Well Depth (ft):	45
Water Source:	Surficial Aquifer	Station Status:	Active
Pump Capacity:	25	Compliance Status:	In Compliance
Project Use:	Mining/Dewatering		

C18
WNW
1/4 - 1/2 Mile
Lower

FL WELLS FLSJ13001423201

WELLS - SJ:

Permit ID:	194485	Official Permit ID:	3346
Permit Seq #:	8	Permit Type:	Renewal
Permit App Process Status:	COMP	Station Name:	2
Station Type:	Production Well	Site Name:	Siemens Energy
Monitoring:	N	Permit Stage:	Compliance
FL Statute:	40C-2	Statute Description:	CUP Individual - Minor
Permit Project Name:	Siemens Energy	Date Received:	18-NOV-22
Decision Made:	14-DEC-22	Permit Expiration:	14-DEC-32
Recommendation:	Approval	Permit Status:	Issued
Project Acres:	.4	Casing Diameter (in):	8
Casing Depth (ft):	25	Total Well Depth (ft):	45
Water Source:	Surficial Aquifer	Station Status:	Active
Pump Capacity:	25	Compliance Status:	Undetermined
Project Use:	Mining/Dewatering		

C19
WNW
1/4 - 1/2 Mile
Lower

FL WELLS FLSJ13000032661

WELLS - SJ:

Permit ID:	96902	Official Permit ID:	3346
Permit Seq #:	7	Permit Type:	Modification
Permit App Process Status:	CLOS	Station Name:	2
Station Type:	Production Well	Site Name:	Siemens Westinghouse Power Corp
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-20	Statute Description:	CUP General (40C-20)
Permit Project Name:	Siemens Westinghouse Power Corp		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Date Received: 29-DEC-04
Permit Expiration: 22-NOV-22
Permit Status: Closed
Casing Diameter (in): 8
Total Well Depth (ft): 45
Station Status: Active
Compliance Status: Out Of Compliance

Decision Made: 09-FEB-05
Recommendation: Approval
Project Acres: .4
Casing Depth (ft): 25
Water Source: Surficial Aquifer
Pump Capacity: 25
Project Use: Mining/Dewatering

C20
WNW
1/4 - 1/2 Mile
Lower

FL WELLS FLSJ13000034221

WELLS - SJ:

Permit ID: 50784
Permit Seq #: 5
Permit App Process Status: CLOS
Station Type: Production Well
Monitoring: N
FL Statute: 40C-2
Permit Project Name: Westinghouse Electric Corp.
Date Received: 31-AUG-95
Permit Expiration: 12-DEC-02
Permit Status: Closed
Casing Diameter (in): 8
Total Well Depth (ft): 45
Station Status: Active
Compliance Status: In Compliance

Official Permit ID: 3346
Permit Type: Transfer of Ownership
Station Name: 1
Site Name: Westinghouse Electric Corp.
Permit Stage: Closed
Statute Description: CUP Individual (40C-2)

Decision Made: 24-SEP-98
Recommendation: Approval
Project Acres: .4
Casing Depth (ft): 25
Water Source: Surficial Aquifer
Pump Capacity: 25
Project Use: Mining/Dewatering

C21
WNW
1/4 - 1/2 Mile
Lower

FL WELLS FLSJ13000044235

WELLS - SJ:

Permit ID: 7597
Permit Seq #: 4
Permit App Process Status: CLOS
Station Type: Production Well
Monitoring: N
FL Statute: 40C-2
Permit Project Name: Westinghouse Electric Corp.
Date Received: 31-AUG-95
Permit Expiration: 12-DEC-02
Permit Status: Closed
Casing Diameter (in): 8
Total Well Depth (ft): 45
Station Status: Active
Compliance Status: In Compliance

Official Permit ID: 3346
Permit Type: Renewal
Station Name: 1
Site Name: Westinghouse Electric Corp.
Permit Stage: Closed
Statute Description: CUP Individual (40C-2)

Decision Made: 12-DEC-95
Recommendation: Approval
Project Acres: 97
Casing Depth (ft): 25
Water Source: Surficial Aquifer
Pump Capacity: 25
Project Use: Mining/Dewatering

C22
WNW
1/4 - 1/2 Mile
Lower

FL WELLS FLSJ13000018903

WELLS - SJ:

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Permit ID: 7596
Permit Seq #: 3
Permit App Process Status: CLOS
Station Type: Production Well
Monitoring: N
FL Statute: 40C-2
Permit Project Name: The Quadrangle
Decision Made: 11-OCT-88
Recommendation: Approval
Project Acres: 94
Casing Depth (ft): 25
Water Source: Surficial Aquifer
Pump Capacity: 25
Project Use: Mining/Dewatering

Official Permit ID: 3346
Permit Type: Renewal
Station Name: 1
Site Name: The Quadrangle
Permit Stage: Closed
Statute Description: CUP Individual (40C-2)
Date Received: 05-AUG-88
Permit Expiration: 11-OCT-95
Permit Status: Closed
Casing Diameter (in): 8
Total Well Depth (ft): 45
Station Status: Active
Compliance Status: In Compliance

C23
WNW
1/4 - 1/2 Mile
Lower

FL WELLS FLSJ13000001778

WELLS - SJ:

Permit ID: 96902
Permit Seq #: 7
Permit App Process Status: CLOS
Station Type: Production Well
Monitoring: N
FL Statute: 40C-20
Permit Project Name: Siemens Westinghouse Power Corp
Date Received: 29-DEC-04
Permit Expiration: 22-NOV-22
Permit Status: Closed
Casing Diameter (in): 8
Total Well Depth (ft): 45
Station Status: Active
Compliance Status: Out Of Compliance

Official Permit ID: 3346
Permit Type: Modification
Station Name: 1
Site Name: Siemens Westinghouse Power Corp
Permit Stage: Closed
Statute Description: CUP General (40C-20)
Decision Made: 09-FEB-05
Recommendation: Approval
Project Acres: .4
Casing Depth (ft): 25
Water Source: Surficial Aquifer
Pump Capacity: 25
Project Use: Mining/Dewatering

C24
WNW
1/4 - 1/2 Mile
Lower

FL WELLS FLSJ130000018902

WELLS - SJ:

Permit ID: 7595
Permit Seq #: 2
Permit App Process Status: CLOS
Station Type: Production Well
Monitoring: N
FL Statute: 40C-2
Permit Project Name: Westinghouse Electric Corp.
Date Received: 08-AUG-86
Permit Expiration: 07-OCT-88
Permit Status: Closed
Casing Diameter (in): 8
Total Well Depth (ft): 45
Station Status: Active
Compliance Status: In Compliance

Official Permit ID: 3346
Permit Type: Modification
Station Name: 1
Site Name: Westinghouse Electric Corp.
Permit Stage: Closed
Statute Description: CUP Individual (40C-2)
Decision Made: 07-OCT-86
Recommendation: Approval
Project Acres: 97
Casing Depth (ft): 25
Water Source: Surficial Aquifer
Pump Capacity: 25
Project Use: Mining/Dewatering

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

C25
WNW
1/4 - 1/2 Mile
Lower

FL WELLS FLSJ13001423185

WELLS - SJ:

Permit ID: 194485
Permit Seq #: 8
Permit App Process Status: COMP
Station Type: Production Well
Monitoring: N
FL Statute: 40C-2
Permit Project Name: Siemens Energy
Decision Made: 14-DEC-22
Recommendation: Approval
Project Acres: .4
Casing Depth (ft): 25
Water Source: Surficial Aquifer
Pump Capacity: 25
Project Use: Mining/Dewatering

Official Permit ID: 3346
Permit Type: Renewal
Station Name: 1
Site Name: Siemens Energy
Permit Stage: Compliance
Statute Description: CUP Individual - Minor
Date Received: 18-NOV-22
Permit Expiration: 14-DEC-32
Permit Status: Issued
Casing Diameter (in): 8
Total Well Depth (ft): 45
Station Status: Active
Compliance Status: Undetermined

C26
WNW
1/4 - 1/2 Mile
Lower

FL WELLS FLSJ13000060732

WELLS - SJ:

Permit ID: 86450
Permit Seq #: 6
Permit App Process Status: CLOS
Station Type: Production Well
Monitoring: N
FL Statute: 40C-20
Permit Project Name: Westinghouse Power Corp
Decision Made: 16-DEC-02
Recommendation: Approval
Project Acres: .4
Casing Depth (ft): 25
Water Source: Surficial Aquifer
Pump Capacity: 25
Project Use: Mining/Dewatering

Official Permit ID: 3346
Permit Type: Renewal
Station Name: 1
Site Name: Westinghouse Electric Corp
Permit Stage: Closed
Statute Description: CUP General (40C-20)
Date Received: 04-NOV-02
Permit Expiration: 22-NOV-22
Permit Status: Closed
Casing Diameter (in): 8
Total Well Depth (ft): 45
Station Status: Active
Compliance Status: In Compliance

C27
WNW
1/4 - 1/2 Mile
Lower

FL WELLS FLSJ13000045952

WELLS - SJ:

Permit ID: 3346
Permit Seq #: 1
Permit App Process Status: CLOS
Station Type: Production Well
Monitoring: N
FL Statute: 40C-2
Permit Project Name: Westinghouse Electric Corp.

Official Permit ID: 3346
Permit Type: Initial Sequence
Station Name: 1
Site Name: Westinghouse Electric Corp.
Permit Stage: Closed
Statute Description: CUP Individual (40C-2)

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Date Received:	08-OCT-85	Decision Made:	10-DEC-85
Permit Expiration:	10-DEC-92	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	97
Casing Diameter (in):	8	Casing Depth (ft):	25
Total Well Depth (ft):	45	Water Source:	Surficial Aquifer
Station Status:	Active	Pump Capacity:	25
Compliance Status:	In Compliance	Project Use:	Mining/Dewatering

28 NNW 1/4 - 1/2 Mile Lower	Site ID: 8513002 Groundwater Flow: W Water Table Depth: 11-16 ft. Date: 3/8/94	AQUIFLOW 1603
--	---	----------------------

29 SE 1/4 - 1/2 Mile Lower	FRDS PWS FL3480409
---	---------------------------

Epa region: 04 Pwsid: FL3480409 Cityserved: Not Reported Zipserved: Not Reported Status: Active Pwssvconn: 217 Pwstype: CWS Contact: DUSTIN JACKSON Contactphone: 407-823-4040 Contactaddress2: Not Reported Contactstate: FL Pwsactivitycode: A	State: FL Pwsname: UNIVERSITY OF CENTRAL FLORIDA Stateserved: FL Fipscounty: 12095 Retpopsrvd: 57500 Psource longname: Groundwater Owner: State_Govt Contactorgname: UNIVERSITY OF CENTRAL FLORIDA Contactaddress1: UCF PHYSICAL PLANT PO BOX 163600 Contactcity: ORLANDO Contactzip: 32816-3600
---	--

Pwsid: FL3480409 Facname: UNIVERSITY OF CENTRAL FLORIDA Factype: Treatment_plant Trtobjective: disinfection Factypecode: TP	Facid: 57233480409 Facactivitycode: A Trtprocess: hypochlorination, post
---	--

Pwsid: FL3480409 Facname: UNIVERSITY OF CENTRAL FLORIDA Factype: Treatment_plant Trtobjective: taste / odor control Factypecode: TP	Facid: 57233480409 Facactivitycode: A Trtprocess: not reported
---	--

Pwsid: FL3480409 Facname: UNIVERSITY OF CENTRAL FLORIDA Factype: Treatment_plant Trtobjective: other Factypecode: TP	Facid: 57233480409 Facactivitycode: A Trtprocess: ph adjustment
--	---

PWS ID: FL3480409 Address: W & WW DEPT; P O BOX 163600 Care of: Not Reported State: FL Owner: UNIVERSITY OF CENTRAL FLORIDA Source code: Ground water	PWS name: UNIVERSITY OF CENTRAL FLORIDA City: ORLANDO Zip: 32816 Population: 33541
--	---

PWS ID: FL3480409 PWS name: UNIVERSITY OF CENTRAL FLORIDA PWS address: TREVOR COLBURN, PRESIDENT PWS city: ORLANDO	PWS type: System Owner/Responsible Party PWS address: W & WW DEPT; P O BOX 25000 PWS state: FL
---	--

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

PWS zip:	32816	PWS name:	UNIVERSITY OF CENTRAL FLORIDA
PWS type code:	C	Retail population served:	47500
Contact:	MS MONTEL WATSON, INTERIM DIR		
Contact address:	UCF PHYSICAL PLANT PO BOX 163600		
Contact address:	ORLANDO	Contact city:	FL
Contact state:	32	Contact zip:	407-823-30
Contact telephone:	Not Reported		
County:	ORANGE	Source:	Ground water
Treatment Objective:	CORROSION CONTROL	Process:	PH ADJUSTMENT
Population:	33541		
County:	ORANGE	Source:	Ground water
Treatment Objective:	DISINFECTION	Process:	GASEOUS CHLORINATION, POST
Population:	33541		
County:	ORANGE	Source:	Ground water
Treatment Objective:	TASTE / ODOR CONTROL	Process:	AERATION, SLAT TRAY
Population:	33541		
PWS ID:	FL3480409	Activity status:	Active
Date system activated:	Not Reported	Date system deactivated:	Not Reported
Retail population:	00005495	System name:	UNIVERSITY OF CENTRAL FLORIDA
System address:	Not Reported	System address:	W & WW DEPT; P O BOX 25000
System city:	ORLANDO	System state:	FL
System zip:	32816		
Population served:	5,001 - 10,000 Persons	Treatment:	Treated
Latitude:	283550	Longitude:	0811210
Latitude:	283550	Longitude:	0811210
State:	FL	Latitude degrees:	28
Latitude minutes:	35	Latitude seconds:	50.0000
Longitude degrees:	81	Longitude minutes:	12
Longitude seconds:	10.0000		
State:	FL	Latitude degrees:	28
Latitude minutes:	35	Latitude seconds:	56.0000
Longitude degrees:	81	Longitude minutes:	12
Longitude seconds:	12.0000		
Violation id:	0003266	Orig code:	S
State:	FL	Violation Year:	2000
Contamination code:	3100	Contamination Name:	Coliform (TCR)
Violation code:	24	Violation name:	Monitoring, Routine Minor (TCR)
Rule code:	110	Rule name:	TCR
Violation measur:	0	Unit of measure:	Not Reported
State mcl:	0	Cmp bdt:	02/01/2000
Cmp edt:	02/29/2000		
Violation id:	0111025	Orig code:	S
State:	FL	Violation Year:	2001
Contamination code:	3100	Contamination Name:	Coliform (TCR)
Violation code:	24	Violation name:	Monitoring, Routine Minor (TCR)
Rule code:	110	Rule name:	TCR
Violation measur:	0	Unit of measure:	Not Reported
State mcl:	0	Cmp bdt:	01/01/2001
Cmp edt:	01/31/2001		
Violation id:	04V0001	Orig code:	F

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

State: FL
 Contamination code: 2270
 Violation code: 03
 Rule code: 500
 Violation measur: 0
 State mcl: 0
 Cmp edt: 06/30/2003

Violation Year: 2003
 Contamination Name: 2,4-Dinitrotoluene
 Violation name: Monitoring, Regular
 Rule name: Not Regulated
 Unit of measure: Not Reported
 Cmp bdt: 01/01/2003

Violation id: 04V0002
 State: FL
 Contamination code: 2266
 Violation code: 03
 Rule code: 500
 Violation measur: 0
 State mcl: 0
 Cmp edt: 06/30/2003

Orig code: F
 Violation Year: 2003
 Contamination Name: 2,6-Dinitrotoluene
 Violation name: Monitoring, Regular
 Rule name: Not Regulated
 Unit of measure: Not Reported
 Cmp bdt: 01/01/2003

Violation id: 04V0003
 State: FL
 Contamination code: 2052
 Violation code: 03
 Rule code: 500
 Violation measur: 0
 State mcl: 0
 Cmp edt: 06/30/2003

Orig code: F
 Violation Year: 2003
 Contamination Name: EPTC
 Violation name: Monitoring, Regular
 Rule name: Not Regulated
 Unit of measure: Not Reported
 Cmp bdt: 01/01/2003

Violation id: 04V0004
 State: FL
 Contamination code: 2251
 Violation code: 03
 Rule code: 500
 Violation measur: 0
 State mcl: 0
 Cmp edt: 06/30/2003

Orig code: F
 Violation Year: 2003
 Contamination Name: METHYL TERT-BUTYL ETHER
 Violation name: Monitoring, Regular
 Rule name: Not Regulated
 Unit of measure: Not Reported
 Cmp bdt: 01/01/2003

Violation id: 04V0005
 State: FL
 Contamination code: 2254
 Violation code: 03
 Rule code: 500
 Violation measur: 0
 State mcl: 0
 Cmp edt: 06/30/2003

Orig code: F
 Violation Year: 2003
 Contamination Name: Nitrobenzene
 Violation name: Monitoring, Regular
 Rule name: Not Regulated
 Unit of measure: Not Reported
 Cmp bdt: 01/01/2003

Violation id: 04V0006
 State: FL
 Contamination code: 2270
 Violation code: 03
 Rule code: 500
 Violation measur: 0
 State mcl: 0
 Cmp edt: 12/31/2003

Orig code: F
 Violation Year: 2003
 Contamination Name: 2,4-Dinitrotoluene
 Violation name: Monitoring, Regular
 Rule name: Not Regulated
 Unit of measure: Not Reported
 Cmp bdt: 07/01/2003

Violation id: 04V0007
 State: FL
 Contamination code: 2266
 Violation code: 03
 Rule code: 500
 Violation measur: 0
 State mcl: 0
 Cmp edt: 12/31/2003

Orig code: F
 Violation Year: 2003
 Contamination Name: 2,6-Dinitrotoluene
 Violation name: Monitoring, Regular
 Rule name: Not Regulated
 Unit of measure: Not Reported
 Cmp bdt: 07/01/2003

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Violation id: 04V0008
 State: FL
 Contamination code: 2052
 Violation code: 03
 Rule code: 500
 Violation measur: 0
 State mcl: 0
 Cmp edt: 12/31/2003

Orig code: F
 Violation Year: 2003
 Contamination Name: EPTC
 Violation name: Monitoring, Regular
 Rule name: Not Regulated
 Unit of measure: Not Reported
 Cmp bdt: 07/01/2003

Violation id: 04V0009
 State: FL
 Contamination code: 2251
 Violation code: 03
 Rule code: 500
 Violation measur: 0
 State mcl: 0
 Cmp edt: 12/31/2003

Orig code: F
 Violation Year: 2003
 Contamination Name: METHYL TERT-BUTYL ETHER
 Violation name: Monitoring, Regular
 Rule name: Not Regulated
 Unit of measure: Not Reported
 Cmp bdt: 07/01/2003

Violation id: 04V0010
 State: FL
 Contamination code: 2254
 Violation code: 03
 Rule code: 500
 Violation measur: 0
 State mcl: 0
 Cmp edt: 12/31/2003

Orig code: F
 Violation Year: 2003
 Contamination Name: Nitrobenzene
 Violation name: Monitoring, Regular
 Rule name: Not Regulated
 Unit of measure: Not Reported
 Cmp bdt: 07/01/2003

Violation id: 04V0011
 State: FL
 Contamination code: 2027
 Violation code: 03
 Rule code: 500
 Violation measur: 0
 State mcl: 0
 Cmp edt: 06/30/2003

Orig code: F
 Violation Year: 2003
 Contamination Name: Acetochlor
 Violation name: Monitoring, Regular
 Rule name: Not Regulated
 Unit of measure: Not Reported
 Cmp bdt: 01/01/2003

Violation id: 04V0012
 State: FL
 Contamination code: 2100
 Violation code: 03
 Rule code: 500
 Violation measur: 0
 State mcl: 0
 Cmp edt: 06/30/2003

Orig code: F
 Violation Year: 2003
 Contamination Name: DCPA MONO ACID DEGRADATE
 Violation name: Monitoring, Regular
 Rule name: Not Regulated
 Unit of measure: Not Reported
 Cmp bdt: 01/01/2003

Violation id: 04V0013
 State: FL
 Contamination code: 2101
 Violation code: 03
 Rule code: 500
 Violation measur: 0
 State mcl: 0
 Cmp edt: 06/30/2003

Orig code: F
 Violation Year: 2003
 Contamination Name: DCPA DI ACID DEGRADATE
 Violation name: Monitoring, Regular
 Rule name: Not Regulated
 Unit of measure: Not Reported
 Cmp bdt: 01/01/2003

Violation id: 04V0014
 State: FL
 Contamination code: 2009
 Violation code: 03
 Rule code: 500
 Violation measur: 0
 State mcl: 0
 Cmp edt: 06/30/2003

Orig code: F
 Violation Year: 2003
 Contamination Name: 4,4-DDE
 Violation name: Monitoring, Regular
 Rule name: Not Regulated
 Unit of measure: Not Reported
 Cmp bdt: 01/01/2003

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Violation id: 04V0015
 State: FL
 Contamination code: 2626
 Violation code: 03
 Rule code: 500
 Violation measur: 0
 State mcl: 0
 Cmp edt: 06/30/2003

Orig code: F
 Violation Year: 2003
 Contamination Name: MOLINATE
 Violation name: Monitoring, Regular
 Rule name: Not Regulated
 Unit of measure: Not Reported
 Cmp bdt: 01/01/2003

Violation id: 04V0016
 State: FL
 Contamination code: 1039
 Violation code: 03
 Rule code: 500
 Violation measur: 0
 State mcl: 0
 Cmp edt: 06/30/2003

Orig code: F
 Violation Year: 2003
 Contamination Name: Perchlorate
 Violation name: Monitoring, Regular
 Rule name: Not Regulated
 Unit of measure: Not Reported
 Cmp bdt: 01/01/2003

Violation id: 04V0017
 State: FL
 Contamination code: 2271
 Violation code: 03
 Rule code: 500
 Violation measur: 0
 State mcl: 0
 Cmp edt: 06/30/2003

Orig code: F
 Violation Year: 2003
 Contamination Name: Tebuthiuron
 Violation name: Monitoring, Regular
 Rule name: Not Regulated
 Unit of measure: Not Reported
 Cmp bdt: 01/01/2003

Violation id: 04V0018
 State: FL
 Contamination code: 2027
 Violation code: 03
 Rule code: 500
 Violation measur: 0
 State mcl: 0
 Cmp edt: 12/31/2003

Orig code: F
 Violation Year: 2003
 Contamination Name: Acetochlor
 Violation name: Monitoring, Regular
 Rule name: Not Regulated
 Unit of measure: Not Reported
 Cmp bdt: 07/01/2003

Violation id: 04V0019
 State: FL
 Contamination code: 2100
 Violation code: 03
 Rule code: 500
 Violation measur: 0
 State mcl: 0
 Cmp edt: 12/31/2003

Orig code: F
 Violation Year: 2003
 Contamination Name: DCPA MONO ACID DEGRADATE
 Violation name: Monitoring, Regular
 Rule name: Not Regulated
 Unit of measure: Not Reported
 Cmp bdt: 07/01/2003

Violation id: 04V0020
 State: FL
 Contamination code: 2101
 Violation code: 03
 Rule code: 500
 Violation measur: 0
 State mcl: 0
 Cmp edt: 12/31/2003

Orig code: F
 Violation Year: 2003
 Contamination Name: DCPA DI ACID DEGRADATE
 Violation name: Monitoring, Regular
 Rule name: Not Regulated
 Unit of measure: Not Reported
 Cmp bdt: 07/01/2003

Violation id: 04V0021
 State: FL
 Contamination code: 2009
 Violation code: 03
 Rule code: 500
 Violation measur: 0
 State mcl: 0
 Cmp edt: 12/31/2003

Orig code: F
 Violation Year: 2003
 Contamination Name: 4,4-DDE
 Violation name: Monitoring, Regular
 Rule name: Not Regulated
 Unit of measure: Not Reported
 Cmp bdt: 07/01/2003

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Violation id: 04V0022
 State: FL
 Contamination code: 2626
 Violation code: 03
 Rule code: 500
 Violation measur: 0
 State mcl: 0
 Cmp edt: 12/31/2003

Orig code: F
 Violation Year: 2003
 Contamination Name: MOLINATE
 Violation name: Monitoring, Regular
 Rule name: Not Regulated
 Unit of measure: Not Reported
 Cmp bdt: 07/01/2003

Violation id: 04V0023
 State: FL
 Contamination code: 1039
 Violation code: 03
 Rule code: 500
 Violation measur: 0
 State mcl: 0
 Cmp edt: 12/31/2003

Orig code: F
 Violation Year: 2003
 Contamination Name: Perchlorate
 Violation name: Monitoring, Regular
 Rule name: Not Regulated
 Unit of measure: Not Reported
 Cmp bdt: 07/01/2003

Violation id: 04V0024
 State: FL
 Contamination code: 2271
 Violation code: 03
 Rule code: 500
 Violation measur: 0
 State mcl: 0
 Cmp edt: 12/31/2003

Orig code: F
 Violation Year: 2003
 Contamination Name: Tebuthiuron
 Violation name: Monitoring, Regular
 Rule name: Not Regulated
 Unit of measure: Not Reported
 Cmp bdt: 07/01/2003

Violation id: 20040002640
 State: FL
 Contamination code: 1040
 Violation code: 03
 Rule code: 331
 Violation measur: Not Reported
 State mcl: Not Reported
 Cmp edt: 12/31/2003

Orig code: S
 Violation Year: 2003
 Contamination Name: Nitrate
 Violation name: Monitoring, Regular
 Rule name: Nitrates
 Unit of measure: Not Reported
 Cmp bdt: 01/01/2003

Violation id: 20040010966
 State: FL
 Contamination code: 2950
 Violation code: 27
 Rule code: 210
 Violation measur: Not Reported
 State mcl: Not Reported
 Cmp edt: 03/31/2004

Orig code: S
 Violation Year: 2004
 Contamination Name: TTHM
 Violation name: Monitoring and Reporting (DBP)
 Rule name: St1 DBP
 Unit of measure: Not Reported
 Cmp bdt: 01/01/2004

Violation id: 20050007254
 State: FL
 Contamination code: 2456
 Violation code: 27
 Rule code: 210
 Violation measur: Not Reported
 State mcl: Not Reported
 Cmp edt: 03/31/2005

Orig code: S
 Violation Year: 2005
 Contamination Name: Total Haloacetic Acids (HAA5)
 Violation name: Monitoring and Reporting (DBP)
 Rule name: St1 DBP
 Unit of measure: Not Reported
 Cmp bdt: 01/01/2005

Violation id: 20050007832
 State: FL
 Contamination code: 7000
 Violation code: 71
 Rule code: 420
 Violation measur: Not Reported
 State mcl: Not Reported
 Cmp edt: Not Reported

Orig code: S
 Violation Year: 2005
 Contamination Name: Consumer Confidence Rule
 Violation name: CCR Complete Failure to Report
 Rule name: CCR
 Unit of measure: Not Reported
 Cmp bdt: 07/01/2005

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Violation id:	20050009332	Orig code:	S
State:	FL	Violation Year:	2005
Contamination code:	3100	Contamination Name:	Coliform (TCR)
Violation code:	26	Violation name:	Monitoring, Repeat Minor (TCR)
Rule code:	110	Rule name:	TCR
Violation measur:	Not Reported	Unit of measure:	Not Reported
State mcl:	Not Reported	Cmp bdt:	08/01/2005
Cmp edt:	08/31/2005		
Violation id:	20060003905	Orig code:	S
State:	FL	Violation Year:	2005
Contamination code:	2456	Contamination Name:	Total Haloacetic Acids (HAA5)
Violation code:	02	Violation name:	MCL, Average
Rule code:	210	Rule name:	St1 DBP
Violation measur:	71.1825	Unit of measure:	UG/L
State mcl:	Not Reported	Cmp bdt:	07/01/2005
Cmp edt:	09/30/2005		
Violation id:	20060003906	Orig code:	S
State:	FL	Violation Year:	2005
Contamination code:	2456	Contamination Name:	Total Haloacetic Acids (HAA5)
Violation code:	02	Violation name:	MCL, Average
Rule code:	210	Rule name:	St1 DBP
Violation measur:	68.385	Unit of measure:	UG/L
State mcl:	Not Reported	Cmp bdt:	10/01/2005
Cmp edt:	12/31/2005		
Violation id:	20060006155	Orig code:	S
State:	FL	Violation Year:	2006
Contamination code:	2456	Contamination Name:	Total Haloacetic Acids (HAA5)
Violation code:	02	Violation name:	MCL, Average
Rule code:	210	Rule name:	St1 DBP
Violation measur:	76.8293	Unit of measure:	UG/L
State mcl:	Not Reported	Cmp bdt:	01/01/2006
Cmp edt:	03/31/2006		
Violation id:	20060007804	Orig code:	S
State:	FL	Violation Year:	2006
Contamination code:	2456	Contamination Name:	Total Haloacetic Acids (HAA5)
Violation code:	02	Violation name:	MCL, Average
Rule code:	210	Rule name:	St1 DBP
Violation measur:	85.3037	Unit of measure:	UG/L
State mcl:	Not Reported	Cmp bdt:	04/01/2006
Cmp edt:	06/30/2006		
Violation id:	20070001090	Orig code:	S
State:	FL	Violation Year:	2006
Contamination code:	2456	Contamination Name:	Total Haloacetic Acids (HAA5)
Violation code:	02	Violation name:	MCL, Average
Rule code:	210	Rule name:	St1 DBP
Violation measur:	95.988	Unit of measure:	UG/L
State mcl:	Not Reported	Cmp bdt:	07/01/2006
Cmp edt:	09/30/2006		
Violation id:	20070004489	Orig code:	S
State:	FL	Violation Year:	2006
Contamination code:	2456	Contamination Name:	Total Haloacetic Acids (HAA5)
Violation code:	02	Violation name:	MCL, Average
Rule code:	210	Rule name:	St1 DBP
Violation measur:	126.0674	Unit of measure:	UG/L
State mcl:	Not Reported	Cmp bdt:	10/01/2006
Cmp edt:	12/31/2006		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Violation id:	20070006231	Orig code:	S
State:	FL	Violation Year:	2007
Contamination code:	2456	Contamination Name:	Total Haloacetic Acids (HAA5)
Violation code:	02	Violation name:	MCL, Average
Rule code:	210	Rule name:	St1 DBP
Violation measur:	128.9769	Unit of measure:	UG/L
State mcl:	Not Reported	Cmp bdt:	01/01/2007
Cmp edt:	03/31/2007		
Violation id:	20070007489	Orig code:	S
State:	FL	Violation Year:	2007
Contamination code:	2456	Contamination Name:	Total Haloacetic Acids (HAA5)
Violation code:	02	Violation name:	MCL, Average
Rule code:	210	Rule name:	St1 DBP
Violation measur:	116.2875	Unit of measure:	UG/L
State mcl:	Not Reported	Cmp bdt:	04/01/2007
Cmp edt:	06/30/2007		
Violation id:	20070008129	Orig code:	S
State:	FL	Violation Year:	2007
Contamination code:	2456	Contamination Name:	Total Haloacetic Acids (HAA5)
Violation code:	02	Violation name:	MCL, Average
Rule code:	210	Rule name:	St1 DBP
Violation measur:	88.585	Unit of measure:	UG/L
State mcl:	Not Reported	Cmp bdt:	07/01/2007
Cmp edt:	09/30/2007		
Violation id:	20080003137	Orig code:	S
State:	FL	Violation Year:	2007
Contamination code:	2456	Contamination Name:	Total Haloacetic Acids (HAA5)
Violation code:	02	Violation name:	MCL, Average
Rule code:	210	Rule name:	St1 DBP
Violation measur:	60.8163	Unit of measure:	UG/L
State mcl:	Not Reported	Cmp bdt:	10/01/2007
Cmp edt:	12/31/2007		
Violation id:	20080005949	Orig code:	S
State:	FL	Violation Year:	2008
Contamination code:	3100	Contamination Name:	Coliform (TCR)
Violation code:	23	Violation name:	Monitoring, Routine Major (TCR)
Rule code:	110	Rule name:	TCR
Violation measur:	Not Reported	Unit of measure:	Not Reported
State mcl:	Not Reported	Cmp bdt:	05/01/2008
Cmp edt:	05/31/2008		
Violation id:	20080007352	Orig code:	S
State:	FL	Violation Year:	2008
Contamination code:	2950	Contamination Name:	TTHM
Violation code:	27	Violation name:	Monitoring and Reporting (DBP)
Rule code:	210	Rule name:	St1 DBP
Violation measur:	Not Reported	Unit of measure:	Not Reported
State mcl:	Not Reported	Cmp bdt:	07/01/2008
Cmp edt:	09/30/2008		
Violation id:	20080007353	Orig code:	S
State:	FL	Violation Year:	2008
Contamination code:	2456	Contamination Name:	Total Haloacetic Acids (HAA5)
Violation code:	27	Violation name:	Monitoring and Reporting (DBP)
Rule code:	210	Rule name:	St1 DBP
Violation measur:	Not Reported	Unit of measure:	Not Reported
State mcl:	Not Reported	Cmp bdt:	07/01/2008
Cmp edt:	09/30/2008		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Violation id:	20090004226	Orig code:	S
State:	FL	Violation Year:	2009
Contamination code:	7000	Contamination Name:	Consumer Confidence Rule
Violation code:	71	Violation name:	CCR Complete Failure to Report
Rule code:	420	Rule name:	CCR
Violation measur:	Not Reported	Unit of measure:	Not Reported
State mcl:	Not Reported	Cmp bdt:	07/01/2009
Cmp edt:	Not Reported		

Violation id:	20120005148	Orig code:	S
State:	FL	Violation Year:	2012
Contamination code:	3014	Contamination Name:	E. COLI
Violation code:	19		
Violation name:	Failure to Conduct Assessment Monitoring		
Rule code:	140	Rule name:	GWR
Violation measur:	Not Reported	Unit of measure:	Not Reported
State mcl:	Not Reported	Cmp bdt:	09/01/2012
Cmp edt:	09/30/2012		

PWS currently has or had major violation(s) or enforcement:Yes

Violation ID:	94V0002	Violation source ID:	Not Reported
PWS telephone:	Not Reported	Contaminant:	Coliform (Tcr)
Violation type:	Monitoring, Routine Major (TCR)		
Violation start date:	030194	Violation end date:	033194
Violation period (months):	001	Violation awareness date:	Not Reported
Major violator:	Yes	Maximum contaminant level:	Not Reported
Number of required samples:	Not Reported	Number of samples taken:	Not Reported
Analysis method:	Not Reported	Analysis result:	Not Reported

Violation ID:	04V0001	Orig Code:	F
Enforcemnt FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed FAO issued	Enforcement Category:	Formal

Violation ID:	04V0001	Orig Code:	F
Enforcemnt FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed Public Notif requested		
Enforcement Category:	Informal		

Violation ID:	04V0002	Orig Code:	F
Enforcemnt FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed Public Notif requested		
Enforcement Category:	Informal		

Violation ID:	04V0002	Orig Code:	F
Enforcemnt FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed FAO issued	Enforcement Category:	Formal

Violation ID:	04V0003	Orig Code:	F
Enforcemnt FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed Public Notif requested		
Enforcement Category:	Informal		

Violation ID:	04V0003	Orig Code:	F
Enforcemnt FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed FAO issued	Enforcement Category:	Formal

Violation ID:	04V0004	Orig Code:	F
Enforcemnt FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed Public Notif requested		
Enforcement Category:	Informal		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Violation ID:	04V0004	Orig Code:	F
Enforcemnt FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed FAO issued	Enforcement Category:	Formal
Violation ID:	04V0005	Orig Code:	F
Enforcemnt FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed FAO issued	Enforcement Category:	Formal
Violation ID:	04V0005	Orig Code:	F
Enforcemnt FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed Public Notif requested		
Enforcement Category:	Informal		
Violation ID:	04V0006	Orig Code:	F
Enforcemnt FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed Public Notif requested		
Enforcement Category:	Informal		
Violation ID:	04V0006	Orig Code:	F
Enforcemnt FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed FAO issued	Enforcement Category:	Formal
Violation ID:	04V0007	Orig Code:	F
Enforcemnt FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed Public Notif requested		
Enforcement Category:	Informal		
Violation ID:	04V0007	Orig Code:	F
Enforcemnt FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed FAO issued	Enforcement Category:	Formal
Violation ID:	04V0008	Orig Code:	F
Enforcemnt FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed Public Notif requested		
Enforcement Category:	Informal		
Violation ID:	04V0008	Orig Code:	F
Enforcemnt FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed FAO issued		
Enforcement Category:	Formal		
Violation ID:	04V0009	Orig Code:	F
Enforcemnt FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed Public Notif requested		
Enforcement Category:	Informal		
Violation ID:	04V0009	Orig Code:	F
Enforcemnt FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed FAO issued	Enforcement Category:	Formal
Violation ID:	04V0010	Orig Code:	F
Enforcemnt FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed Public Notif requested		
Enforcement Category:	Informal		
Violation ID:	04V0010	Orig Code:	F
Enforcemnt FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed FAO issued	Enforcement Category:	Formal
Violation ID:	04V0011	Orig Code:	F
Enforcemnt FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed Public Notif requested		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Enforcement Category:	Informal		
Violation ID:	04V0011	Orig Code:	F
Enforcement FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed FAO issued	Enforcement Category:	Formal
Violation ID:	04V0012	Orig Code:	F
Enforcement FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed FAO issued	Enforcement Category:	Formal
Violation ID:	04V0012	Orig Code:	F
Enforcement FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed Public Notif requested		
Enforcement Category:	Informal		
Violation ID:	04V0013	Orig Code:	F
Enforcement FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed Public Notif requested		
Enforcement Category:	Informal		
Violation ID:	04V0013	Orig Code:	F
Enforcement FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed FAO issued	Enforcement Category:	Formal
Violation ID:	04V0014	Orig Code:	F
Enforcement FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed Public Notif requested		
Enforcement Category:	Informal		
Violation ID:	04V0014	Orig Code:	F
Enforcement FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed FAO issued	Enforcement Category:	Formal
Violation ID:	04V0015	Orig Code:	F
Enforcement FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed Public Notif requested		
Enforcement Category:	Informal		
Violation ID:	04V0015	Orig Code:	F
Enforcement FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed FAO issued	Enforcement Category:	Formal
Violation ID:	04V0016	Orig Code:	F
Enforcement FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed Public Notif requested		
Enforcement Category:	Informal		
Violation ID:	04V0016	Orig Code:	F
Enforcement FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed FAO issued	Enforcement Category:	Formal
Violation ID:	04V0017	Orig Code:	F
Enforcement FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed Public Notif requested		
Enforcement Category:	Informal		
Violation ID:	04V0017	Orig Code:	F
Enforcement FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed FAO issued	Enforcement Category:	Formal
Violation ID:	04V0018	Orig Code:	F
Enforcement FY:	2004	Enforcement Action:	07/09/2004

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Enforcement Detail:	Fed Public Notif requested		
Enforcement Category:	Informal		
Violation ID:	04V0018	Orig Code:	F
Enforcement FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed FAO issued	Enforcement Category:	Formal
Violation ID:	04V0019	Orig Code:	F
Enforcement FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed FAO issued	Enforcement Category:	Formal
Violation ID:	04V0019	Orig Code:	F
Enforcement FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed Public Notif requested		
Enforcement Category:	Informal		
Violation ID:	04V0020	Orig Code:	F
Enforcement FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed Public Notif requested		
Enforcement Category:	Informal		
Violation ID:	04V0020	Orig Code:	F
Enforcement FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed FAO issued	Enforcement Category:	Formal
Violation ID:	04V0021	Orig Code:	F
Enforcement FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed FAO issued	Enforcement Category:	Formal
Violation ID:	04V0021	Orig Code:	F
Enforcement FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed Public Notif requested		
Enforcement Category:	Informal		
Violation ID:	04V0022	Orig Code:	F
Enforcement FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed FAO issued	Enforcement Category:	Formal
Violation ID:	04V0022	Orig Code:	F
Enforcement FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed Public Notif requested		
Enforcement Category:	Informal		
Violation ID:	04V0023	Orig Code:	F
Enforcement FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed FAO issued	Enforcement Category:	Formal
Violation ID:	04V0023	Orig Code:	F
Enforcement FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed Public Notif requested		
Enforcement Category:	Informal		
Violation ID:	04V0024	Orig Code:	F
Enforcement FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed Public Notif requested		
Enforcement Category:	Informal		
Violation ID:	04V0024	Orig Code:	F
Enforcement FY:	2004	Enforcement Action:	07/09/2004
Enforcement Detail:	Fed FAO issued	Enforcement Category:	Formal
Violation ID:	20040002640	Orig Code:	S

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Enforcemnt FY:	2004	Enforcement Action:	02/03/2004
Enforcement Detail:	St Compliance achieved	Enforcement Category:	Resolving
Violation ID:	20050007254	Orig Code:	S
Enforcemnt FY:	2005	Enforcement Action:	07/10/2005
Enforcement Detail:	St Compliance achieved	Enforcement Category:	Resolving
Violation ID:	20050007254	Orig Code:	S
Enforcemnt FY:	2006	Enforcement Action:	04/03/2006
Enforcement Detail:	St Public Notif received	Enforcement Category:	Informal
Violation ID:	20050007832	Orig Code:	S
Enforcemnt FY:	2005	Enforcement Action:	09/23/2005
Enforcement Detail:	St Compliance achieved	Enforcement Category:	Resolving
Violation ID:	20050009332	Orig Code:	S
Enforcemnt FY:	2006	Enforcement Action:	10/17/2005
Enforcement Detail:	St Violation/Reminder Notice		
Enforcement Category:	Informal		
Violation ID:	20060003905	Orig Code:	S
Enforcemnt FY:	2008	Enforcement Action:	07/09/2008
Enforcement Detail:	St Compliance achieved	Enforcement Category:	Resolving
Violation ID:	20060003905	Orig Code:	S
Enforcemnt FY:	2006	Enforcement Action:	02/09/2006
Enforcement Detail:	St Violation/Reminder Notice		
Enforcement Category:	Informal		
Violation ID:	20060003905	Orig Code:	S
Enforcemnt FY:	2006	Enforcement Action:	04/03/2006
Enforcement Detail:	St Public Notif received	Enforcement Category:	Informal
Violation ID:	20060003906	Orig Code:	S
Enforcemnt FY:	2008	Enforcement Action:	07/09/2008
Enforcement Detail:	St Compliance achieved	Enforcement Category:	Resolving
Violation ID:	20060003906	Orig Code:	S
Enforcemnt FY:	2006	Enforcement Action:	04/03/2006
Enforcement Detail:	St Public Notif received	Enforcement Category:	Informal
Violation ID:	20060003906	Orig Code:	S
Enforcemnt FY:	2006	Enforcement Action:	02/09/2006
Enforcement Detail:	St Violation/Reminder Notice		
Enforcement Category:	Informal		
Violation ID:	20060006155	Orig Code:	S
Enforcemnt FY:	2006	Enforcement Action:	06/01/2006
Enforcement Detail:	St Public Notif received	Enforcement Category:	Informal
Violation ID:	20060006155	Orig Code:	S
Enforcemnt FY:	2008	Enforcement Action:	07/09/2008
Enforcement Detail:	St Compliance achieved	Enforcement Category:	Resolving
Violation ID:	20060007804	Orig Code:	S
Enforcemnt FY:	2007	Enforcement Action:	10/09/2006
Enforcement Detail:	St Public Notif received	Enforcement Category:	Informal
Violation ID:	20060007804	Orig Code:	S
Enforcemnt FY:	2008	Enforcement Action:	07/09/2008
Enforcement Detail:	St Compliance achieved	Enforcement Category:	Resolving

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Violation ID:	20070001090	Orig Code:	S
Enforcemnt FY:	2008	Enforcement Action:	07/09/2008
Enforcement Detail:	St Compliance achieved	Enforcement Category:	Resolving
Violation ID:	20070001090	Orig Code:	S
Enforcemnt FY:	2007	Enforcement Action:	12/11/2006
Enforcement Detail:	St Public Notif received	Enforcement Category:	Informal
Violation ID:	20070004489	Orig Code:	S
Enforcemnt FY:	2007	Enforcement Action:	02/02/2007
Enforcement Detail:	St Public Notif received	Enforcement Category:	Informal
Violation ID:	20070004489	Orig Code:	S
Enforcemnt FY:	2008	Enforcement Action:	07/09/2008
Enforcement Detail:	St Compliance achieved	Enforcement Category:	Resolving
Violation ID:	20070006231	Orig Code:	S
Enforcemnt FY:	2008	Enforcement Action:	07/09/2008
Enforcement Detail:	St Compliance achieved	Enforcement Category:	Resolving
Violation ID:	20070006231	Orig Code:	S
Enforcemnt FY:	2007	Enforcement Action:	06/22/2007
Enforcement Detail:	St Public Notif received	Enforcement Category:	Informal
Violation ID:	20070007489	Orig Code:	S
Enforcemnt FY:	2008	Enforcement Action:	07/09/2008
Enforcement Detail:	St Compliance achieved	Enforcement Category:	Resolving
Violation ID:	20070007489	Orig Code:	S
Enforcemnt FY:	2007	Enforcement Action:	08/15/2007
Enforcement Detail:	St Public Notif received	Enforcement Category:	Informal
Violation ID:	20070008129	Orig Code:	S
Enforcemnt FY:	2008	Enforcement Action:	12/03/2007
Enforcement Detail:	St Public Notif received	Enforcement Category:	Informal
Violation ID:	20070008129	Orig Code:	S
Enforcemnt FY:	2008	Enforcement Action:	07/09/2008
Enforcement Detail:	St Compliance achieved	Enforcement Category:	Resolving
Violation ID:	20080003137	Orig Code:	S
Enforcemnt FY:	2008	Enforcement Action:	07/09/2008
Enforcement Detail:	St Compliance achieved	Enforcement Category:	Resolving
Violation ID:	20080003137	Orig Code:	S
Enforcemnt FY:	2008	Enforcement Action:	03/07/2008
Enforcement Detail:	St Public Notif received	Enforcement Category:	Informal
Violation ID:	20080007352	Orig Code:	S
Enforcemnt FY:	2009	Enforcement Action:	10/06/2008
Enforcement Detail:	St Tech Assistance Visit	Enforcement Category:	Informal
Violation ID:	20080007352	Orig Code:	S
Enforcemnt FY:	2009	Enforcement Action:	03/12/2009
Enforcement Detail:	St Compliance achieved	Enforcement Category:	Resolving
Violation ID:	20080007352	Orig Code:	S
Enforcemnt FY:	2009	Enforcement Action:	10/21/2008
Enforcement Detail:	St Violation/Reminder Notice		
Enforcement Category:	Informal		
Violation ID:	20080007353	Orig Code:	S

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Enforcemnt FY:	2009	Enforcement Action:	03/12/2009
Enforcement Detail:	St Compliance achieved	Enforcement Category:	Resolving
Violation ID:	20080007353	Orig Code:	S
Enforcemnt FY:	2009	Enforcement Action:	10/06/2008
Enforcement Detail:	St Tech Assistance Visit	Enforcement Category:	Informal
Violation ID:	20080007353	Orig Code:	S
Enforcemnt FY:	2009	Enforcement Action:	10/21/2008
Enforcement Detail:	St Violation/Reminder Notice		
Enforcement Category:	Informal		
Violation ID:	20090004226	Orig Code:	S
Enforcemnt FY:	2009	Enforcement Action:	06/17/2009
Enforcement Detail:	St Tech Assistance Visit	Enforcement Category:	Informal
Violation ID:	20090004226	Orig Code:	S
Enforcemnt FY:	2009	Enforcement Action:	08/11/2009
Enforcement Detail:	St Compliance achieved	Enforcement Category:	Resolving
Violation ID:	20090004226	Orig Code:	S
Enforcemnt FY:	2009	Enforcement Action:	08/04/2009
Enforcement Detail:	St Tech Assistance Visit	Enforcement Category:	Informal
Violation ID:	20090004226	Orig Code:	S
Enforcemnt FY:	2009	Enforcement Action:	08/04/2009
Enforcement Detail:	St Tech Assistance Visit	Enforcement Category:	Informal
Violation ID:	20120005148	Orig Code:	S
Enforcemnt FY:	2013	Enforcement Action:	10/15/2012
Enforcement Detail:	St Violation/Reminder Notice		
Enforcement Category:	Informal		
Violation ID:	Not Reported	Orig Code:	S
Enforcemnt FY:	2004	Enforcement Action:	08/13/2004
Enforcement Detail:	St Compliance achieved	Enforcement Category:	Not Reported
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	0003266	Contaminant:	Coliform (Tcr)
Violation type:	Monitoring, Routine Minor (TCR)		
Compliance start date:	2/1/2000 0:00:00	Compliance end date:	2/29/2000 0:00:00
Enforcement date:	No Enf Action as of	Enforcement action:	7/8/2009 0:00:00
Violation measurement:	0		
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	0111025	Contaminant:	Coliform (Tcr)
Violation type:	Monitoring, Routine Minor (TCR)		
Compliance start date:	1/1/2001 0:00:00	Compliance end date:	1/31/2001 0:00:00
Enforcement date:	No Enf Action as of	Enforcement action:	7/8/2009 0:00:00
Violation measurement:	0		
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	04V0001	Contaminant:	2,4-Dinitrotoluene
Violation type:	3	Compliance start date:	1/1/2003 0:00:00
Compliance end date:	6/30/2003 0:00:00	Enforcement date:	7/9/2004 0:00:00
Enforcement action:	Fed FAO Issued	Violation measurement:	0
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Violation ID:	04V0001	Contaminant:	2,4-Dinitrotoluene
Violation type:	3	Compliance start date:	1/1/2003 0:00:00
Compliance end date:	6/30/2003 0:00:00	Enforcement date:	7/9/2004 0:00:00
Enforcement action:	Fed Public Notif Requested		
Violation measurement:	0		

PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	04V0002	Contaminant:	2,6-Dinitrotoluene
Violation type:	3	Compliance start date:	1/1/2003 0:00:00
Compliance end date:	6/30/2003 0:00:00	Enforcement date:	7/9/2004 0:00:00
Enforcement action:	Fed FAO Issued	Violation measurement:	0

PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	04V0002	Contaminant:	2,6-Dinitrotoluene
Violation type:	3	Compliance start date:	1/1/2003 0:00:00
Compliance end date:	6/30/2003 0:00:00	Enforcement date:	7/9/2004 0:00:00
Enforcement action:	Fed Public Notif Requested		
Violation measurement:	0		

PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	04V0003	Contaminant:	Eptc (Eptam)
Violation type:	3	Compliance start date:	1/1/2003 0:00:00
Compliance end date:	6/30/2003 0:00:00	Enforcement date:	7/9/2004 0:00:00
Enforcement action:	Fed FAO Issued	Violation measurement:	0

PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	04V0003	Contaminant:	Eptc (Eptam)
Violation type:	3	Compliance start date:	1/1/2003 0:00:00
Compliance end date:	6/30/2003 0:00:00	Enforcement date:	7/9/2004 0:00:00
Enforcement action:	Fed Public Notif Requested		
Violation measurement:	0		

PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	04V0004	Contaminant:	Methyl-Tert-Butyl-Ether
Violation type:	3	Compliance start date:	1/1/2003 0:00:00
Compliance end date:	6/30/2003 0:00:00	Enforcement date:	7/9/2004 0:00:00
Enforcement action:	Fed FAO Issued	Violation measurement:	0

PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	04V0004	Contaminant:	Methyl-Tert-Butyl-Ether
Violation type:	3	Compliance start date:	1/1/2003 0:00:00
Compliance end date:	6/30/2003 0:00:00	Enforcement date:	7/9/2004 0:00:00
Enforcement action:	Fed Public Notif Requested		
Violation measurement:	0		

PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	04V0005	Contaminant:	Nitrobenzene
Violation type:	3	Compliance start date:	1/1/2003 0:00:00
Compliance end date:	6/30/2003 0:00:00	Enforcement date:	7/9/2004 0:00:00
Enforcement action:	Fed FAO Issued	Violation measurement:	0

PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	04V0005	Contaminant:	Nitrobenzene
Violation type:	3	Compliance start date:	1/1/2003 0:00:00

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Compliance end date:	6/30/2003 0:00:00	Enforcement date:	7/9/2004 0:00:00
Enforcement action:	Fed Public Notif Requested		
Violation measurement:	0		

PWS name:	UNIVERSITY OF CENTRAL FLORIDA	PWS type code:	C
Population served:	47500	Contaminant:	2,4-Dinitrotoluene
Violation ID:	04V0006	Compliance start date:	7/1/2003 0:00:00
Violation type:	3	Enforcement date:	7/9/2004 0:00:00
Compliance end date:	12/31/2003 0:00:00	Violation measurement:	0
Enforcement action:	Fed FAO Issued		

PWS name:	UNIVERSITY OF CENTRAL FLORIDA	PWS type code:	C
Population served:	47500	Contaminant:	2,4-Dinitrotoluene
Violation ID:	04V0006	Compliance start date:	7/1/2003 0:00:00
Violation type:	3	Enforcement date:	7/9/2004 0:00:00
Compliance end date:	12/31/2003 0:00:00		
Enforcement action:	Fed Public Notif Requested		
Violation measurement:	0		

PWS name:	UNIVERSITY OF CENTRAL FLORIDA	PWS type code:	C
Population served:	47500	Contaminant:	2,6-Dinitrotoluene
Violation ID:	04V0007	Compliance start date:	7/1/2003 0:00:00
Violation type:	3	Enforcement date:	7/9/2004 0:00:00
Compliance end date:	12/31/2003 0:00:00	Violation measurement:	0
Enforcement action:	Fed FAO Issued		

PWS name:	UNIVERSITY OF CENTRAL FLORIDA	PWS type code:	C
Population served:	47500	Contaminant:	2,6-Dinitrotoluene
Violation ID:	04V0007	Compliance start date:	7/1/2003 0:00:00
Violation type:	3	Enforcement date:	7/9/2004 0:00:00
Compliance end date:	12/31/2003 0:00:00		
Enforcement action:	Fed Public Notif Requested		
Violation measurement:	0		

PWS name:	UNIVERSITY OF CENTRAL FLORIDA	PWS type code:	C
Population served:	47500	Contaminant:	Eptc (Eptam)
Violation ID:	04V0008	Compliance start date:	7/1/2003 0:00:00
Violation type:	3	Enforcement date:	7/9/2004 0:00:00
Compliance end date:	12/31/2003 0:00:00	Violation measurement:	0
Enforcement action:	Fed FAO Issued		

PWS name:	UNIVERSITY OF CENTRAL FLORIDA	PWS type code:	C
Population served:	47500	Contaminant:	Eptc (Eptam)
Violation ID:	04V0008	Compliance start date:	7/1/2003 0:00:00
Violation type:	3	Enforcement date:	7/9/2004 0:00:00
Compliance end date:	12/31/2003 0:00:00		
Enforcement action:	Fed Public Notif Requested		
Violation measurement:	0		

PWS name:	UNIVERSITY OF CENTRAL FLORIDA	PWS type code:	C
Population served:	47500	Contaminant:	Methyl-Tert-Butyl-Ether
Violation ID:	04V0009	Compliance start date:	7/1/2003 0:00:00
Violation type:	3	Enforcement date:	7/9/2004 0:00:00
Compliance end date:	12/31/2003 0:00:00	Violation measurement:	0
Enforcement action:	Fed FAO Issued		

PWS name:	UNIVERSITY OF CENTRAL FLORIDA	PWS type code:	C
Population served:	47500	Contaminant:	Methyl-Tert-Butyl-Ether
Violation ID:	04V0009	Compliance start date:	7/1/2003 0:00:00
Violation type:	3	Enforcement date:	7/9/2004 0:00:00
Compliance end date:	12/31/2003 0:00:00		
Enforcement action:	Fed Public Notif Requested		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Violation measurement: 0

PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	04V0010	Contaminant:	Nitrobenzene
Violation type:	3	Compliance start date:	7/1/2003 0:00:00
Compliance end date:	12/31/2003 0:00:00	Enforcement date:	7/9/2004 0:00:00
Enforcement action:	Fed FAO Issued	Violation measurement:	0

PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	04V0010	Contaminant:	Nitrobenzene
Violation type:	3	Compliance start date:	7/1/2003 0:00:00
Compliance end date:	12/31/2003 0:00:00	Enforcement date:	7/9/2004 0:00:00
Enforcement action:	Fed Public Notif Requested		
Violation measurement:	0		

PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	04V0011	Contaminant:	2027
Violation type:	3	Compliance start date:	1/1/2003 0:00:00
Compliance end date:	6/30/2003 0:00:00	Enforcement date:	7/9/2004 0:00:00
Enforcement action:	Fed FAO Issued	Violation measurement:	0

PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	04V0011	Contaminant:	2027
Violation type:	3	Compliance start date:	1/1/2003 0:00:00
Compliance end date:	6/30/2003 0:00:00	Enforcement date:	7/9/2004 0:00:00
Enforcement action:	Fed Public Notif Requested		
Violation measurement:	0		

PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	04V0012	Contaminant:	2100
Violation type:	3	Compliance start date:	1/1/2003 0:00:00
Compliance end date:	6/30/2003 0:00:00	Enforcement date:	7/9/2004 0:00:00
Enforcement action:	Fed FAO Issued	Violation measurement:	0

PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	04V0012	Contaminant:	2100
Violation type:	3	Compliance start date:	1/1/2003 0:00:00
Compliance end date:	6/30/2003 0:00:00	Enforcement date:	7/9/2004 0:00:00
Enforcement action:	Fed Public Notif Requested		
Violation measurement:	0		

PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	04V0013	Contaminant:	2101
Violation type:	3	Compliance start date:	1/1/2003 0:00:00
Compliance end date:	6/30/2003 0:00:00	Enforcement date:	7/9/2004 0:00:00
Enforcement action:	Fed FAO Issued	Violation measurement:	0

PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	04V0013	Contaminant:	2101
Violation type:	3	Compliance start date:	1/1/2003 0:00:00
Compliance end date:	6/30/2003 0:00:00	Enforcement date:	7/9/2004 0:00:00
Enforcement action:	Fed Public Notif Requested		
Violation measurement:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

PWS name:	UNIVERSITY OF CENTRAL FLORIDA	PWS type code:	C
Population served:	47500	Contaminant:	2009
Violation ID:	04V0014	Compliance start date:	1/1/2003 0:00:00
Violation type:	3	Enforcement date:	7/9/2004 0:00:00
Compliance end date:	6/30/2003 0:00:00	Violation measurement:	0
Enforcement action:	Fed FAO Issued		

PWS name:	UNIVERSITY OF CENTRAL FLORIDA	PWS type code:	C
Population served:	47500	Contaminant:	2009
Violation ID:	04V0014	Compliance start date:	1/1/2003 0:00:00
Violation type:	3	Enforcement date:	7/9/2004 0:00:00
Compliance end date:	6/30/2003 0:00:00		
Enforcement action:	Fed Public Notif Requested		
Violation measurement:	0		

PWS name:	UNIVERSITY OF CENTRAL FLORIDA	PWS type code:	C
Population served:	47500	Contaminant:	2626
Violation ID:	04V0015	Compliance start date:	1/1/2003 0:00:00
Violation type:	3	Enforcement date:	7/9/2004 0:00:00
Compliance end date:	6/30/2003 0:00:00	Violation measurement:	0
Enforcement action:	Fed FAO Issued		

PWS name:	UNIVERSITY OF CENTRAL FLORIDA	PWS type code:	C
Population served:	47500	Contaminant:	2626
Violation ID:	04V0015	Compliance start date:	1/1/2003 0:00:00
Violation type:	3	Enforcement date:	7/9/2004 0:00:00
Compliance end date:	6/30/2003 0:00:00		
Enforcement action:	Fed Public Notif Requested		
Violation measurement:	0		

PWS name:	UNIVERSITY OF CENTRAL FLORIDA	PWS type code:	C
Population served:	47500	Contaminant:	1039
Violation ID:	04V0016	Compliance start date:	1/1/2003 0:00:00
Violation type:	3	Enforcement date:	7/9/2004 0:00:00
Compliance end date:	6/30/2003 0:00:00	Violation measurement:	0
Enforcement action:	Fed FAO Issued		

PWS name:	UNIVERSITY OF CENTRAL FLORIDA	PWS type code:	C
Population served:	47500	Contaminant:	1039
Violation ID:	04V0016	Compliance start date:	1/1/2003 0:00:00
Violation type:	3	Enforcement date:	7/9/2004 0:00:00
Compliance end date:	6/30/2003 0:00:00		
Enforcement action:	Fed Public Notif Requested		
Violation measurement:	0		

PWS name:	UNIVERSITY OF CENTRAL FLORIDA	PWS type code:	C
Population served:	47500	Contaminant:	2271
Violation ID:	04V0017	Compliance start date:	1/1/2003 0:00:00
Violation type:	3	Enforcement date:	7/9/2004 0:00:00
Compliance end date:	6/30/2003 0:00:00	Violation measurement:	0
Enforcement action:	Fed FAO Issued		

PWS name:	UNIVERSITY OF CENTRAL FLORIDA	PWS type code:	C
Population served:	47500	Contaminant:	2271
Violation ID:	04V0017	Compliance start date:	1/1/2003 0:00:00
Violation type:	3	Enforcement date:	7/9/2004 0:00:00
Compliance end date:	6/30/2003 0:00:00		
Enforcement action:	Fed Public Notif Requested		
Violation measurement:	0		

PWS name:	UNIVERSITY OF CENTRAL FLORIDA	PWS type code:	C
Population served:	47500		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Violation ID:	04V0018	Contaminant:	2027
Violation type:	3	Compliance start date:	7/1/2003 0:00:00
Compliance end date:	12/31/2003 0:00:00	Enforcement date:	7/9/2004 0:00:00
Enforcement action:	Fed FAO Issued	Violation measurement:	0
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	04V0018	Contaminant:	2027
Violation type:	3	Compliance start date:	7/1/2003 0:00:00
Compliance end date:	12/31/2003 0:00:00	Enforcement date:	7/9/2004 0:00:00
Enforcement action:	Fed Public Notif Requested		
Violation measurement:	0		
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	04V0019	Contaminant:	2100
Violation type:	3	Compliance start date:	7/1/2003 0:00:00
Compliance end date:	12/31/2003 0:00:00	Enforcement date:	7/9/2004 0:00:00
Enforcement action:	Fed FAO Issued	Violation measurement:	0
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	04V0019	Contaminant:	2100
Violation type:	3	Compliance start date:	7/1/2003 0:00:00
Compliance end date:	12/31/2003 0:00:00	Enforcement date:	7/9/2004 0:00:00
Enforcement action:	Fed Public Notif Requested		
Violation measurement:	0		
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	04V0020	Contaminant:	2101
Violation type:	3	Compliance start date:	7/1/2003 0:00:00
Compliance end date:	12/31/2003 0:00:00	Enforcement date:	7/9/2004 0:00:00
Enforcement action:	Fed FAO Issued	Violation measurement:	0
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	04V0020	Contaminant:	2101
Violation type:	3	Compliance start date:	7/1/2003 0:00:00
Compliance end date:	12/31/2003 0:00:00	Enforcement date:	7/9/2004 0:00:00
Enforcement action:	Fed Public Notif Requested		
Violation measurement:	0		
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	04V0021	Contaminant:	2009
Violation type:	3	Compliance start date:	7/1/2003 0:00:00
Compliance end date:	12/31/2003 0:00:00	Enforcement date:	7/9/2004 0:00:00
Enforcement action:	Fed FAO Issued	Violation measurement:	0
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	04V0021	Contaminant:	2009
Violation type:	3	Compliance start date:	7/1/2003 0:00:00
Compliance end date:	12/31/2003 0:00:00	Enforcement date:	7/9/2004 0:00:00
Enforcement action:	Fed Public Notif Requested		
Violation measurement:	0		
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	04V0022	Contaminant:	2626
Violation type:	3	Compliance start date:	7/1/2003 0:00:00

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Compliance end date:	12/31/2003 0:00:00	Enforcement date:	7/9/2004 0:00:00
Enforcement action:	Fed FAO Issued	Violation measurement:	0
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	04V0022	Contaminant:	2626
Violation type:	3	Compliance start date:	7/1/2003 0:00:00
Compliance end date:	12/31/2003 0:00:00	Enforcement date:	7/9/2004 0:00:00
Enforcement action:	Fed Public Notif Requested		
Violation measurement:	0		
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	04V0023	Contaminant:	1039
Violation type:	3	Compliance start date:	7/1/2003 0:00:00
Compliance end date:	12/31/2003 0:00:00	Enforcement date:	7/9/2004 0:00:00
Enforcement action:	Fed FAO Issued	Violation measurement:	0
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	04V0023	Contaminant:	1039
Violation type:	3	Compliance start date:	7/1/2003 0:00:00
Compliance end date:	12/31/2003 0:00:00	Enforcement date:	7/9/2004 0:00:00
Enforcement action:	Fed Public Notif Requested		
Violation measurement:	0		
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	04V0024	Contaminant:	2271
Violation type:	3	Compliance start date:	7/1/2003 0:00:00
Compliance end date:	12/31/2003 0:00:00	Enforcement date:	7/9/2004 0:00:00
Enforcement action:	Fed FAO Issued	Violation measurement:	0
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	04V0024	Contaminant:	2271
Violation type:	3	Compliance start date:	7/1/2003 0:00:00
Compliance end date:	12/31/2003 0:00:00	Enforcement date:	7/9/2004 0:00:00
Enforcement action:	Fed Public Notif Requested		
Violation measurement:	0		
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	20040002640	Contaminant:	Nitrate
Violation type:	3	Compliance start date:	1/1/2003 0:00:00
Compliance end date:	12/31/2003 0:00:00	Enforcement date:	2/3/2004 0:00:00
Enforcement action:	State Compliance Achieved	Violation measurement:	Not Reported
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	20040010966	Contaminant:	Tthm
Violation type:	27	Compliance start date:	1/1/2004 0:00:00
Compliance end date:	3/31/2004 0:00:00	Enforcement date:	No Enf Action as of
Enforcement action:	7/8/2009 0:00:00	Violation measurement:	Not Reported
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	20050007254	Contaminant:	2456
Violation type:	27	Compliance start date:	1/1/2005 0:00:00
Compliance end date:	3/31/2005 0:00:00	Enforcement date:	4/3/2006 0:00:00
Enforcement action:	State Public Notif Received		
Violation measurement:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	20050007254	Contaminant:	2456
Violation type:	27	Compliance start date:	1/1/2005 0:00:00
Compliance end date:	3/31/2005 0:00:00	Enforcement date:	7/10/2005 0:00:00
Enforcement action:	State Compliance Achieved	Violation measurement:	Not Reported
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	20050007832	Contaminant:	7000
Violation type:	71	Compliance start date:	7/1/2005 0:00:00
Compliance end date:	9/23/2005 0:00:00	Enforcement date:	9/23/2005 0:00:00
Enforcement action:	State Compliance Achieved	Violation measurement:	Not Reported
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	20050009332	Contaminant:	Coliform (Tcr)
Violation type:	Monitoring, Repeat Minor (TCR)		
Compliance start date:	8/1/2005 0:00:00	Compliance end date:	8/31/2005 0:00:00
Enforcement date:	10/17/2005 0:00:00	Enforcement action:	State Violation/Reminder Notice
Violation measurement:	Not Reported		
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	20060003905	Contaminant:	2456
Violation type:	2	Compliance start date:	7/1/2005 0:00:00
Compliance end date:	9/30/2005 0:00:00	Enforcement date:	2/9/2006 0:00:00
Enforcement action:	State Violation/Reminder Notice		
Violation measurement:	71.18		
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	20060003905	Contaminant:	2456
Violation type:	2	Compliance start date:	7/1/2005 0:00:00
Compliance end date:	9/30/2005 0:00:00	Enforcement date:	4/3/2006 0:00:00
Enforcement action:	State Public Notif Received		
Violation measurement:	71.18		
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	20060003905	Contaminant:	2456
Violation type:	2	Compliance start date:	7/1/2005 0:00:00
Compliance end date:	9/30/2005 0:00:00	Enforcement date:	7/9/2008 0:00:00
Enforcement action:	State Compliance Achieved	Violation measurement:	71.18
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	20060003906	Contaminant:	2456
Violation type:	2	Compliance start date:	10/1/2005 0:00:00
Compliance end date:	12/31/2005 0:00:00	Enforcement date:	2/9/2006 0:00:00
Enforcement action:	State Violation/Reminder Notice		
Violation measurement:	68.38		
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	20060003906	Contaminant:	2456
Violation type:	2	Compliance start date:	10/1/2005 0:00:00
Compliance end date:	12/31/2005 0:00:00	Enforcement date:	4/3/2006 0:00:00
Enforcement action:	State Public Notif Received		
Violation measurement:	68.38		
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Population served:	47500	PWS type code:	C
Violation ID:	20060003906	Contaminant:	2456
Violation type:	2	Compliance start date:	10/1/2005 0:00:00
Compliance end date:	12/31/2005 0:00:00	Enforcement date:	7/9/2008 0:00:00
Enforcement action:	State Compliance Achieved	Violation measurement:	68.38
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	20060006155	Contaminant:	2456
Violation type:	2	Compliance start date:	1/1/2006 0:00:00
Compliance end date:	3/31/2006 0:00:00	Enforcement date:	6/1/2006 0:00:00
Enforcement action:	State Public Notif Received		
Violation measurement:	76.82		
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	20060006155	Contaminant:	2456
Violation type:	2	Compliance start date:	1/1/2006 0:00:00
Compliance end date:	3/31/2006 0:00:00	Enforcement date:	7/9/2008 0:00:00
Enforcement action:	State Compliance Achieved	Violation measurement:	76.82
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	20060007804	Contaminant:	2456
Violation type:	2	Compliance start date:	4/1/2006 0:00:00
Compliance end date:	6/30/2006 0:00:00	Enforcement date:	10/9/2006 0:00:00
Enforcement action:	State Public Notif Received		
Violation measurement:	85.3		
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	20060007804	Contaminant:	2456
Violation type:	2	Compliance start date:	4/1/2006 0:00:00
Compliance end date:	6/30/2006 0:00:00	Enforcement date:	7/9/2008 0:00:00
Enforcement action:	State Compliance Achieved	Violation measurement:	85.3
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	20070001090	Contaminant:	2456
Violation type:	2	Compliance start date:	7/1/2006 0:00:00
Compliance end date:	9/30/2006 0:00:00	Enforcement date:	12/11/2006 0:00:00
Enforcement action:	State Public Notif Received		
Violation measurement:	95.98		
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	20070001090	Contaminant:	2456
Violation type:	2	Compliance start date:	7/1/2006 0:00:00
Compliance end date:	9/30/2006 0:00:00	Enforcement date:	7/9/2008 0:00:00
Enforcement action:	State Compliance Achieved	Violation measurement:	95.98
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	20070004489	Contaminant:	2456
Violation type:	2	Compliance start date:	10/1/2006 0:00:00
Compliance end date:	12/31/2006 0:00:00	Enforcement date:	2/2/2007 0:00:00
Enforcement action:	State Public Notif Received		
Violation measurement:	126.06		
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	20070004489	Contaminant:	2456

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Violation type:	2	Compliance start date:	10/1/2006 0:00:00
Compliance end date:	12/31/2006 0:00:00	Enforcement date:	7/9/2008 0:00:00
Enforcement action:	State Compliance Achieved	Violation measurement:	126.06

PWS name:	UNIVERSITY OF CENTRAL FLORIDA	PWS type code:	C
Population served:	47500	Contaminant:	2456
Violation ID:	20070006231	Compliance start date:	1/1/2007 0:00:00
Violation type:	2	Enforcement date:	6/22/2007 0:00:00
Compliance end date:	3/31/2007 0:00:00		
Enforcement action:	State Public Notif Received		
Violation measurement:	128.97		

PWS name:	UNIVERSITY OF CENTRAL FLORIDA	PWS type code:	C
Population served:	47500	Contaminant:	2456
Violation ID:	20070006231	Compliance start date:	1/1/2007 0:00:00
Violation type:	2	Enforcement date:	7/9/2008 0:00:00
Compliance end date:	3/31/2007 0:00:00	Violation measurement:	128.97
Enforcement action:	State Compliance Achieved		

PWS name:	UNIVERSITY OF CENTRAL FLORIDA	PWS type code:	C
Population served:	47500	Contaminant:	2456
Violation ID:	20070007489	Compliance start date:	4/1/2007 0:00:00
Violation type:	2	Enforcement date:	7/9/2008 0:00:00
Compliance end date:	6/30/2007 0:00:00	Violation measurement:	116.28
Enforcement action:	State Compliance Achieved		

PWS name:	UNIVERSITY OF CENTRAL FLORIDA	PWS type code:	C
Population served:	47500	Contaminant:	2456
Violation ID:	20070007489	Compliance start date:	4/1/2007 0:00:00
Violation type:	2	Enforcement date:	8/15/2007 0:00:00
Compliance end date:	6/30/2007 0:00:00		
Enforcement action:	State Public Notif Received		
Violation measurement:	116.28		

PWS name:	UNIVERSITY OF CENTRAL FLORIDA	PWS type code:	C
Population served:	47500	Contaminant:	2456
Violation ID:	20070008129	Compliance start date:	7/1/2007 0:00:00
Violation type:	2	Enforcement date:	12/3/2007 0:00:00
Compliance end date:	9/30/2007 0:00:00		
Enforcement action:	State Public Notif Received		
Violation measurement:	88.58		

PWS name:	UNIVERSITY OF CENTRAL FLORIDA	PWS type code:	C
Population served:	47500	Contaminant:	2456
Violation ID:	20070008129	Compliance start date:	7/1/2007 0:00:00
Violation type:	2	Enforcement date:	7/9/2008 0:00:00
Compliance end date:	9/30/2007 0:00:00	Violation measurement:	88.58
Enforcement action:	State Compliance Achieved		

PWS name:	UNIVERSITY OF CENTRAL FLORIDA	PWS type code:	C
Population served:	47500	Contaminant:	2456
Violation ID:	20080003137	Compliance start date:	10/1/2007 0:00:00
Violation type:	2	Enforcement date:	3/7/2008 0:00:00
Compliance end date:	12/31/2007 0:00:00		
Enforcement action:	State Public Notif Received		
Violation measurement:	60.81		

PWS name:	UNIVERSITY OF CENTRAL FLORIDA	PWS type code:	C
Population served:	47500	Contaminant:	2456
Violation ID:	20080003137	Compliance start date:	10/1/2007 0:00:00
Violation type:	2	Enforcement date:	7/9/2008 0:00:00
Compliance end date:	12/31/2007 0:00:00		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Enforcement action:	State Compliance Achieved	Violation measurement:	60.81
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	20080005949	Contaminant:	Coliform (Tcr)
Violation type:	Monitoring, Routine Major (TCR)		
Compliance start date:	5/1/2008 0:00:00	Compliance end date:	5/31/2008 0:00:00
Enforcement date:	No Enf Action as of	Enforcement action:	7/8/2009 0:00:00
Violation measurement:	Not Reported		
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	20080007352	Contaminant:	Tthm
Violation type:	27	Compliance start date:	7/1/2008 0:00:00
Compliance end date:	9/30/2008 0:00:00	Enforcement date:	10/21/2008 0:00:00
Enforcement action:	State Violation/Reminder Notice		
Violation measurement:	Not Reported		
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	20080007352	Contaminant:	Tthm
Violation type:	27	Compliance start date:	7/1/2008 0:00:00
Compliance end date:	9/30/2008 0:00:00	Enforcement date:	10/6/2008 0:00:00
Enforcement action:	State Tech Assistance Visit		
Violation measurement:	Not Reported		
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	20080007353	Contaminant:	2456
Violation type:	27	Compliance start date:	7/1/2008 0:00:00
Compliance end date:	9/30/2008 0:00:00	Enforcement date:	10/21/2008 0:00:00
Enforcement action:	State Violation/Reminder Notice		
Violation measurement:	Not Reported		
PWS name:	UNIVERSITY OF CENTRAL FLORIDA		
Population served:	47500	PWS type code:	C
Violation ID:	20080007353	Contaminant:	2456
Violation type:	27	Compliance start date:	7/1/2008 0:00:00
Compliance end date:	9/30/2008 0:00:00	Enforcement date:	10/6/2008 0:00:00
Enforcement action:	State Tech Assistance Visit		
Violation measurement:	Not Reported		

D30
NE
1/4 - 1/2 Mile
Lower

FL WELLS FLSJ13000045317

WELLS - SJ:

Permit ID:	7257	Official Permit ID:	3202
Permit Seq #:	4	Permit Type:	Renewal
Permit App Process Status:	CLOS	Station Name:	9LAKE CLAIRE
Station Type:	Production Well	Site Name:	UNIVERSITY OF CENTRAL FLORIDA
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	03-JUN-94	Decision Made:	11-APR-95
Permit Expiration:	11-APR-02	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	6	Casing Depth (ft):	137
Total Well Depth (ft):	260	Water Source:	FAS - Upper Floridan Aquifer

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Station Status:	Active	Pump Capacity:	70
Compliance Status:	In Compliance	Project Use:	Commercial/Industrial/Institutional

D31
NE
1/4 - 1/2 Mile
Lower

FL WELLS **FLSJ13000053648**

WELLS - SJ:

Permit ID:	97315	Official Permit ID:	3202
Permit Seq #:	8	Permit Type:	Modification
Permit App Process Status:	CLOS	Station Name:	9LAKE CLAIRE
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida	Decision Made:	13-SEP-05
Date Received:	31-JAN-05	Recommendation:	Approval
Permit Expiration:	12-NOV-07	Project Acres:	1227
Permit Status:	Closed	Casing Depth (ft):	137
Casing Diameter (in):	6	Water Source:	FAS - Upper Floridan Aquifer
Total Well Depth (ft):	260	Pump Capacity:	70
Station Status:	Active	Project Use:	Public Supply
Compliance Status:	In Compliance		

D32
NE
1/4 - 1/2 Mile
Lower

FL WELLS **FLSJ13000043670**

WELLS - SJ:

Permit ID:	108497	Official Permit ID:	3202
Permit Seq #:	9	Permit Type:	Modification
Permit App Process Status:	CLOS	Station Name:	9LAKE CLAIRE
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida	Decision Made:	14-OCT-08
Date Received:	10-NOV-06	Recommendation:	Approval
Permit Expiration:	14-OCT-13	Project Acres:	1227
Permit Status:	Closed	Casing Depth (ft):	137
Casing Diameter (in):	6	Water Source:	FAS - Upper Floridan Aquifer
Total Well Depth (ft):	260	Pump Capacity:	70
Station Status:	Active	Project Use:	Public Supply
Compliance Status:	Out Of Compliance		

D33
NE
1/4 - 1/2 Mile
Lower

FL WELLS **FLSJ13000013057**

WELLS - SJ:

Permit ID:	119657	Official Permit ID:	3202
Permit Seq #:	10	Permit Type:	Letter Modification
Permit App Process Status:	CLOS	Station Name:	9LAKE CLAIRE
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	16-JAN-09	Decision Made:	18-FEB-09
Permit Expiration:	14-OCT-13	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	6	Casing Depth (ft):	137
Total Well Depth (ft):	260	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	70
Compliance Status:	In Compliance	Project Use:	Commercial/Industrial/Institutional

D34
NE
1/4 - 1/2 Mile
Lower

FL WELLS **FLSJ13000043639**

WELLS - SJ:

Permit ID:	83212	Official Permit ID:	3202
Permit Seq #:	7	Permit Type:	Renewal
Permit App Process Status:	CLOS	Station Name:	9LAKE CLAIRE
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	09-APR-02	Decision Made:	12-NOV-02
Permit Expiration:	12-NOV-07	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	6	Casing Depth (ft):	137
Total Well Depth (ft):	260	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	70
Compliance Status:	Out Of Compliance	Project Use:	Public Supply

D35
NE
1/4 - 1/2 Mile
Lower

FL WELLS **FLSJ13001577249**

WELLS - SJ:

Permit ID:	207306	Official Permit ID:	3202
Permit Seq #:	13	Permit Type:	District Letter Modification
Permit App Process Status:	ROUT	Station Name:	9LAKE CLAIRE
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	In Routing (Emily DeLozier)
FL Statute:	40C-2	Statute Description:	CUP Individual - Board Issued
Permit Project Name:	University of Central Florida		
Date Received:	17-AUG-23	Decision Made:	Not Reported
Permit Expiration:	13-MAY-34	Recommendation:	Approval
Permit Status:	Pending	Project Acres:	1420
Casing Diameter (in):	6	Casing Depth (ft):	137
Total Well Depth (ft):	260	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	70
Compliance Status:	In Compliance	Project Use:	Commercial/Industrial/Institutional

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

D36
NE
1/4 - 1/2 Mile
Lower

FL WELLS FLSJ13001299505

WELLS - SJ:

Permit ID:	180805	Official Permit ID:	3202
Permit Seq #:	12	Permit Type:	Modification
Permit App Process Status:	COMP	Station Name:	9LAKE CLAIRE
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Compliance
FL Statute:	40C-2	Statute Description:	CUP Individual - Board Issued
Permit Project Name:	University of Central Florida		
Date Received:	04-FEB-22	Decision Made:	17-JUN-22
Permit Expiration:	13-MAY-34	Recommendation:	Approval
Permit Status:	Issued	Project Acres:	1420
Casing Diameter (in):	6	Casing Depth (ft):	137
Total Well Depth (ft):	260	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	70
Compliance Status:	Undetermined	Project Use:	Commercial/Industrial/Institutional

D37
NE
1/4 - 1/2 Mile
Lower

FL WELLS FLSJ13000057843

WELLS - SJ:

Permit ID:	135860	Official Permit ID:	3202
Permit Seq #:	11	Permit Type:	Renewal
Permit App Process Status:	CLOS	Station Name:	9LAKE CLAIRE
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	14-OCT-13	Decision Made:	15-MAY-14
Permit Expiration:	13-MAY-34	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	6	Casing Depth (ft):	137
Total Well Depth (ft):	260	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	70
Compliance Status:	Out Of Compliance	Project Use:	Commercial/Industrial/Institutional

E38
East
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000023635

WELLS - SJ:

Permit ID:	7257	Official Permit ID:	3202
Permit Seq #:	4	Permit Type:	Renewal
Permit App Process Status:	CLOS	Station Name:	SMALL PARKING LOT
Station Type:	Production Well	Site Name:	UNIVERSITY OF CENTRAL FLORIDA
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Date Received:	03-JUN-94	Decision Made:	11-APR-95
Permit Expiration:	11-APR-02	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	10	Casing Depth (ft):	146
Total Well Depth (ft):	310	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	330
Compliance Status:	In Compliance	Project Use:	Commercial/Industrial/Institutional

E39
East
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000011448

WELLS - SJ:

Permit ID:	119657	Official Permit ID:	3202
Permit Seq #:	10	Permit Type:	Letter Modification
Permit App Process Status:	CLOS	Station Name:	SMALL PARKING LOT
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	16-JAN-09	Decision Made:	18-FEB-09
Permit Expiration:	14-OCT-13	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	10	Casing Depth (ft):	146
Total Well Depth (ft):	310	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	330
Compliance Status:	In Compliance	Project Use:	Commercial/Industrial/Institutional

E40
East
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000005504

WELLS - SJ:

Permit ID:	108497	Official Permit ID:	3202
Permit Seq #:	9	Permit Type:	Modification
Permit App Process Status:	CLOS	Station Name:	SMALL PARKING LOT
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	10-NOV-06	Decision Made:	14-OCT-08
Permit Expiration:	14-OCT-13	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	10	Casing Depth (ft):	146
Total Well Depth (ft):	310	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	330
Compliance Status:	Out Of Compliance	Project Use:	Public Supply

E41
East
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000039072

WELLS - SJ:

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Permit ID: 83212
Permit Seq #: 7
Permit App Process Status: CLOS
Station Type: Production Well
Monitoring: N
FL Statute: 40C-2
Permit Project Name: University of Central Florida
Date Received: 09-APR-02
Permit Expiration: 12-NOV-07
Permit Status: Closed
Casing Diameter (in): 10
Total Well Depth (ft): 310
Station Status: Active
Compliance Status: Out Of Compliance

Official Permit ID: 3202
Permit Type: Renewal
Station Name: 5MALL PARKING LOT
Site Name: University of Central Florida
Permit Stage: Closed
Statute Description: CUP Individual (40C-2)

Decision Made: 12-NOV-02
Recommendation: Approval
Project Acres: 1227
Casing Depth (ft): 146
Water Source: FAS - Upper Floridan Aquifer
Pump Capacity: 330
Project Use: Public Supply

E42
East
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000039268

WELLS - SJ:

Permit ID: 97315
Permit Seq #: 8
Permit App Process Status: CLOS
Station Type: Production Well
Monitoring: N
FL Statute: 40C-2
Permit Project Name: University of Central Florida
Date Received: 31-JAN-05
Permit Expiration: 12-NOV-07
Permit Status: Closed
Casing Diameter (in): 10
Total Well Depth (ft): 310
Station Status: Active
Compliance Status: In Compliance

Official Permit ID: 3202
Permit Type: Modification
Station Name: 5MALL PARKING LOT
Site Name: University of Central Florida
Permit Stage: Closed
Statute Description: CUP Individual (40C-2)

Decision Made: 13-SEP-05
Recommendation: Approval
Project Acres: 1227
Casing Depth (ft): 146
Water Source: FAS - Upper Floridan Aquifer
Pump Capacity: 330
Project Use: Public Supply

E43
East
1/2 - 1 Mile
Lower

FL WELLS FLSJ13001299521

WELLS - SJ:

Permit ID: 180805
Permit Seq #: 12
Permit App Process Status: COMP
Station Type: Production Well
Monitoring: N
FL Statute: 40C-2
Permit Project Name: University of Central Florida
Date Received: 04-FEB-22
Permit Expiration: 13-MAY-34
Permit Status: Issued
Casing Diameter (in): 10
Total Well Depth (ft): 310
Station Status: Active
Compliance Status: Undetermined

Official Permit ID: 3202
Permit Type: Modification
Station Name: 5MALL PARKING LOT
Site Name: University of Central Florida
Permit Stage: Compliance
Statute Description: CUP Individual - Board Issued

Decision Made: 17-JUN-22
Recommendation: Approval
Project Acres: 1420
Casing Depth (ft): 146
Water Source: FAS - Upper Floridan Aquifer
Pump Capacity: 330
Project Use: Commercial/Industrial/Institutional

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

E44
East
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000058192

WELLS - SJ:

Permit ID:	135860	Official Permit ID:	3202
Permit Seq #:	11	Permit Type:	Renewal
Permit App Process Status:	CLOS	Station Name:	SMALL PARKING LOT
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	14-OCT-13	Decision Made:	15-MAY-14
Permit Expiration:	13-MAY-34	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	10	Casing Depth (ft):	146
Total Well Depth (ft):	310	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	330
Compliance Status:	Out Of Compliance	Project Use:	Commercial/Industrial/Institutional

E45
East
1/2 - 1 Mile
Lower

FL WELLS FLSJ13001577121

WELLS - SJ:

Permit ID:	207306	Official Permit ID:	3202
Permit Seq #:	13	Permit Type:	District Letter Modification
Permit App Process Status:	ROUT	Station Name:	SMALL PARKING LOT
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	In Routing (Emily DeLozier)
FL Statute:	40C-2	Statute Description:	CUP Individual - Board Issued
Permit Project Name:	University of Central Florida		
Date Received:	17-AUG-23	Decision Made:	Not Reported
Permit Expiration:	13-MAY-34	Recommendation:	Approval
Permit Status:	Pending	Project Acres:	1420
Casing Diameter (in):	10	Casing Depth (ft):	146
Total Well Depth (ft):	310	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	330
Compliance Status:	In Compliance	Project Use:	Commercial/Industrial/Institutional

F46
ESE
1/2 - 1 Mile
Lower

FL WELLS FLPUB1100006518

WELLS - PUBLIC:

PWS Name:	UNIVERSITY OF CENTRAL FLORIDA		
PWS Status:	ACTIVE	PWS Type:	COMMUNITY
PWS Primary Service Area:	4078232471	PWS Operator:	Not Reported
PWS Population Served:	44103	PWS Last San Survey:	09-JUL-21
PWS Design Capacity:	3024000	Well ID:	1
Well Name:	WELL#1 12"/400' 500GPM	Well Status:	ACTIVE
Year Drilled:	1967	Well Depth (ft):	400

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well Availability:

PERMANENT

Aquifer:

Floridan Aquifer

F47
ESE
1/2 - 1 Mile
Lower

FL WELLS

FLSA13000018555

WELLS - SUPER ACT:

Well Type: Large (>150,00 gpd) Community PWS
casing Material: OTHER
Casing Length (ft): Not Reported
Permit #: 3480409
Large PWS Well: 1
WSRP Action: Not Reported
Resident Type: Not Reported

Well Status: ACTIVE
Well Depth (ft): Not Reported
Casing Diameter (ft): 12
Sanitary Seal: Not Reported
WSRP ID: Not Reported
Potable Status: POTABLE
PWS Design: 3024000

F48
ESE
1/2 - 1 Mile
Lower

FL WELLS

FLSJ13000022523

WELLS - SJ:

Permit ID: 7257
Permit Seq #: 4
Permit App Process Status: CLOS
Station Type: Production Well
Monitoring: N
FL Statute: 40C-2
Permit Project Name: University of Central Florida
Date Received: 03-JUN-94
Permit Expiration: 11-APR-02
Permit Status: Closed
Casing Diameter (in): 12
Total Well Depth (ft): 400
Station Status: Active
Compliance Status: In Compliance

Official Permit ID: 3202
Permit Type: Renewal
Station Name: 1POTABLE WELL #1
Site Name: UNIVERSITY OF CENTRAL FLORIDA
Permit Stage: Closed
Statute Description: CUP Individual (40C-2)

Decision Made: 11-APR-95
Recommendation: Approval
Project Acres: 1227
Casing Depth (ft): 134
Water Source: FAS - Upper Floridan Aquifer
Pump Capacity: 500
Project Use: Commercial/Industrial/Institutional

F49
ESE
1/2 - 1 Mile
Lower

FL WELLS

FLSJ13000022547

WELLS - SJ:

Permit ID: 108497
Permit Seq #: 9
Permit App Process Status: CLOS
Station Type: Production Well
Monitoring: N
FL Statute: 40C-2
Permit Project Name: University of Central Florida
Date Received: 10-NOV-06
Permit Expiration: 14-OCT-13
Permit Status: Closed
Casing Diameter (in): 12
Total Well Depth (ft): 400
Station Status: Active

Official Permit ID: 3202
Permit Type: Modification
Station Name: 1POTABLE WELL #1
Site Name: University of Central Florida
Permit Stage: Closed
Statute Description: CUP Individual (40C-2)

Decision Made: 14-OCT-08
Recommendation: Approval
Project Acres: 1227
Casing Depth (ft): 134
Water Source: FAS - Upper Floridan Aquifer
Pump Capacity: 500

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Compliance Status:

Out Of Compliance

Project Use:

Public Supply

F50
ESE
1/2 - 1 Mile
Lower

FL WELLS **FLSJ13000022548**

WELLS - SJ:

Permit ID:	97315	Official Permit ID:	3202
Permit Seq #:	8	Permit Type:	Modification
Permit App Process Status:	CLOS	Station Name:	1POTABLE WELL #1
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	31-JAN-05	Decision Made:	13-SEP-05
Permit Expiration:	12-NOV-07	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	12	Casing Depth (ft):	134
Total Well Depth (ft):	400	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	500
Compliance Status:	In Compliance	Project Use:	Public Supply

F51
ESE
1/2 - 1 Mile
Lower

FL WELLS **FLSJ13000004764**

WELLS - SJ:

Permit ID:	83212	Official Permit ID:	3202
Permit Seq #:	7	Permit Type:	Renewal
Permit App Process Status:	CLOS	Station Name:	1POTABLE WELL #1
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	09-APR-02	Decision Made:	12-NOV-02
Permit Expiration:	12-NOV-07	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	12	Casing Depth (ft):	134
Total Well Depth (ft):	400	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	500
Compliance Status:	Out Of Compliance	Project Use:	Public Supply

F52
ESE
1/2 - 1 Mile
Lower

FL WELLS **FLSJ13000014741**

WELLS - SJ:

Permit ID:	119657	Official Permit ID:	3202
Permit Seq #:	10	Permit Type:	Letter Modification
Permit App Process Status:	CLOS	Station Name:	1POTABLE WELL #1
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Permit Project Name:	University of Central Florida	Decision Made:	18-FEB-09
Date Received:	16-JAN-09	Recommendation:	Approval
Permit Expiration:	14-OCT-13	Project Acres:	1227
Permit Status:	Closed	Casing Depth (ft):	134
Casing Diameter (in):	12	Water Source:	FAS - Upper Floridan Aquifer
Total Well Depth (ft):	400	Pump Capacity:	500
Station Status:	Active	Project Use:	Commercial/Industrial/Institutional
Compliance Status:	In Compliance		

F53
ESE
1/2 - 1 Mile
Lower

FL WELLS **FLSJ13000057840**

WELLS - SJ:

Permit ID:	135860	Official Permit ID:	3202
Permit Seq #:	11	Permit Type:	Renewal
Permit App Process Status:	CLOS	Station Name:	1POTABLE WELL #1
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida	Decision Made:	15-MAY-14
Date Received:	14-OCT-13	Recommendation:	Approval
Permit Expiration:	13-MAY-34	Project Acres:	1227
Permit Status:	Closed	Casing Depth (ft):	134
Casing Diameter (in):	12	Water Source:	FAS - Upper Floridan Aquifer
Total Well Depth (ft):	400	Pump Capacity:	500
Station Status:	Active	Project Use:	Commercial/Industrial/Institutional
Compliance Status:	Out Of Compliance		

F54
ESE
1/2 - 1 Mile
Lower

FL WELLS **FLSJ13001577265**

WELLS - SJ:

Permit ID:	207306	Official Permit ID:	3202
Permit Seq #:	13	Permit Type:	District Letter Modification
Permit App Process Status:	ROUT	Station Name:	1POTABLE WELL #1
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	In Routing (Emily DeLozier)
FL Statute:	40C-2	Statute Description:	CUP Individual - Board Issued
Permit Project Name:	University of Central Florida	Decision Made:	Not Reported
Date Received:	17-AUG-23	Recommendation:	Approval
Permit Expiration:	13-MAY-34	Project Acres:	1420
Permit Status:	Pending	Casing Depth (ft):	134
Casing Diameter (in):	12	Water Source:	FAS - Upper Floridan Aquifer
Total Well Depth (ft):	400	Pump Capacity:	500
Station Status:	Active	Project Use:	Commercial/Industrial/Institutional
Compliance Status:	In Compliance		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

F55
ESE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13001299537

WELLS - SJ:

Permit ID:	180805	Official Permit ID:	3202
Permit Seq #:	12	Permit Type:	Modification
Permit App Process Status:	COMP	Station Name:	1POTABLE WELL #1
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Compliance
FL Statute:	40C-2	Statute Description:	CUP Individual - Board Issued
Permit Project Name:	University of Central Florida		
Date Received:	04-FEB-22	Decision Made:	17-JUN-22
Permit Expiration:	13-MAY-34	Recommendation:	Approval
Permit Status:	Issued	Project Acres:	1420
Casing Diameter (in):	12	Casing Depth (ft):	134
Total Well Depth (ft):	400	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	500
Compliance Status:	Undetermined	Project Use:	Commercial/Industrial/Institutional

F56
ESE
1/2 - 1 Mile
Lower

FL WELLS FLSA13000018554

WELLS - SUPER ACT:

Well Type:	Large (>150,00 gpd) Community PWS	Well Status:	ACTIVE
casing Material:	OTHER	Well Depth (ft):	Not Reported
Casing Length (ft):	Not Reported	Casing Diameter (ft):	12
Permit #:	3480409	Sanitary Seal:	Not Reported
Large PWS Well:	1	WSRP ID:	Not Reported
WSRP Action:	Not Reported	Potable Status:	POTABLE
Resident Type:	Not Reported	PWS Design:	3024000

F57
ESE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000036218

WELLS - SJ:

Permit ID:	97315	Official Permit ID:	3202
Permit Seq #:	8	Permit Type:	Modification
Permit App Process Status:	CLOS	Station Name:	3POTABLE WELL #3
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	31-JAN-05	Decision Made:	13-SEP-05
Permit Expiration:	12-NOV-07	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	12	Casing Depth (ft):	87
Total Well Depth (ft):	395	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	400
Compliance Status:	In Compliance	Project Use:	Public Supply

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

F58
ESE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000014742

WELLS - SJ:

Permit ID:	119657	Official Permit ID:	3202
Permit Seq #:	10	Permit Type:	Letter Modification
Permit App Process Status:	CLOS	Station Name:	3POTABLE WELL #3
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	16-JAN-09	Decision Made:	18-FEB-09
Permit Expiration:	14-OCT-13	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	12	Casing Depth (ft):	87
Total Well Depth (ft):	395	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	400
Compliance Status:	In Compliance	Project Use:	Commercial/Industrial/Institutional

F59
ESE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000050145

WELLS - SJ:

Permit ID:	108497	Official Permit ID:	3202
Permit Seq #:	9	Permit Type:	Modification
Permit App Process Status:	CLOS	Station Name:	3POTABLE WELL #3
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	10-NOV-06	Decision Made:	14-OCT-08
Permit Expiration:	14-OCT-13	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	12	Casing Depth (ft):	87
Total Well Depth (ft):	395	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	400
Compliance Status:	Out Of Compliance	Project Use:	Public Supply

F60
ESE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000056097

WELLS - SJ:

Permit ID:	83212	Official Permit ID:	3202
Permit Seq #:	7	Permit Type:	Renewal
Permit App Process Status:	CLOS	Station Name:	3POTABLE WELL #3
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Date Received:	09-APR-02	Decision Made:	12-NOV-02
Permit Expiration:	12-NOV-07	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	12	Casing Depth (ft):	87
Total Well Depth (ft):	395	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	400
Compliance Status:	Out Of Compliance	Project Use:	Public Supply

F61
ESE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000051644

WELLS - SJ:

Permit ID:	7257	Official Permit ID:	3202
Permit Seq #:	4	Permit Type:	Renewal
Permit App Process Status:	CLOS	Station Name:	3POTABLE WELL #3
Station Type:	Production Well	Site Name:	UNIVERSITY OF CENTRAL FLORIDA
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	03-JUN-94	Decision Made:	11-APR-95
Permit Expiration:	11-APR-02	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	12	Casing Depth (ft):	87
Total Well Depth (ft):	395	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	400
Compliance Status:	In Compliance	Project Use:	Commercial/Industrial/Institutional

F62
ESE
1/2 - 1 Mile
Lower

FL WELLS FL PUB1100006520

WELLS - PUBLIC:

PWS Name:	UNIVERSITY OF CENTRAL FLORIDA	PWS Type:	COMMUNITY
PWS Status:	ACTIVE	PWS Operator:	Not Reported
PWS Primary Service Area:	4078232471	PWS Last San Survey:	09-JUL-21
PWS Population Served:	44103	Well ID:	3
PWS Design Capacity:	3024000	Well Status:	ACTIVE
Well Name:	WELL#3 12" 405' 500GPM	Well Depth (ft):	405
Year Drilled:	1970	Aquifer:	Floridan Aquifer
Well Availability:	PERMANENT		

63
NNE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000008309

WELLS - SJ:

Permit ID:	3202	Official Permit ID:	3202
Permit Seq #:	1	Permit Type:	Initial Sequence
Permit App Process Status:	CLOS	Station Name:	P1
Station Type:	Pump	Site Name:	UNIVERSITY OF CENTRAL FLA.
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Permit Project Name:	University of Central Fla.	Decision Made:	11-SEP-84
Date Received:	27-JUL-83	Recommendation:	Approval
Permit Expiration:	11-SEP-86	Project Acres:	1227
Permit Status:	Closed	Casing Depth (ft):	0
Casing Diameter (in):	0	Water Source:	Lake Claire
Total Well Depth (ft):	0	Pump Capacity:	0
Station Status:	Abandoned	Project Use:	Commercial/Industrial/Institutional
Compliance Status:	In Compliance		

G64
ESE
1/2 - 1 Mile
Lower

FL WELLS **FLSJ13000057841**

WELLS - SJ:

Permit ID:	135860	Official Permit ID:	3202
Permit Seq #:	11	Permit Type:	Renewal
Permit App Process Status:	CLOS	Station Name:	3POTABLE WELL #3
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida	Decision Made:	15-MAY-14
Date Received:	14-OCT-13	Recommendation:	Approval
Permit Expiration:	13-MAY-34	Project Acres:	1227
Permit Status:	Closed	Casing Depth (ft):	87
Casing Diameter (in):	12	Water Source:	FAS - Upper Floridan Aquifer
Total Well Depth (ft):	395	Pump Capacity:	400
Station Status:	Active	Project Use:	Commercial/Industrial/Institutional
Compliance Status:	Out Of Compliance		

G65
ESE
1/2 - 1 Mile
Lower

FL WELLS **FLSJ13001299553**

WELLS - SJ:

Permit ID:	180805	Official Permit ID:	3202
Permit Seq #:	12	Permit Type:	Modification
Permit App Process Status:	COMP	Station Name:	3POTABLE WELL #3
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Compliance
FL Statute:	40C-2	Statute Description:	CUP Individual - Board Issued
Permit Project Name:	University of Central Florida	Decision Made:	17-JUN-22
Date Received:	04-FEB-22	Recommendation:	Approval
Permit Expiration:	13-MAY-34	Project Acres:	1420
Permit Status:	Issued	Casing Depth (ft):	87
Casing Diameter (in):	12	Water Source:	FAS - Upper Floridan Aquifer
Total Well Depth (ft):	395	Pump Capacity:	400
Station Status:	Active	Project Use:	Commercial/Industrial/Institutional
Compliance Status:	Undetermined		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

G66
ESE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13001577281

WELLS - SJ:

Permit ID:	207306	Official Permit ID:	3202
Permit Seq #:	13	Permit Type:	District Letter Modification
Permit App Process Status:	ROUT	Station Name:	3POTABLE WELL #3
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	In Routing (Emily DeLozier)
FL Statute:	40C-2	Statute Description:	CUP Individual - Board Issued
Permit Project Name:	University of Central Florida		
Date Received:	17-AUG-23	Decision Made:	Not Reported
Permit Expiration:	13-MAY-34	Recommendation:	Approval
Permit Status:	Pending	Project Acres:	1420
Casing Diameter (in):	12	Casing Depth (ft):	87
Total Well Depth (ft):	395	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	400
Compliance Status:	In Compliance	Project Use:	Commercial/Industrial/Institutional

F67
ESE
1/2 - 1 Mile
Lower

FL WELLS FLSA13000018556

WELLS - SUPER ACT:

Well Type:	Large (>150,00 gpd) Community PWS	Well Status:	ACTIVE
casing Material:	OTHER	Well Depth (ft):	Not Reported
Casing Length (ft):	Not Reported	Casing Diameter (ft):	10
Permit #:	3480409	Sanitary Seal:	Not Reported
Large PWS Well:	1	WSRP ID:	Not Reported
WSRP Action:	Not Reported	Potable Status:	POTABLE
Resident Type:	Not Reported	PWS Design:	3024000

F68
ESE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000007656

WELLS - SJ:

Permit ID:	7257	Official Permit ID:	3202
Permit Seq #:	4	Permit Type:	Renewal
Permit App Process Status:	CLOS	Station Name:	2POTABLE WELL #2
Station Type:	Production Well	Site Name:	UNIVERSITY OF CENTRAL FLORIDA
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	03-JUN-94	Decision Made:	11-APR-95
Permit Expiration:	11-APR-02	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	10	Casing Depth (ft):	206
Total Well Depth (ft):	405	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	500
Compliance Status:	In Compliance	Project Use:	Commercial/Industrial/Institutional

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

F69
ESE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000028684

WELLS - SJ:

Permit ID:	83212	Official Permit ID:	3202
Permit Seq #:	7	Permit Type:	Renewal
Permit App Process Status:	CLOS	Station Name:	2POTABLE WELL #2
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	09-APR-02	Decision Made:	12-NOV-02
Permit Expiration:	12-NOV-07	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	10	Casing Depth (ft):	206
Total Well Depth (ft):	405	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	500
Compliance Status:	Out Of Compliance	Project Use:	Public Supply

F70
ESE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000029987

WELLS - SJ:

Permit ID:	97315	Official Permit ID:	3202
Permit Seq #:	8	Permit Type:	Modification
Permit App Process Status:	CLOS	Station Name:	2POTABLE WELL #2
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	31-JAN-05	Decision Made:	13-SEP-05
Permit Expiration:	12-NOV-07	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	10	Casing Depth (ft):	206
Total Well Depth (ft):	405	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	500
Compliance Status:	In Compliance	Project Use:	Public Supply

F71
ESE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000043194

WELLS - SJ:

Permit ID:	119657	Official Permit ID:	3202
Permit Seq #:	10	Permit Type:	Letter Modification
Permit App Process Status:	CLOS	Station Name:	2POTABLE WELL #2
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Date Received:	16-JAN-09	Decision Made:	18-FEB-09
Permit Expiration:	14-OCT-13	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	10	Casing Depth (ft):	206
Total Well Depth (ft):	405	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	500
Compliance Status:	In Compliance	Project Use:	Commercial/Industrial/Institutional

F72
ESE
1/2 - 1 Mile
Lower

FL WELLS **FLSJ13000028685**

WELLS - SJ:

Permit ID:	108497	Official Permit ID:	3202
Permit Seq #:	9	Permit Type:	Modification
Permit App Process Status:	CLOS	Station Name:	2POTABLE WELL #2
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	10-NOV-06	Decision Made:	14-OCT-08
Permit Expiration:	14-OCT-13	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	10	Casing Depth (ft):	206
Total Well Depth (ft):	405	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	500
Compliance Status:	Out Of Compliance	Project Use:	Public Supply

F73
ESE
1/2 - 1 Mile
Lower

FL WELLS **FLPUB1100006519**

WELLS - PUBLIC:

PWS Name:	UNIVERSITY OF CENTRAL FLORIDA	PWS Type:	COMMUNITY
PWS Status:	ACTIVE	PWS Operator:	Not Reported
PWS Primary Service Area:	4078232471	PWS Last San Survey:	09-JUL-21
PWS Population Served:	44103	Well ID:	2
PWS Design Capacity:	3024000	Well Status:	ACTIVE
Well Name:	WELL#2 12" 400' 500GPM	Well Depth (ft):	400
Year Drilled:	1967	Aquifer:	Floridan Aquifer
Well Availability:	PERMANENT		

G74
ESE
1/2 - 1 Mile
Lower

FL WELLS **FLSA13000018553**

WELLS - SUPER ACT:

Well Type:	Large (>150,00 gpd) Community PWS	Well Status:	ACTIVE
casing Material:	OTHER	Well Depth (ft):	Not Reported
Casing Length (ft):	Not Reported	Casing Diameter (ft):	12
Permit #:	3480409	Sanitary Seal:	Not Reported
Large PWS Well:	1	WSRP ID:	Not Reported
WSRP Action:	Not Reported	Potable Status:	POTABLE

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Resident Type: Not Reported

PWS Design: 3024000

G75
ESE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000051974

WELLS - SJ:

Permit ID:	119657	Official Permit ID:	3202
Permit Seq #:	10	Permit Type:	Letter Modification
Permit App Process Status:	CLOS	Station Name:	4POTABLE WELL #4
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	16-JAN-09	Decision Made:	18-FEB-09
Permit Expiration:	14-OCT-13	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	8	Casing Depth (ft):	150
Total Well Depth (ft):	400	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	500
Compliance Status:	In Compliance	Project Use:	Commercial/Industrial/Institutional

G76
ESE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000025688

WELLS - SJ:

Permit ID:	7257	Official Permit ID:	3202
Permit Seq #:	4	Permit Type:	Renewal
Permit App Process Status:	CLOS	Station Name:	4POTABLE WELL #4
Station Type:	Production Well	Site Name:	UNIVERSITY OF CENTRAL FLORIDA
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	03-JUN-94	Decision Made:	11-APR-95
Permit Expiration:	11-APR-02	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	8	Casing Depth (ft):	150
Total Well Depth (ft):	400	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	500
Compliance Status:	In Compliance	Project Use:	Commercial/Industrial/Institutional

G77
ESE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000025687

WELLS - SJ:

Permit ID:	97315	Official Permit ID:	3202
Permit Seq #:	8	Permit Type:	Modification
Permit App Process Status:	CLOS	Station Name:	4POTABLE WELL #4
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Permit Project Name:	University of Central Florida	Decision Made:	13-SEP-05
Date Received:	31-JAN-05	Recommendation:	Approval
Permit Expiration:	12-NOV-07	Project Acres:	1227
Permit Status:	Closed	Casing Depth (ft):	150
Casing Diameter (in):	8	Water Source:	FAS - Upper Floridan Aquifer
Total Well Depth (ft):	400	Pump Capacity:	500
Station Status:	Active	Project Use:	Public Supply
Compliance Status:	In Compliance		

G78
ESE
1/2 - 1 Mile
Lower

FL WELLS **FLSJ13001577201**

WELLS - SJ:

Permit ID:	207306	Official Permit ID:	3202
Permit Seq #:	13	Permit Type:	District Letter Modification
Permit App Process Status:	ROUT	Station Name:	4POTABLE WELL #4
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	In Routing (Emily DeLozier)
FL Statute:	40C-2	Statute Description:	CUP Individual - Board Issued
Permit Project Name:	University of Central Florida	Decision Made:	Not Reported
Date Received:	17-AUG-23	Recommendation:	Approval
Permit Expiration:	13-MAY-34	Project Acres:	1420
Permit Status:	Pending	Casing Depth (ft):	150
Casing Diameter (in):	8	Water Source:	FAS - Upper Floridan Aquifer
Total Well Depth (ft):	400	Pump Capacity:	500
Station Status:	Active	Project Use:	Commercial/Industrial/Institutional
Compliance Status:	In Compliance		

G79
ESE
1/2 - 1 Mile
Lower

FL WELLS **FLSJ13001299425**

WELLS - SJ:

Permit ID:	180805	Official Permit ID:	3202
Permit Seq #:	12	Permit Type:	Modification
Permit App Process Status:	COMP	Station Name:	4POTABLE WELL #4
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Compliance
FL Statute:	40C-2	Statute Description:	CUP Individual - Board Issued
Permit Project Name:	University of Central Florida	Decision Made:	17-JUN-22
Date Received:	04-FEB-22	Recommendation:	Approval
Permit Expiration:	13-MAY-34	Project Acres:	1420
Permit Status:	Issued	Casing Depth (ft):	150
Casing Diameter (in):	8	Water Source:	FAS - Upper Floridan Aquifer
Total Well Depth (ft):	400	Pump Capacity:	500
Station Status:	Active	Project Use:	Commercial/Industrial/Institutional
Compliance Status:	Undetermined		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

G80
ESE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000057844

WELLS - SJ:

Permit ID:	135860	Official Permit ID:	3202
Permit Seq #:	11	Permit Type:	Renewal
Permit App Process Status:	CLOS	Station Name:	4POTABLE WELL #4
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	14-OCT-13	Decision Made:	15-MAY-14
Permit Expiration:	13-MAY-34	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	8	Casing Depth (ft):	150
Total Well Depth (ft):	400	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	500
Compliance Status:	Out Of Compliance	Project Use:	Commercial/Industrial/Institutional

G81
ESE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000006920

WELLS - SJ:

Permit ID:	83212	Official Permit ID:	3202
Permit Seq #:	7	Permit Type:	Renewal
Permit App Process Status:	CLOS	Station Name:	4POTABLE WELL #4
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	09-APR-02	Decision Made:	12-NOV-02
Permit Expiration:	12-NOV-07	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	8	Casing Depth (ft):	150
Total Well Depth (ft):	400	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	500
Compliance Status:	Out Of Compliance	Project Use:	Public Supply

G82
ESE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000023241

WELLS - SJ:

Permit ID:	108497	Official Permit ID:	3202
Permit Seq #:	9	Permit Type:	Modification
Permit App Process Status:	CLOS	Station Name:	4POTABLE WELL #4
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Date Received:	10-NOV-06	Decision Made:	14-OCT-08
Permit Expiration:	14-OCT-13	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	8	Casing Depth (ft):	150
Total Well Depth (ft):	400	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	500
Compliance Status:	Out Of Compliance	Project Use:	Public Supply

G83
ESE
1/2 - 1 Mile
Lower

FL WELLS FLPUB1100006521

WELLS - PUBLIC:

PWS Name:	UNIVERSITY OF CENTRAL FLORIDA	PWS Type:	COMMUNITY
PWS Status:	ACTIVE	PWS Operator:	Not Reported
PWS Primary Service Area:	4078232471	PWS Last San Survey:	09-JUL-21
PWS Population Served:	44103	Well ID:	4
PWS Design Capacity:	3024000	Well Status:	ACTIVE
Well Name:	WELL#4 12" 410' 600GPM	Well Depth (ft):	410
Year Drilled:	1976	Aquifer:	Floridan Aquifer
Well Availability:	PERMANENT		

F84
ESE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000057838

WELLS - SJ:

Permit ID:	135860	Official Permit ID:	3202
Permit Seq #:	11	Permit Type:	Renewal
Permit App Process Status:	CLOS	Station Name:	2POTABLE WELL #2
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	14-OCT-13	Decision Made:	15-MAY-14
Permit Expiration:	13-MAY-34	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	10	Casing Depth (ft):	206
Total Well Depth (ft):	405	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	500
Compliance Status:	Out Of Compliance	Project Use:	Commercial/Industrial/Institutional

F85
ESE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13001577169

WELLS - SJ:

Permit ID:	207306	Official Permit ID:	3202
Permit Seq #:	13	Permit Type:	District Letter Modification
Permit App Process Status:	ROUT	Station Name:	2POTABLE WELL #2
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	In Routing (Emily DeLozier)
FL Statute:	40C-2	Statute Description:	CUP Individual - Board Issued

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Permit Project Name:	University of Central Florida	Decision Made:	Not Reported
Date Received:	17-AUG-23	Recommendation:	Approval
Permit Expiration:	13-MAY-34	Project Acres:	1420
Permit Status:	Pending	Casing Depth (ft):	206
Casing Diameter (in):	10	Water Source:	FAS - Upper Floridan Aquifer
Total Well Depth (ft):	405	Pump Capacity:	500
Station Status:	Active	Project Use:	Commercial/Industrial/Institutional
Compliance Status:	In Compliance		

F86
ESE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13001299393

WELLS - SJ:

Permit ID:	180805	Official Permit ID:	3202
Permit Seq #:	12	Permit Type:	Modification
Permit App Process Status:	COMP	Station Name:	2POTABLE WELL #2
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Compliance
FL Statute:	40C-2	Statute Description:	CUP Individual - Board Issued
Permit Project Name:	University of Central Florida		
Date Received:	04-FEB-22	Decision Made:	17-JUN-22
Permit Expiration:	13-MAY-34	Recommendation:	Approval
Permit Status:	Issued	Project Acres:	1420
Casing Diameter (in):	10	Casing Depth (ft):	206
Total Well Depth (ft):	405	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	500
Compliance Status:	Undetermined	Project Use:	Commercial/Industrial/Institutional

H87
NW
1/2 - 1 Mile
Lower

FL WELLS FLSJ13001429569

WELLS - SJ:

Permit ID:	195165	Official Permit ID:	195165
Permit Seq #:	1	Permit Type:	Initial Sequence
Permit App Process Status:	CLOS	Station Name:	Pump1
Station Type:	Pump	Site Name:	Data Court Student Housing
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual - Board Issued
Permit Project Name:	Data Court Student Housing		
Date Received:	07-DEC-22	Decision Made:	15-DEC-22
Permit Expiration:	Not Reported	Recommendation:	No Permit Required
Permit Status:	Never Issued	Project Acres:	5.9
Casing Diameter (in):	0	Casing Depth (ft):	0
Total Well Depth (ft):	0	Water Source:	Surficial Aquifer
Station Status:	Proposed	Pump Capacity:	500
Compliance Status:	In Compliance	Project Use:	Mining/Dewatering

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

H88
NW
1/2 - 1 Mile
Lower

FL WELLS FLSJ13001429585

WELLS - SJ:

Permit ID:	195165	Official Permit ID:	195165
Permit Seq #:	1	Permit Type:	Initial Sequence
Permit App Process Status:	CLOS	Station Name:	Wellpoints and Sock
Station Type:	Production Well	Site Name:	Data Court Student Housing
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual - Board Issued
Permit Project Name:	Data Court Student Housing		
Date Received:	07-DEC-22	Decision Made:	15-DEC-22
Permit Expiration:	Not Reported	Recommendation:	No Permit Required
Permit Status:	Never Issued	Project Acres:	5.9
Casing Diameter (in):	6	Casing Depth (ft):	15
Total Well Depth (ft):	0	Water Source:	Surficial Aquifer
Station Status:	Proposed	Pump Capacity:	500
Compliance Status:	In Compliance	Project Use:	Mining/Dewatering

I89
SE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000056707

WELLS - SJ:

Permit ID:	119657	Official Permit ID:	3202
Permit Seq #:	10	Permit Type:	Letter Modification
Permit App Process Status:	CLOS	Station Name:	Geothermal Well #15
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	16-JAN-09	Decision Made:	18-FEB-09
Permit Expiration:	14-OCT-13	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	6	Casing Depth (ft):	170
Total Well Depth (ft):	400	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	150
Compliance Status:	In Compliance	Project Use:	Commercial/Industrial/Institutional

I90
SE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000184106

WELLS - SJ:

Permit ID:	135860	Official Permit ID:	3202
Permit Seq #:	11	Permit Type:	Renewal
Permit App Process Status:	CLOS	Station Name:	Geothermal Well #15
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Date Received:	14-OCT-13	Decision Made:	15-MAY-14
Permit Expiration:	13-MAY-34	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	6	Casing Depth (ft):	170
Total Well Depth (ft):	400	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	150
Compliance Status:	Out Of Compliance	Project Use:	Commercial/Industrial/Institutional

I91
SE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13001577313

WELLS - SJ:

Permit ID:	207306	Official Permit ID:	3202
Permit Seq #:	13	Permit Type:	District Letter Modification
Permit App Process Status:	ROUT	Station Name:	Geothermal Well #15
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	In Routing (Emily DeLozier)
FL Statute:	40C-2	Statute Description:	CUP Individual - Board Issued
Permit Project Name:	University of Central Florida		
Date Received:	17-AUG-23	Decision Made:	Not Reported
Permit Expiration:	13-MAY-34	Recommendation:	Approval
Permit Status:	Pending	Project Acres:	1420
Casing Diameter (in):	6	Casing Depth (ft):	170
Total Well Depth (ft):	400	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	150
Compliance Status:	In Compliance	Project Use:	Commercial/Industrial/Institutional

I92
SE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13001299473

WELLS - SJ:

Permit ID:	180805	Official Permit ID:	3202
Permit Seq #:	12	Permit Type:	Modification
Permit App Process Status:	COMP	Station Name:	Geothermal Well #15
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Compliance
FL Statute:	40C-2	Statute Description:	CUP Individual - Board Issued
Permit Project Name:	University of Central Florida		
Date Received:	04-FEB-22	Decision Made:	17-JUN-22
Permit Expiration:	13-MAY-34	Recommendation:	Approval
Permit Status:	Issued	Project Acres:	1420
Casing Diameter (in):	6	Casing Depth (ft):	170
Total Well Depth (ft):	400	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	150
Compliance Status:	Undetermined	Project Use:	Commercial/Industrial/Institutional

J93
SSE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13001577185

WELLS - SJ:

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Permit ID:	207306	Official Permit ID:	3202
Permit Seq #:	13	Permit Type:	District Letter Modification
Permit App Process Status:	ROUT	Station Name:	8ATHLETICS
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	In Routing (Emily DeLozier)
FL Statute:	40C-2	Statute Description:	CUP Individual - Board Issued
Permit Project Name:	University of Central Florida	Decision Made:	Not Reported
Date Received:	17-AUG-23	Recommendation:	Approval
Permit Expiration:	13-MAY-34	Project Acres:	1420
Permit Status:	Pending	Casing Depth (ft):	150
Casing Diameter (in):	10	Water Source:	FAS - Upper Floridan Aquifer
Total Well Depth (ft):	390	Pump Capacity:	330
Station Status:	Active	Project Use:	Commercial/Industrial/Institutional
Compliance Status:	In Compliance		

J94
SSE
1/2 - 1 Mile
Lower

FL WELLS **FLSJ13001299409**

WELLS - SJ:

Permit ID:	180805	Official Permit ID:	3202
Permit Seq #:	12	Permit Type:	Modification
Permit App Process Status:	COMP	Station Name:	8ATHLETICS
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Compliance
FL Statute:	40C-2	Statute Description:	CUP Individual - Board Issued
Permit Project Name:	University of Central Florida	Decision Made:	17-JUN-22
Date Received:	04-FEB-22	Recommendation:	Approval
Permit Expiration:	13-MAY-34	Project Acres:	1420
Permit Status:	Issued	Casing Depth (ft):	150
Casing Diameter (in):	10	Water Source:	FAS - Upper Floridan Aquifer
Total Well Depth (ft):	390	Pump Capacity:	330
Station Status:	Active	Project Use:	Commercial/Industrial/Institutional
Compliance Status:	Undetermined		

J95
SSE
1/2 - 1 Mile
Lower

FL WELLS **FLSJ13000058219**

WELLS - SJ:

Permit ID:	135860	Official Permit ID:	3202
Permit Seq #:	11	Permit Type:	Renewal
Permit App Process Status:	CLOS	Station Name:	8ATHLETICS
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida	Decision Made:	15-MAY-14
Date Received:	14-OCT-13	Recommendation:	Approval
Permit Expiration:	13-MAY-34	Project Acres:	1227
Permit Status:	Closed	Casing Depth (ft):	150
Casing Diameter (in):	10	Water Source:	FAS - Upper Floridan Aquifer
Total Well Depth (ft):	390	Pump Capacity:	330
Station Status:	Active	Project Use:	Commercial/Industrial/Institutional
Compliance Status:	Out Of Compliance		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

I96
SE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000184107

WELLS - SJ:

Permit ID:	135860	Official Permit ID:	3202
Permit Seq #:	11	Permit Type:	Renewal
Permit App Process Status:	CLOS	Station Name:	Geothermal Well #16
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	14-OCT-13	Decision Made:	15-MAY-14
Permit Expiration:	13-MAY-34	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	6	Casing Depth (ft):	170
Total Well Depth (ft):	400	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	0
Compliance Status:	Out Of Compliance	Project Use:	Commercial/Industrial/Institutional

I97
SE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000056730

WELLS - SJ:

Permit ID:	119657	Official Permit ID:	3202
Permit Seq #:	10	Permit Type:	Letter Modification
Permit App Process Status:	CLOS	Station Name:	Geothermal Well #16
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	16-JAN-09	Decision Made:	18-FEB-09
Permit Expiration:	14-OCT-13	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	6	Casing Depth (ft):	170
Total Well Depth (ft):	400	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	0
Compliance Status:	In Compliance	Project Use:	Commercial/Industrial/Institutional

I98
SE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13001577089

WELLS - SJ:

Permit ID:	207306	Official Permit ID:	3202
Permit Seq #:	13	Permit Type:	District Letter Modification
Permit App Process Status:	ROUT	Station Name:	Geothermal Well #16
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	In Routing (Emily DeLozier)
FL Statute:	40C-2	Statute Description:	CUP Individual - Board Issued
Permit Project Name:	University of Central Florida		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Date Received:	17-AUG-23	Decision Made:	Not Reported
Permit Expiration:	13-MAY-34	Recommendation:	Approval
Permit Status:	Pending	Project Acres:	1420
Casing Diameter (in):	6	Casing Depth (ft):	170
Total Well Depth (ft):	400	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	0
Compliance Status:	In Compliance	Project Use:	Commercial/Industrial/Institutional

I99
SE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13001299377

WELLS - SJ:

Permit ID:	180805	Official Permit ID:	3202
Permit Seq #:	12	Permit Type:	Modification
Permit App Process Status:	COMP	Station Name:	Geothermal Well #16
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Compliance
FL Statute:	40C-2	Statute Description:	CUP Individual - Board Issued
Permit Project Name:	University of Central Florida		
Date Received:	04-FEB-22	Decision Made:	17-JUN-22
Permit Expiration:	13-MAY-34	Recommendation:	Approval
Permit Status:	Issued	Project Acres:	1420
Casing Diameter (in):	6	Casing Depth (ft):	170
Total Well Depth (ft):	400	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	0
Compliance Status:	Undetermined	Project Use:	Commercial/Industrial/Institutional

J100
SSE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000022392

WELLS - SJ:

Permit ID:	108497	Official Permit ID:	3202
Permit Seq #:	9	Permit Type:	Modification
Permit App Process Status:	CLOS	Station Name:	8ATHLETICS
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	10-NOV-06	Decision Made:	14-OCT-08
Permit Expiration:	14-OCT-13	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	10	Casing Depth (ft):	150
Total Well Depth (ft):	390	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	330
Compliance Status:	Out Of Compliance	Project Use:	Public Supply

J101
SSE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000041497

WELLS - SJ:

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Permit ID:	7257	Official Permit ID:	3202
Permit Seq #:	4	Permit Type:	Renewal
Permit App Process Status:	CLOS	Station Name:	8ATHLETICS
Station Type:	Production Well	Site Name:	UNIVERSITY OF CENTRAL FLORIDA
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida	Decision Made:	11-APR-95
Date Received:	03-JUN-94	Recommendation:	Approval
Permit Expiration:	11-APR-02	Project Acres:	1227
Permit Status:	Closed	Casing Depth (ft):	150
Casing Diameter (in):	10	Water Source:	FAS - Upper Floridan Aquifer
Total Well Depth (ft):	390	Pump Capacity:	330
Station Status:	Active	Project Use:	Commercial/Industrial/Institutional
Compliance Status:	In Compliance		

J102
SSE
1/2 - 1 Mile
Lower

FL WELLS **FLSJ13000022193**

WELLS - SJ:

Permit ID:	97315	Official Permit ID:	3202
Permit Seq #:	8	Permit Type:	Modification
Permit App Process Status:	CLOS	Station Name:	8ATHLETICS
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida	Decision Made:	13-SEP-05
Date Received:	31-JAN-05	Recommendation:	Approval
Permit Expiration:	12-NOV-07	Project Acres:	1227
Permit Status:	Closed	Casing Depth (ft):	150
Casing Diameter (in):	10	Water Source:	FAS - Upper Floridan Aquifer
Total Well Depth (ft):	390	Pump Capacity:	330
Station Status:	Active	Project Use:	Public Supply
Compliance Status:	In Compliance		

J103
SSE
1/2 - 1 Mile
Lower

FL WELLS **FLSJ13000014740**

WELLS - SJ:

Permit ID:	119657	Official Permit ID:	3202
Permit Seq #:	10	Permit Type:	Letter Modification
Permit App Process Status:	CLOS	Station Name:	8ATHLETICS
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida	Decision Made:	18-FEB-09
Date Received:	16-JAN-09	Recommendation:	Approval
Permit Expiration:	14-OCT-13	Project Acres:	1227
Permit Status:	Closed	Casing Depth (ft):	150
Casing Diameter (in):	10	Water Source:	FAS - Upper Floridan Aquifer
Total Well Depth (ft):	390	Pump Capacity:	330
Station Status:	Active	Project Use:	Commercial/Industrial/Institutional
Compliance Status:	In Compliance		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

J104
SSE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000019401

WELLS - SJ:

Permit ID:	83212	Official Permit ID:	3202
Permit Seq #:	7	Permit Type:	Renewal
Permit App Process Status:	CLOS	Station Name:	8ATHLETICS
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	09-APR-02	Decision Made:	12-NOV-02
Permit Expiration:	12-NOV-07	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	10	Casing Depth (ft):	150
Total Well Depth (ft):	390	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	330
Compliance Status:	Out Of Compliance	Project Use:	Public Supply

K105
NE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000019678

WELLS - SJ:

Permit ID:	83212	Official Permit ID:	3202
Permit Seq #:	7	Permit Type:	Renewal
Permit App Process Status:	CLOS	Station Name:	12ARENA
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	09-APR-02	Decision Made:	12-NOV-02
Permit Expiration:	12-NOV-07	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	6	Casing Depth (ft):	135
Total Well Depth (ft):	320	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	300
Compliance Status:	Out Of Compliance	Project Use:	Public Supply

K106
NE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000003554

WELLS - SJ:

Permit ID:	108497	Official Permit ID:	3202
Permit Seq #:	9	Permit Type:	Modification
Permit App Process Status:	CLOS	Station Name:	12ARENA
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Date Received:	10-NOV-06	Decision Made:	14-OCT-08
Permit Expiration:	14-OCT-13	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	6	Casing Depth (ft):	135
Total Well Depth (ft):	320	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	300
Compliance Status:	Out Of Compliance	Project Use:	Public Supply

K107
NE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000014743

WELLS - SJ:

Permit ID:	119657	Official Permit ID:	3202
Permit Seq #:	10	Permit Type:	Letter Modification
Permit App Process Status:	CLOS	Station Name:	12ARENA
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	16-JAN-09	Decision Made:	18-FEB-09
Permit Expiration:	14-OCT-13	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	6	Casing Depth (ft):	135
Total Well Depth (ft):	320	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	300
Compliance Status:	In Compliance	Project Use:	Commercial/Industrial/Institutional

K108
NE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000046516

WELLS - SJ:

Permit ID:	7257	Official Permit ID:	3202
Permit Seq #:	4	Permit Type:	Renewal
Permit App Process Status:	CLOS	Station Name:	12ARENA
Station Type:	Production Well	Site Name:	UNIVERSITY OF CENTRAL FLORIDA
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	03-JUN-94	Decision Made:	11-APR-95
Permit Expiration:	11-APR-02	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	6	Casing Depth (ft):	135
Total Well Depth (ft):	320	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	300
Compliance Status:	In Compliance	Project Use:	Commercial/Industrial/Institutional

K109
NE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000061099

WELLS - SJ:

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Permit ID: 97315
Permit Seq #: 8
Permit App Process Status: CLOS
Station Type: Production Well
Monitoring: N
FL Statute: 40C-2
Permit Project Name: University of Central Florida
Date Received: 31-JAN-05
Permit Expiration: 12-NOV-07
Permit Status: Closed
Casing Diameter (in): 6
Total Well Depth (ft): 320
Station Status: Active
Compliance Status: In Compliance

Official Permit ID: 3202
Permit Type: Modification
Station Name: 12ARENA
Site Name: University of Central Florida
Permit Stage: Closed
Statute Description: CUP Individual (40C-2)

Decision Made: 13-SEP-05
Recommendation: Approval
Project Acres: 1227
Casing Depth (ft): 135
Water Source: FAS - Upper Floridan Aquifer
Pump Capacity: 300
Project Use: Public Supply

K110
NE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13001299441

WELLS - SJ:

Permit ID: 180805
Permit Seq #: 12
Permit App Process Status: COMP
Station Type: Production Well
Monitoring: N
FL Statute: 40C-2
Permit Project Name: University of Central Florida
Date Received: 04-FEB-22
Permit Expiration: 13-MAY-34
Permit Status: Issued
Casing Diameter (in): 6
Total Well Depth (ft): 320
Station Status: Active
Compliance Status: Undetermined

Official Permit ID: 3202
Permit Type: Modification
Station Name: 12ARENA
Site Name: University of Central Florida
Permit Stage: Compliance
Statute Description: CUP Individual - Board Issued

Decision Made: 17-JUN-22
Recommendation: Approval
Project Acres: 1420
Casing Depth (ft): 135
Water Source: FAS - Upper Floridan Aquifer
Pump Capacity: 300
Project Use: Commercial/Industrial/Institutional

K111
NE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000057842

WELLS - SJ:

Permit ID: 135860
Permit Seq #: 11
Permit App Process Status: CLOS
Station Type: Production Well
Monitoring: N
FL Statute: 40C-2
Permit Project Name: University of Central Florida
Date Received: 14-OCT-13
Permit Expiration: 13-MAY-34
Permit Status: Closed
Casing Diameter (in): 6
Total Well Depth (ft): 320
Station Status: Active
Compliance Status: Out Of Compliance

Official Permit ID: 3202
Permit Type: Renewal
Station Name: 12ARENA
Site Name: University of Central Florida
Permit Stage: Closed
Statute Description: CUP Individual (40C-2)

Decision Made: 15-MAY-14
Recommendation: Approval
Project Acres: 1227
Casing Depth (ft): 135
Water Source: FAS - Upper Floridan Aquifer
Pump Capacity: 300
Project Use: Commercial/Industrial/Institutional

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

K112
NE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13001577105

WELLS - SJ:

Permit ID:	207306	Official Permit ID:	3202
Permit Seq #:	13	Permit Type:	District Letter Modification
Permit App Process Status:	ROUT	Station Name:	12ARENA
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	In Routing (Emily DeLozier)
FL Statute:	40C-2	Statute Description:	CUP Individual - Board Issued
Permit Project Name:	University of Central Florida		
Date Received:	17-AUG-23	Decision Made:	Not Reported
Permit Expiration:	13-MAY-34	Recommendation:	Approval
Permit Status:	Pending	Project Acres:	1420
Casing Diameter (in):	6	Casing Depth (ft):	135
Total Well Depth (ft):	320	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	300
Compliance Status:	In Compliance	Project Use:	Commercial/Industrial/Institutional

L113
South
1/2 - 1 Mile
Lower

FL WELLS FLSJ13001577153

WELLS - SJ:

Permit ID:	207306	Official Permit ID:	3202
Permit Seq #:	13	Permit Type:	District Letter Modification
Permit App Process Status:	ROUT	Station Name:	10LAKE LEE
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	In Routing (Emily DeLozier)
FL Statute:	40C-2	Statute Description:	CUP Individual - Board Issued
Permit Project Name:	University of Central Florida		
Date Received:	17-AUG-23	Decision Made:	Not Reported
Permit Expiration:	13-MAY-34	Recommendation:	Approval
Permit Status:	Pending	Project Acres:	1420
Casing Diameter (in):	6	Casing Depth (ft):	162
Total Well Depth (ft):	403	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	350
Compliance Status:	In Compliance	Project Use:	Commercial/Industrial/Institutional

L114
South
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000058194

WELLS - SJ:

Permit ID:	135860	Official Permit ID:	3202
Permit Seq #:	11	Permit Type:	Renewal
Permit App Process Status:	CLOS	Station Name:	10LAKE LEE
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Date Received:	14-OCT-13	Decision Made:	15-MAY-14
Permit Expiration:	13-MAY-34	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	6	Casing Depth (ft):	162
Total Well Depth (ft):	403	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	350
Compliance Status:	Out Of Compliance	Project Use:	Commercial/Industrial/Institutional

L115
South
1/2 - 1 Mile
Lower

FL WELLS FLSJ13001299361

WELLS - SJ:

Permit ID:	180805	Official Permit ID:	3202
Permit Seq #:	12	Permit Type:	Modification
Permit App Process Status:	COMP	Station Name:	10LAKE LEE
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Compliance
FL Statute:	40C-2	Statute Description:	CUP Individual - Board Issued
Permit Project Name:	University of Central Florida		
Date Received:	04-FEB-22	Decision Made:	17-JUN-22
Permit Expiration:	13-MAY-34	Recommendation:	Approval
Permit Status:	Issued	Project Acres:	1420
Casing Diameter (in):	6	Casing Depth (ft):	162
Total Well Depth (ft):	403	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	350
Compliance Status:	Undetermined	Project Use:	Commercial/Industrial/Institutional

M116
SE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000035399

WELLS - SJ:

Permit ID:	130289	Official Permit ID:	130289
Permit Seq #:	1	Permit Type:	Initial Sequence
Permit App Process Status:	COMP	Station Name:	2 - UCF AV II (Source)
Station Type:	Production Well	Site Name:	UCF Academic Village II
Monitoring:	N	Permit Stage:	Compliance
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	UCF Academic Village II	Date Received:	06-APR-12
Decision Made:	13-JUN-12	Permit Expiration:	12-JUN-32
Recommendation:	Approval	Permit Status:	Issued
Project Acres:	645	Casing Diameter (in):	14
Casing Depth (ft):	380	Total Well Depth (ft):	520
Water Source:	FAS - Upper Floridan Aquifer		
Station Status:	Active	Pump Capacity:	2000
Compliance Status:	Undetermined	Project Use:	Commercial/Industrial/Institutional

M117
SE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13001556273

WELLS - SJ:

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Permit ID:	205731	Official Permit ID:	130289
Permit Seq #:	2	Permit Type:	District Letter Modification
Permit App Process Status:	ROUT	Station Name:	2 - UCF AV II (Source)
Station Type:	Production Well	Site Name:	UCF Academic Village II
Monitoring:	N	Permit Stage:	In Routing (Emily DeLozier)
FL Statute:	40C-2	Statute Description:	CUP Individual - Board Issued
Permit Project Name:	UCF Academic Village II	Date Received:	14-JUL-23
Decision Made:	Not Reported	Permit Expiration:	12-JUN-32
Recommendation:	Approval	Permit Status:	Pending
Project Acres:	645	Casing Diameter (in):	14
Casing Depth (ft):	380	Total Well Depth (ft):	520
Water Source:	FAS - Upper Floridan Aquifer	Pump Capacity:	2000
Station Status:	Active	Project Use:	Commercial/Industrial/Institutional
Compliance Status:	In Compliance		

L118
South
1/2 - 1 Mile
Lower

FL WELLS **FLSJ13000042144**

WELLS - SJ:

Permit ID:	108497	Official Permit ID:	3202
Permit Seq #:	9	Permit Type:	Modification
Permit App Process Status:	CLOS	Station Name:	10LAKE LEE
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida	Decision Made:	14-OCT-08
Date Received:	10-NOV-06	Recommendation:	Approval
Permit Expiration:	14-OCT-13	Project Acres:	1227
Permit Status:	Closed	Casing Depth (ft):	162
Casing Diameter (in):	6	Water Source:	FAS - Upper Floridan Aquifer
Total Well Depth (ft):	403	Pump Capacity:	350
Station Status:	Active	Project Use:	Public Supply
Compliance Status:	Out Of Compliance		

L119
South
1/2 - 1 Mile
Lower

FL WELLS **FLSJ13000048998**

WELLS - SJ:

Permit ID:	83212	Official Permit ID:	3202
Permit Seq #:	7	Permit Type:	Renewal
Permit App Process Status:	CLOS	Station Name:	10LAKE LEE
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida	Decision Made:	12-NOV-02
Date Received:	09-APR-02	Recommendation:	Approval
Permit Expiration:	12-NOV-07	Project Acres:	1227
Permit Status:	Closed	Casing Depth (ft):	162
Casing Diameter (in):	6	Water Source:	FAS - Upper Floridan Aquifer
Total Well Depth (ft):	403	Pump Capacity:	350
Station Status:	Active	Project Use:	Public Supply
Compliance Status:	Out Of Compliance		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

L120
South
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000042143

WELLS - SJ:

Permit ID:	7257	Official Permit ID:	3202
Permit Seq #:	4	Permit Type:	Renewal
Permit App Process Status:	CLOS	Station Name:	10LAKE LEE
Station Type:	Production Well	Site Name:	UNIVERSITY OF CENTRAL FLORIDA
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	03-JUN-94	Decision Made:	11-APR-95
Permit Expiration:	11-APR-02	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	6	Casing Depth (ft):	162
Total Well Depth (ft):	403	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	350
Compliance Status:	In Compliance	Project Use:	Commercial/Industrial/Institutional

L121
South
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000014793

WELLS - SJ:

Permit ID:	119657	Official Permit ID:	3202
Permit Seq #:	10	Permit Type:	Letter Modification
Permit App Process Status:	CLOS	Station Name:	10LAKE LEE
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	16-JAN-09	Decision Made:	18-FEB-09
Permit Expiration:	14-OCT-13	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	6	Casing Depth (ft):	162
Total Well Depth (ft):	403	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	350
Compliance Status:	In Compliance	Project Use:	Commercial/Industrial/Institutional

L122
South
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000027106

WELLS - SJ:

Permit ID:	97315	Official Permit ID:	3202
Permit Seq #:	8	Permit Type:	Modification
Permit App Process Status:	CLOS	Station Name:	10LAKE LEE
Station Type:	Production Well	Site Name:	University of Central Florida
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Date Received:	31-JAN-05	Decision Made:	13-SEP-05
Permit Expiration:	12-NOV-07	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	6	Casing Depth (ft):	162
Total Well Depth (ft):	403	Water Source:	FAS - Upper Floridan Aquifer
Station Status:	Active	Pump Capacity:	350
Compliance Status:	In Compliance	Project Use:	Public Supply

N123
SE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13001556289

WELLS - SJ:

Permit ID:	205731	Official Permit ID:	130289
Permit Seq #:	2	Permit Type:	District Letter Modification
Permit App Process Status:	ROUT	Station Name:	1 - UCF AV II (Source)
Station Type:	Production Well	Site Name:	UCF Academic Village II
Monitoring:	N	Permit Stage:	In Routing (Emily DeLozier)
FL Statute:	40C-2	Statute Description:	CUP Individual - Board Issued
Permit Project Name:	UCF Academic Village II	Date Received:	14-JUL-23
Decision Made:	Not Reported	Permit Expiration:	12-JUN-32
Recommendation:	Approval	Permit Status:	Pending
Project Acres:	645	Casing Diameter (in):	14
Casing Depth (ft):	380	Total Well Depth (ft):	520
Water Source:	FAS - Upper Floridan Aquifer	Pump Capacity:	2000
Station Status:	Proposed	Project Use:	Commercial/Industrial/Institutional
Compliance Status:	In Compliance		

N124
SE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13000057971

WELLS - SJ:

Permit ID:	130289	Official Permit ID:	130289
Permit Seq #:	1	Permit Type:	Initial Sequence
Permit App Process Status:	COMP	Station Name:	1 - UCF AV II (Source)
Station Type:	Production Well	Site Name:	UCF Academic Village II
Monitoring:	N	Permit Stage:	Compliance
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	UCF Academic Village II	Date Received:	06-APR-12
Decision Made:	13-JUN-12	Permit Expiration:	12-JUN-32
Recommendation:	Approval	Permit Status:	Issued
Project Acres:	645	Casing Diameter (in):	14
Casing Depth (ft):	380	Total Well Depth (ft):	520
Water Source:	FAS - Upper Floridan Aquifer	Pump Capacity:	2000
Station Status:	Proposed	Project Use:	Commercial/Industrial/Institutional
Compliance Status:	Undetermined		

N125
SE
1/2 - 1 Mile
Lower

FL WELLS FLSJ13001560753

WELLS - SJ:

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Permit ID:	205731	Official Permit ID:	130289
Permit Seq #:	2	Permit Type:	District Letter Modification
Permit App Process Status:	ROUT	Station Name:	4 - UCF AV II (return)
Station Type:	Production Well	Site Name:	UCF Academic Village II
Monitoring:	N	Permit Stage:	In Routing (Emily DeLozier)
FL Statute:	40C-2	Statute Description:	CUP Individual - Board Issued
Permit Project Name:	UCF Academic Village II	Date Received:	14-JUL-23
Decision Made:	Not Reported	Permit Expiration:	12-JUN-32
Recommendation:	Approval	Permit Status:	Pending
Project Acres:	645	Casing Diameter (in):	16
Casing Depth (ft):	181	Total Well Depth (ft):	500
Water Source:	FAS - Upper Floridan Aquifer		
Station Status:	Active	Pump Capacity:	2500
Compliance Status:	In Compliance	Project Use:	Commercial/Industrial/Institutional

126
ESE
1/2 - 1 Mile
Lower

FL WELLS **FLSJ13000050912**

WELLS - SJ:

Permit ID:	7255	Official Permit ID:	3202
Permit Seq #:	2	Permit Type:	Modification
Permit App Process Status:	CLOS	Station Name:	N
Station Type:	Pump	Site Name:	UNIVERSITY OF CENTRAL FLORIDA
Monitoring:	N	Permit Stage:	Closed
FL Statute:	40C-2	Statute Description:	CUP Individual (40C-2)
Permit Project Name:	University of Central Florida		
Date Received:	15-NOV-85	Decision Made:	13-MAY-86
Permit Expiration:	13-MAY-93	Recommendation:	Approval
Permit Status:	Closed	Project Acres:	1227
Casing Diameter (in):	0	Casing Depth (ft):	0
Total Well Depth (ft):	0	Water Source:	Lake Claire
Station Status:	Abandoned	Pump Capacity:	0
Compliance Status:	In Compliance	Project Use:	Commercial/Industrial/Institutional

127
South
1/2 - 1 Mile
Lower

FED USGS **USGS40000249009**

Organization ID:	USGS-FL	Organization Name:	USGS Florida Water Science Center
Monitor Location:	CFRP WEST SURFICIAL WELL NR UNION PARK,FL	Description:	MP=TOC=77.64FT MSL
Type:	Well	Drainage Area:	Not Reported
HUC:	03080101	Contrib Drainage Area:	Not Reported
Drainage Area Units:	Not Reported	Aquifer:	Not Reported
Contrib Drainage Area Units:	Not Reported	Aquifer Type:	Not Reported
Formation Type:	Nonartesian Sand Aquifer	Well Depth:	15
Construction Date:	19910531	Well Hole Depth:	15
Well Depth Units:	ft		
Well Hole Depth Units:	ft		

Ground water levels,Number of Measurements:	8	Level reading date:	2001-09-13
Feet below surface:	Not Reported	Feet to sea level:	68.5
Note:	Not Reported		
Level reading date:	2001-07-10	Feet below surface:	Not Reported
Feet to sea level:	68.18	Note:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Level reading date:	2001-04-03	Feet below surface:	Not Reported
Feet to sea level:	68.00	Note:	Not Reported
Level reading date:	2001-01-03	Feet below surface:	Not Reported
Feet to sea level:	66.91	Note:	Not Reported
Level reading date:	2000-11-30	Feet below surface:	Not Reported
Feet to sea level:	67.32	Note:	Not Reported
Level reading date:	2000-09-15	Feet below surface:	Not Reported
Feet to sea level:	65.98	Note:	Not Reported
Level reading date:	2000-03-22	Feet below surface:	Not Reported
Feet to sea level:	66.8	Note:	Not Reported
Level reading date:	1999-06-24	Feet below surface:	Not Reported
Feet to sea level:	67.88	Note:	Not Reported

1G
NNW
1/4 - 1/2 Mile
Lower

Site ID: 8513002
Groundwater Flow: W
Water Table Depth: 11-16 ft.
Date: 3/8/94

AQUIFLOW 1603

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

State Database: FL Radon

Radon Test Results

Zip	Total Buildings	% of sites>4pCi/L	Data Source
32826	26	0.0	Certified Residential Database
32826	15	0.0	Mandatory Non-Residential Database

Federal EPA Radon Zone for ORANGE County: 3

Note: Zone 1 indoor average level > 4 pCi/L.
: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
: Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for ORANGE COUNTY, FL

Number of sites tested: 141

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area	0.620 pCi/L	98%	2%	0%
Basement	0.930 pCi/L	100%	0%	0%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Current USGS 7.5 Minute Topographic Map

Source: U.S. Geological Survey

HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005, 2010 and 2015 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetlands Inventory

Source: Department of Environmental Protection

Telephone: 850-245-8238

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

OTHER STATE DATABASE INFORMATION

Public Water System (PWS) Wells (Non-Federal)

Department of Environmental Protection

Telephone: 850-245-8629

Statewide coverage of PWS Wells, excluding Federally owned facilities.

Well Construction Permitting Database

Source: Northwest Florida Water Management District

Telephone: 850-539-5999

Consumptive Use Permit Well Database

Source: St. Johns River Water Management District

Telephone: 386-329-4841

DEP GWIS - Generalized Water Information System Well Data

Source: Department of Environmental Protection

Telephone: 850-245-8507

Data collected for the Watershed Monitoring Section of the Department of Environmental Protection.

DOH and DEP Historic Study of Private Wells

Source: Department of Environmental Protection

Telephone: 850-559-0901

Historic database for private supply wells.

Permitted Well Location Database

Source: South Florida Water Management District

Telephone: 561-682-6877

Super Act Program Well Data

Source: Department of Health

Telephone: 850-245-4250

This table consists of data relating to all privately and publicly owned potable wells investigated as part of the SUPER Act program. The Florida Department of Health's SUPER Act Program (per Chapter 376.3071(4)(g), Florida Statutes), was given authority to provide field and laboratory services, toxicological risk assessments, investigations of drinking water contamination complaints and education of the public.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

Water Well Location Information

Source: Suwannee River Water Management District
Telephone: 386-796-7211

Water Well Permit Database

Source: Southwest Water Management District
Telephone: 352-796-7211

Oil and Gas Permit Database

Source: Department of Environmental Protection
Telephone: 850-245-3194
Locations of all permitted wells in the state of Florida.

Florida Sinkholes

Source: Department of Environmental Protection, Geological Survey
Telephone:
The sinkhole data was gathered by the Florida Sinkhole Research Institute, University of Florida.

RADON

State Database: FL Radon

Source: Department of Health
Telephone: 850-245-4288
Zip Code Based Radon Data

Area Radon Information

Source: USGS
Telephone: 703-356-4020
The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones

Source: EPA
Telephone: 703-356-4020
Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities
Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater
Source: Department of Commerce, National Oceanic and Atmospheric Administration

Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared in 1975 by the United State Geological Survey

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.